

TRUFIT

50 HZ		.75 KW (1 HP) RIGHT ANGLE WASHDOWN		INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 80, 90
RPM	INCH LBS			SERVICE FACTOR	GEAR RATIO	80L/4-V1	90S/4 SPNP-V1	80L/4-F	80L/4-RDD	
		TEFC 400V 2:1 CT	TEFC 400V 4:1 CT			TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,465	\$ 1,543	\$ 1,578	\$ 1,828	\$ 1,910	\$ 2,027	\$ 1,364
335	188	2.8	4.10	A	A	A	A	A	A	A
288	218	2.6	4.77	A	A	A	A	A	A	A
258	244	2.6	5.33	A	A	A	A	A	A	A
228	277	2.4	6.04	A	A	A	A	A	A	A
195	322	2.6	7.04	A	A	A	A	A	A	A
172	367	2.4	8.01	A	A	A	A	A	A	A
152	415	2.2	9.07	A	A	A	A	A	A	A
133	475	2.0	10.37	A	A	A	A	A	A	A
116	541	1.9	11.81	A	N/A	A	A	N/A	A	A
102	618	1.7	13.49	A	N/A	A	A	N/A	A	A
88	715	1.5	15.61	A	N/A	A	A	N/A	A	A

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,012	\$ 2,087	\$ 2,125	\$ 2,432	\$ 2,514	\$ 2,631	\$ 1,968
48	1,303	4.1	28.44	A	A	A	A	A	A	A
43	1,467	3.8	32.04	A	A	A	A	A	A	A
38	1,677	3.5	36.61	A	A	A	A	A	A	A
34	1,867	2.1	40.77	A	A	A	A	A	A	A
30	2,104	2.1	45.93	A	A	A	A	A	A	A
26	2,404	2.1	52.48	A	A	A	A	A	A	A
25	2,566	1.4	56.02	A	N/A	A	A	N/A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,025	\$ 3,112	\$ 3,138	\$ 3,606	\$ 3,688	\$ 3,805	\$ 3,142
28	2,287	6.0	49.94	A	A	A	A	A	A	A
23	2,710	5.1	59.17	A	A	A	A	A	A	A
21	2,935	4.7	64.08	A	A	A	A	A	A	A
18	3,477	3.9	75.91	A	A	A	A	A	A	A
16	3,855	3.0	84.17	A	A	A	A	A	A	A
15	4,282	2.8	93.50	A	A	A	A	A	A	A
12	5,073	2.6	110.77	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	147	147	147	147	147	147
Thermistor	xxx_/4-...TF	147	147	147	147	147	147
Encapsulated	xxx_/4-...-EP-IP66	174	174	174	41	41	41
Windings (EP) + IP66 Enclosure							
High Efficient 400V	ADD:	80LH/4-V1	90SH/4 SPNP-V1	80LH/4-F	80LH/4-RDD	90SH/4 SPNP-RDD	80LH/4-F
		\$125	\$141	\$125	\$142	\$80	\$142
2-Pole Motor: SK9032.1 Allow 6-8 weeks for delivery		80L/2-V1	80L/2 SPNP-V1	80L/2-F	80L/2-RDD	80L/2 SPNP-RDD	80L/2-F
		\$162	\$75	\$162	\$162	\$80	\$162

TRUFIT

50 HZ				1.1 KW (1.5 HP) RIGHT ANGLE WASHDOWN			INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 90
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	90S/4-V1	90L/4 SPNP-V1	90S/4-F	90S/4-RDD	90L/4 SPNP-RDD	90S/4-F				
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT				

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,543	\$ 1,551	\$ 1,664	\$ 1,910	\$ 1,932	\$ 2,132	\$ 1,364
352	262	2.4	4.10	A	A	A	A	A	A	A
303	305	2.2	4.77	A	A	A	A	A	A	A
271	341	2.1	5.33	A	A	A	A	A	A	A
239	386	2.0	6.04	A	A	A	A	A	A	A
205	450	1.8	7.04	A	A	A	A	A	A	A
180	512	1.7	8.01	A	A	A	A	A	A	A
159	580	1.5	9.07	A	A	A	A	A	A	A
139	663	1.4	10.37	A	A	A	A	A	A	A

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,087	\$ 2,096	\$ 2,208	\$ 2,514	\$ 2,536	\$ 2,736	\$ 1,968
133	695	6.6	10.88	A	A	A	A	A	A	A
116	794	5.7	12.43	A	A	A	A	A	A	A
104	889	5.3	13.91	A	A	A	A	A	A	A
93	997	5.2	15.60	A	A	A	A	A	A	A
81	1,139	3.1	17.83	A	A	A	A	A	A	A
51	1,817	1.5	28.44	A	A	A	A	A	A	A
45	2,047	1.4	32.04	A	A	A	A	A	A	A
39	2,339	1.5	36.61	A	A	A	A	A	A	A
35	2,605	1.5	40.77	A	A	A	A	A	A	A
31	2,935	1.5	45.93	A	A	A	A	A	A	A
28	3,353	1.5	52.48	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,112	\$ 3,120	\$ 3,233	\$ 3,688	\$ 3,710	\$ 3,910	\$ 3,142
170	542	14.4	8.48	A	A	A	A	A	A	A
135	686	11.6	10.73	A	A	A	A	A	A	A
114	810	10.9	12.68	A	A	A	A	A	A	A
107	862	13.9	13.49	A	A	A	A	A	A	A
92	1,005	12.3	15.73	A	A	A	A	A	A	A
85	1,091	11.8	17.08	A	A	A	A	A	A	A
71	1,293	10.3	20.23	A	A	A	A	A	A	A
60	1,528	9.0	23.91	A	A	A	A	A	A	A
58	1,599	8.3	25.03	A	A	A	A	A	A	A
49	1,895	7.0	29.66	A	A	A	A	A	A	A
41	2,275	6.0	35.61	A	A	A	A	A	A	A
38	2,431	5.6	38.05	A	A	A	A	A	A	A
29	3,191	4.3	49.94	A	A	A	A	A	A	A
24	3,781	3.5	59.17	A	A	A	A	A	A	A
23	4,095	3.2	64.08	A	A	A	A	A	A	A
19	4,851	2.7	75.91	A	A	A	A	A	A	A
17	5,378	2.5	84.17	A	A	A	A	A	A	A
15	5,975	2.2	93.50	A	A	A	A	A	A	A
13	7,078	1.9	110.77	A	A	A	A	A	A	A
12	7,521	1.8	117.70	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	147	147	147	147	147	147
Thermistor	xxx_/4-...TF	147	147	147	147	147	147
Encapsulated Windings (EP) + IP66 Enclosure	xxx_/4-...-EP-IP66	174	174	174	174	174	174

High Efficient 400V ADD:	90SH/4-V1	90LH/4 SPNP-V1	90SH/4-F	90SH/4-RDD	90LH/4 SPNP-RDD	90SH/4-F
	\$141	\$141	\$141	\$80	\$160	\$80
2-Pole Motor: SK9032.1 Allow 6-8 weeks for delivery	80L/2-V1	90S/2 SPNP-V1	80L/2-F	80L/2-RDD	90S/2 SPNP-RDD	80LH/2-F
	\$75	\$201	\$67	\$ 80	\$ 187	\$ 57

TRUFIT

50 HZ				1.5 KW (2 HP) RIGHT ANGLE WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 90	REDUCER IEC B5 ADAPTER FRAME 100
								90L/4-V1	100L/4 SPNP-V1	90L/4-F	90L/4-RDD	100L/4 SPNP-RDD	90L/4-F		
								TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		
RPM	INCH LBS	S.F.	RATIO												

Pump 06/015/018 U2; Reducer Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,551	N/A	\$ 1,672	\$ 1,932	N/A	\$ 2,154	\$ 1,364	N/A
340	359	1.8	4.10	A	N/A	A	A	N/A	A	A	N/A
292	417	1.6	4.77	A	N/A	A	A	N/A	A	A	N/A
262	466	1.6	5.33	A	N/A	A	A	N/A	A	A	N/A
231	529	1.5	6.04	A	N/A	A	A	N/A	A	A	N/A

Pump 030/040 U2; Reducer SI Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,096	\$ 2,203	\$ 2,217	\$ 2,536	\$ 2,676	\$ 2,758	\$ 1,968	\$ 2,015
128	952	4.8	10.88	A	A	A	A	A	A	A	A
112	1,088	4.2	12.43	A	A	A	A	A	A	A	A
100	1,217	3.9	13.91	A	A	A	A	A	A	A	A
89	1,365	3.8	15.60	A	A	A	A	A	A	A	A
78	1,560	2.2	17.83	A	A	A	A	A	A	A	A
49	2,489	2.1	28.44	A	A	A	A	A	A	A	A
44	2,804	1.9	32.04	A	A	A	A	A	A	A	A
38	3,203	1.8	36.61	A	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,120	\$ 3,241	\$ 3,241	\$ 3,710	\$ 3,846	\$ 3,932	\$ 3,142	\$ 3,185
165	742	10.5	8.48	A	A	A	A	A	A	A	A
130	939	8.5	10.73	A	A	A	A	A	A	A	A
110	1,110	8.0	12.68	A	A	A	A	A	A	A	A
103	1,180	10.1	13.49	A	A	A	A	A	A	A	A
89	1,376	9.0	15.73	A	A	A	A	A	A	A	A
69	1,770	7.5	20.23	A	A	A	A	A	A	A	A
58	2,092	6.6	23.91	A	A	A	A	A	A	A	A
56	2,190	6.1	25.03	A	A	A	A	A	A	A	A
47	2,595	5.1	29.66	A	A	A	A	A	A	A	A
39	3,116	4.4	35.61	A	A	A	A	A	A	A	A
37	3,329	4.1	38.05	A	A	A	A	A	A	A	A
35	3,532	3.0	40.36	A	A	A	A	A	A	A	A
29	4,174	2.9	47.70	A	A	A	A	A	A	A	A
28	4,370	2.7	49.94	A	A	A	A	A	A	A	A
24	5,177	2.6	59.17	A	A	A	A	A	A	A	A
22	5,607	2.4	64.08	A	A	A	A	A	A	A	A
18	6,642	1.9	75.91	A	A	A	A	A	A	A	A
17	7,365	1.8	84.17	A	A	A	A	A	A	A	A
15	8,181	1.6	93.50	A	A	A	A	A	A	A	A
13	9,692	1.4	110.77	A	N/A	A	A	N/A	A	A	N/A

Thermostat	xxx_/4-...TW	147	147	147	147	147	147
Thermistor	xxx_/4-...TF	147	147	147	147	147	147
Encapsulated Windings (EP) + IP66 Enclosure	xxx_/4-...-EP-IP66	174	176	176	174	176	174

High Efficient 400V 2-Pole Motor: SK9032.1 Allow 6-8 weeks for delivery	90LH/4-V1	100LH/4 SPNP-V1	90LH/4-F	90LH/4-RDD	100LH/4 SPNP-RDD	90LH/4-F
	\$141	\$167	\$141	\$160	\$191	\$160
	90S/2-V1	90L/2 SPNP-V1	90S/2-F	90S/2-RDD	90L/2 SPNP-RDD	90S/2-F
	\$201	\$88	\$201	\$ 187	\$ 116	\$ 187

TRUFIT

50 HZ				2.2 KW (3 HP) RIGHT ANGLE WASHDOWN			INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 100
							100L/4-V1	100LA/4 SPNP-V1	100L/4-F	100L/4-RDD	100LA/4 SPNP-RDD	100L/4-F	
RPM	INCH LBS	SERVICE FACTOR	RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT				

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,203	\$ 2,228	\$ 2,389	\$ 2,676	\$ 2,730	\$ 2,977	\$ 2,015
225	820	4.9	6.41	A	A	A	A	A	A	A
189	973	4.3	7.60	A	A	A	A	A	A	A
168	1,094	4.0	8.55	A	A	A	A	A	A	A
150	1,233	3.6	9.63	A	A	A	A	A	A	A
132	1,393	3.3	10.88	A	A	A	A	A	A	A
116	1,591	2.5	12.43	A	A	A	A	A	A	A
104	1,780	2.4	13.91	A	A	A	A	A	A	A
92	1,997	2.1	15.60	A	A	A	A	A	A	A
81	2,282	2.1	17.83	A	A	A	A	A	A	A
73	2,525	2.1	19.73	A	A	A	A	A	A	A
65	2,844	1.9	22.22	A	A	A	A	A	A	A
57	3,250	1.8	25.39	A	A	A	A	A	A	A
51	3,640	1.5	28.44	A	A	A	A	A	A	A

Pump 045/060/130 U2: Reducer SK9032.1SWAZH660A

				\$ 3,241	\$ 3,268	\$ 3,427	\$ 3,846	\$ 3,900	\$ 4,147	\$ 3,185
170	1,085	7.2	8.48	A	A	A	A	A	A	A
134	1,373	5.8	10.73	A	A	A	A	A	A	A
114	1,623	5.5	12.68	A	A	A	A	A	A	A
107	1,727	6.9	13.49	A	A	A	A	A	A	A
92	2,013	6.2	15.73	A	A	A	A	A	A	A
84	2,186	5.9	17.08	A	A	A	A	A	A	A
71	2,589	5.1	20.23	A	A	A	A	A	A	A
60	3,060	4.5	23.91	A	A	A	A	A	A	A
58	3,204	4.1	25.03	A	A	A	A	A	A	A
49	3,796	2.7	29.66	A	A	A	A	A	A	A
40	4,558	2.2	35.61	A	A	A	A	A	A	A
38	4,870	2.3	38.05	A	A	A	A	A	A	A
36	5,166	2.7	40.36	A	A	A	A	A	A	A
30	6,106	2.2	47.70	A	A	A	A	A	A	A
29	6,392	2.1	49.94	A	A	A	A	A	A	A
24	7,574	1.8	59.17	A	A	A	A	A	A	A
22	8,202	1.6	64.08	A	A	A	A	A	A	A
19	9,716	1.4	75.91	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	147	147	147	147	147	147
Thermistor	xxx_/4-...TF	147	147	147	147	147	147
Encapsulated Windings (EP) + IP66 Enclosure	xxx_/4-...-EP-IP66	176	176	176	176	176	176

High Efficient 400V ADD:	100LH/4-V1	112MH/4 SPNP-V1	100LH/4-F	100LH/4-RDD	112MH/4 SPNP-RDD	100LH/4-F
	\$167	\$332	\$167	\$191	\$134	\$191
2-Pole Motor: SK9032.1 Allow 6-8 weeks for delivery	90L/2-V1	100L/2 SPNP-V1	90L/2-F	90L/2-RDD	100L/2 SPNP-RDD	90L/2-F
	\$88	\$225	\$23	\$116	\$198	\$37

TRUFIT

50 HZ				3 KW (4 HP) RIGHT ANGLE WASHDOWN			INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 100 / 112
							100LA/4-V1	112M/4 SPNP-V1	100LA/4-F	100LA/4-RDD	112M/4 SPNP-RDD	100LA/4-F	
RPM	INCH LBS	SERVICE FACTOR	RATIO				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,228	\$ 2,432	\$ 2,414	\$ 2,730	\$ 2,956	\$ 3,031	\$ 2,015
221	1,103	3.6	6.41	A	A	A	A	A	A	A
186	1,307	2.0	7.60	A	A	A	A	A	A	A
165	1,471	1.9	8.55	A	A	A	A	A	A	A
147	1,656	1.9	9.63	A	A	A	A	A	A	A
130	1,871	1.8	10.88	A	A	A	A	A	A	A
114	2,138	1.8	12.43	A	A	A	A	A	A	A
102	2,393	1.7	13.91	A	A	A	A	A	A	A
91	2,683	1.5	15.60	A	A	A	A	A	A	A
79	3,067	1.5	17.83	A	A	A	A	A	A	A
72	3,394	1.5	19.73	A	A	A	A	A	A	A
64	3,822	1.4	22.22	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,268	\$ 3,472	\$ 3,454	\$ 3,900	\$ 4,126	\$ 4,201	\$ 3,185
167	1,459	5.3	8.48	A	A	A	A	A	A	A
132	1,846	2.2	10.73	A	A	A	A	A	A	A
112	2,181	2.1	12.68	A	A	A	A	A	A	A
105	2,320	5.2	13.49	A	A	A	A	A	A	A
90	2,706	2.3	15.73	A	A	A	A	A	A	A
83	2,938	2.3	17.08	A	A	A	A	A	A	A
70	3,480	2.2	20.23	A	A	A	A	A	A	A
59	4,113	2.1	23.91	A	A	A	A	A	A	A
57	4,305	1.9	25.03	A	A	A	A	A	A	A
48	5,102	1.9	29.66	A	A	A	A	A	A	A
40	6,125	1.6	35.61	A	A	A	A	A	A	A
37	6,545	1.7	38.05	A	A	A	A	A	A	A
35	6,942	1.9	40.36	A	A	A	A	A	A	A
30	8,204	1.6	47.70	A	A	A	A	A	A	A
28	8,590	1.5	49.94	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	147	147	147	147	147	147
Thermistor	xxx_/4-...TF	147	147	147	147	147	147
Encapsulated	xxx_/4-...-EP-IP66	212	212	212	60	60	60
Windings (EP) + IP66 Enclosure							

High Efficient		112MH/4-V1	112MH/4 SPNP-V1	112MH/4-F	112MH/4-RDD	112MH/4 SPNP-RDD	112MH/4-F
400V	ADD:	\$332	\$131	\$307	\$134	\$122	\$142
2-Pole Motor: SK9032.1 & SK9042.1		100L/2-V1	112M/2 SPNP-V1	100L/2-F	100L/2-RDD	112M/2 SPNP-RDD	100L/2-F
Allow 6-8 weeks for delivery		\$225	\$306	\$225	\$198	\$306	\$252

TRUFIT

50 HZ				3 KW (4 HP) RIGHT ANGLE WASHDOWN			INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 100 / 112
							100LA/4-V1	112M/4 SPNP-V1	100LA/4-F	100LA/4-RDD	112M/4 SPNP-RDD	100LA/4-F	
RPM	INCH LBS	SERVICE FACTOR	RATIO				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$ 4,071	\$ 4,275	\$ 4,257	\$ 4,798	\$ 5,024	\$ 5,099	\$ 4,083
----------	----------	----------	----------	----------	----------	----------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 3,707	\$ 3,911	\$ 3,893	\$ 4,434	\$ 4,660	\$ 4,735	\$ 3,719
124	1,961	6.8	11.40	A	A	A	A	A	A	A
106	2,305	7.7	13.40	A	A	A	A	A	A	A
90	2,694	6.6	15.66	A	A	A	A	A	A	A
70	3,495	6.6	20.32	A	A	A	A	A	A	A
59	4,109	5.8	23.89	A	A	A	A	A	A	A
51	4,801	2.3	27.91	A	A	A	A	A	A	A
45	5,452	2.0	31.70	A	A	A	A	A	A	A
41	5,915	2.1	34.39	A	A	A	A	A	A	A
35	6,973	2.6	40.54	A	A	A	A	A	A	A
30	8,199	2.5	47.67	A	A	A	A	A	A	A
25	9,579	2.3	55.69	A	A	A	A	A	A	A
22	10,879	2.0	63.25	A	A	A	A	A	A	A
21	11,801	2.1	68.61	A	A	A	A	A	A	A
19	13,103	1.9	76.18	A	A	A	A	A	A	A
16	14,866	1.6	86.43	A	A	A	A	A	A	A
15	16,436	1.5	95.56	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	147	147	147	147	147	147
Thermistor	xxx_/4-...TF	147	147	147	147	147	147
Encapsulated Windings (EP) + IP66 Enclosure	xxx_/4-...-EP-IP66	212	212	212	60	60	60

High Efficient 400V	ADD:	112MH/4-V1	112MH/4 SPNP-V1	112MH/4-F	112MH/4-RDD	112MH/4 SPNP-RDD	112MH/4-F
		\$332	\$131	\$307	\$134	\$122	\$142
2-Pole Motor: SK9032.1 & SK9042.1 Allow 6-8 weeks for delivery		100L/2-V1	112M/2 SPNP-V1	100L/2-F	100L/2-RDD	112M/2 SPNP-RDD	100L/2-F
		\$225	\$306	\$225	\$198	\$306	\$252

TRUFIT

50 HZ				4 KW (5.4 HP) RIGHT ANGLE WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 112	REDUCER IEC B5 ADAPTER FRAME 132
								112M/4-V1	132S/4 SPNP-V1	112M/4-F	112M/4-RDD	132S/4 SPNP-RDD	112M/4-F		
RPM	INCH LBS	SERVICE FACTOR	RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT						

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,432	\$ 2,556	\$ 2,590	\$ 2,956	\$ 3,307	\$ 3,265	\$ 2,015	\$ 2,015
300	1,116	3.3	4.81	N/A	A	N/A	N/A	A	N/A	N/A	A
266	1,260	3.0	5.43	N/A	A	N/A	N/A	A	N/A	N/A	A
236	1,418	2.6	6.11	N/A	A	N/A	N/A	A	N/A	N/A	A
225	1,487	2.3	6.41	A	A	A	A	A	A	A	A
190	1,763	2.1	7.60	A	A	A	A	A	A	A	A
169	1,984	2.0	8.55	A	A	A	A	A	A	A	A
150	2,234	1.9	9.63	A	A	A	A	A	A	A	A
133	2,524	1.8	10.88	A	A	A	A	A	A	A	A
116	2,884	1.6	12.43	A	A	A	A	A	A	A	A
104	3,227	1.5	13.91	A	A	A	A	A	A	A	A
93	3,619	1.4	15.60	A	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,472	\$ 3,782	\$ 3,630	\$ 4,126	\$ 4,565	\$ 4,435	\$ 3,185	\$ 3,273
170	1,967	4.0	8.48	A	A	A	A	A	A	A	A
135	2,489	2.5	10.73	A	A	A	A	A	A	A	A
114	2,942	2.4	12.68	A	A	A	A	A	A	A	A
107	3,130	3.8	13.49	A	A	A	A	A	A	A	A
92	3,649	2.6	15.73	A	A	A	A	A	A	A	A
85	3,963	2.5	17.08	A	A	A	A	A	A	A	A
71	4,693	2.5	20.23	A	A	A	A	A	A	A	A
60	5,547	2.3	23.91	A	A	A	A	A	A	A	A
58	5,807	2.1	25.03	A	A	A	A	A	A	A	A
49	6,881	1.9	29.66	A	A	A	A	A	A	A	A
41	8,262	1.7	35.61	A	N/A	A	A	N/A	A	A	N/A
38	8,828	1.5	38.05	A	N/A	A	A	N/A	A	A	N/A
36	9,364	1.5	40.36	A	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	147	168	147	147	168	147
Thermistor	xxx_/4-...TF	147	168	147	147	168	147
Encapsulated Windings (EP) + IP66 Enclosure	xxx_/4-...-EP-IP66	212	215	212	60	60	60

High Efficient 400V ADD:	112MH/4-V1	132SH/4 SPNP-V1	112MH/4-F	112MH/4-RDD	132SH/4 SPNP-RDD	112MH/4-F
	\$131	\$324	\$131	\$122	\$369	\$122
2-Pole Motor: SK9032, SK9042, SK9052 Allow 6-8 weeks for delivery	112M/2-V1	132S/2 SPNP-V1	112M/2-F	112M/2-RDD	132S/2 SPNP-RDD	112M/2-F
	\$306	\$407	\$306	\$306	\$407	\$306

TRUFIT

50 HZ	4 KW (5.4 HP) RIGHT ANGLE WASHDOWN			INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 112	REDUCER IEC B5 ADAPTER FRAME 132
				112M/4-V1 TEFC 400V 2:1 CT	132S/4 SPNP-V1 TEFC 400V 4:1 CT	112M/4-F TEBC 400V 10:1 CT	112M/4-RDD TEFC 400V 2:1 CT	132S/4 SPNP-RDD TEFC 400V 4:1 CT	112M/4-F TEBC 400V 10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	RATIO								

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$	4,275	\$	4,587	\$	4,433	\$	5,024	\$	5,463	\$	5,333	\$	4,083	\$	4,171
----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 3,911	\$ 4,223	\$ 4,069	\$ 4,660	\$ 5,099	\$ 4,969	\$ 3,719	\$ 3,807
164	2,049	6.0	8.83	N/A	A	N/A	N/A	A	N/A	N/A	A
154	2,178	6.1	9.39	N/A	A	N/A	N/A	A	N/A	N/A	A
142	2,369	5.6	10.21	N/A	A	N/A	N/A	A	N/A	N/A	A
127	2,645	5.0	11.40	A	A	A	A	A	A	A	A
108	3,109	5.7	13.40	A	A	A	A	A	A	A	A
92	3,633	4.9	15.66	A	A	A	A	A	A	A	A
79	4,222	5.1	18.20	N/A	A	N/A	N/A	A	N/A	N/A	A
71	4,714	4.9	20.32	A	A	A	A	A	A	A	A
60	5,542	4.3	23.89	A	A	A	A	A	A	A	A
52	6,475	2.6	27.91	A	A	A	A	A	A	A	A
46	7,354	2.3	31.70	A	A	A	A	A	A	A	A
42	7,978	2.4	34.39	A	A	A	A	A	A	A	A
36	9,405	2.6	40.54	A	A	A	A	A	A	A	A
30	11,059	2.2	47.67	A	A	A	A	A	A	A	A
26	12,920	1.9	55.69	A	A	A	A	A	A	A	A
23	14,674	1.7	63.25	A	A	A	A	A	A	A	A
21	15,918	1.5	68.61	A	A	A	A	A	A	A	A
19	17,674	1.4	76.18	A	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 5,551	\$ 5,862	\$ 5,709	\$ 6,931	\$ 7,369	\$ 7,240	\$ 5,990	\$ 6,077
64	5,227	7.3	22.53	A	A	A	A	A	A	A	A
62	5,413	7.0	23.33	A	A	A	A	A	A	A	A
53	6,345	6.4	27.35	A	A	A	A	A	A	A	A
46	7,257	5.9	31.28	A	A	A	A	A	A	A	A
40	8,401	5.1	36.21	A	A	A	A	A	A	A	A
36	9,215	4.6	39.72	A	A	A	A	A	A	A	A
32	10,431	4.1	44.96	A	A	A	A	A	A	A	A
26	12,658	3.0	54.56	A	A	A	A	A	A	A	A
23	14,481	2.9	62.42	A	A	A	A	A	A	A	A
20	16,760	2.5	72.24	A	A	A	A	A	A	A	A
16	20,455	2.0	88.17	A	A	A	A	A	A	A	A

Thermostat	xxx /4-...TW	147	168	147	147	168	147
Thermistor	xxx /4-...TF	147	168	147	147	168	147
Encapsulated	xxx /4-...-EP-IP66	212	215	212	60	60	60
Windings (EP) + IP66 Enclosure							

High Efficient 400V	ADD:	112MH/4-V1	132SH/4 SPNP-V1	112MH/4-F	112MH/4-RDD	132SH/4 SPNP-RDD	112MH/4-F
		\$131	\$324	\$131	\$122	\$369	\$122
2-Pole Motor: SK9032, SK9042, SK9052 Allow 6-8 weeks for delivery		112M/2-V1	132S/2 SPNP-V1	112M/2-F	112M/2-RDD	132S/2 SPNP-RDD	112M/2-F
		\$306	\$407	\$306	\$306	\$407	\$306

TRUFIT

50 HZ				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 132
				132S/4-V1	132M/4 SPNP-V1	132S/4-F	132S/4-RDD	132M/4 SPNP-RDD	132S/4-F	
RPM	INCH LBS	SERVICE FACTOR	RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,556	\$ 2,688	\$ 2,725	\$ 3,307	\$ 3,377	\$ 3,631	\$ 2,015
300	1,534	2.3	4.81	A	A	A	A	A	A	A
266	1,732	2.2	5.43	A	A	A	A	A	A	A
236	1,949	1.9	6.11	A	A	A	A	A	A	A
225	2,045	1.9	6.41	A	A	A	A	A	A	A
190	2,424	1.7	7.60	A	A	A	A	A	A	A
169	2,727	1.6	8.55	A	A	A	A	A	A	A
150	3,072	1.4	9.63	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,782	\$ 3,883	\$ 3,951	\$ 4,565	\$ 4,635	\$ 4,889	\$ 3,273
170	2,705	2.8	8.48	A	A	A	A	A	A	A
135	3,423	2.3	10.73	A	A	A	A	A	A	A
114	4,045	2.2	12.68	A	A	A	A	A	A	A
107	4,303	2.8	13.49	A	A	A	A	A	A	A
92	5,018	2.5	15.73	A	A	A	A	A	A	A
85	5,449	2.3	17.08	A	A	A	A	A	A	A
71	6,453	2.0	20.23	A	A	A	A	A	A	A
60	7,627	1.8	23.91	A	A	A	A	A	A	A
58	7,985	1.4	25.03	A	A	A	A	A	A	A
49	9,462	1.4	29.66	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	168	168	168	168	168	168
Thermistor	xxx_/4-...TF	168	168	168	168	168	168
Encapsulated Windings (EP) + IP66 Enclosure	xxx_/4-...-EP-IP66	215	215	215	60	60	60

High Efficient 400V ADD:	132SH/4-V1	132MH/4 SPNP-V1	132SH/4-F	132SH/4-RDD	132MH/4 SPNP-RDD	132SH/4-F
	\$324	\$324	\$324	\$369	\$369	\$369
2-Pole Motor: SK9032.1, SK9042.1, SK9052.1 Allow 6-8 weeks for delivery	132S/2-V1	132M/2 SPNP-V1	132S/2-F	132S/2-RDD	132M/2 SPNP-RDD	132S/2-F
	\$407	\$407	\$407	\$407	\$407	\$407

TRUFIT

50 HZ	5.5 KW (7.5 HP) RIGHT ANGLE WASHDOWN			INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 132
				132S/4-V1 TEFC 400V 2:1 CT	132M/4 SPNP-V1 TEFC 400V 4:1 CT	132S/4-F TEBC 400V 10:1 CT	132S/4-RDD TEFC 400V 2:1 CT	132M/4 SPNP-RDD TEFC 400V 4:1 CT	132S/4-F TEBC 400V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	RATIO							

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$ 4,587	\$ 4,687	\$ 4,756	\$ 5,463	\$ 5,533	\$ 5,787	\$ 4,171
----------	----------	----------	----------	----------	----------	----------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 4,223	\$ 4,323	\$ 4,392	\$ 5,099	\$ 5,169	\$ 5,423	\$ 3,807
164	2,817	4.4	8.83	A	A	A	A	A	A	A
154	2,995	4.4	9.39	A	A	A	A	A	A	A
142	3,257	4.1	10.21	A	A	A	A	A	A	A
127	3,637	3.7	11.40	A	A	A	A	A	A	A
108	4,275	4.1	13.40	A	A	A	A	A	A	A
92	4,996	3.5	15.66	A	A	A	A	A	A	A
79	5,806	3.7	18.20	A	A	A	A	A	A	A
71	6,482	3.1	20.32	A	A	A	A	A	A	A
60	7,621	2.9	23.89	A	A	A	A	A	A	A
52	8,903	2.8	27.91	A	A	A	A	A	A	A
42	10,970	2.2	34.39	A	A	A	A	A	A	A
36	12,932	1.9	40.54	A	A	A	A	A	A	A
30	15,207	1.6	47.67	A	A	A	A	A	A	A
26	17,765	1.4	55.69	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 6,275	\$ 6,376	\$ 6,444	\$ 7,369	\$ 7,439	\$ 7,693	\$ 6,077
64	7,187	5.3	22.53	A	A	A	A	A	A	A
62	7,442	5.1	23.33	A	A	A	A	A	A	A
53	8,725	4.7	27.35	A	A	A	A	A	A	A
46	9,978	4.3	31.28	A	A	A	A	A	A	A
40	11,551	2.9	36.21	A	A	A	A	A	A	A
36	12,671	3.3	39.72	A	A	A	A	A	A	A
32	14,342	2.9	44.96	A	A	A	A	A	A	A
26	17,405	2.4	54.56	A	A	A	A	A	A	A
23	19,912	2.1	62.42	A	A	A	A	A	A	A
20	23,045	1.8	72.24	A	A	A	A	A	A	A
16	28,126	1.5	88.17	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	168	168	168	168	168	168
Thermistor	xxx_/4-...TF	168	168	168	168	168	168
Encapsulated	xxx_/4-...-EP-IP66	215	215	215	60	60	60
Windings (EP) + IP66 Enclosure							

High Efficient 400V ADD:	132SH/4-V1	132MH/4 SPNP-V1	132SH/4-F	132SH/4-RDD	132MH/4 SPNP-RDD	132SH/4-F
	\$324	\$324	\$324	\$369	\$369	\$369
2-Pole Motor: SK9032.1, SK9042.1, SK9052.1 Allow 6-8 weeks for delivery	132S/2-V1	132M/2 SPNP-V1	132S/2-F	132S/2-RDD	132M/2 SPNP-RDD	132S/2-F
	\$407	\$407	\$407	\$407	\$407	\$407

TRUFIT

50 HZ				7.5 KW (10 HP) RIGHT ANGLE WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 132	REDUCER IEC B5 ADAPTER FRAME 160
								132M/4-V1	160M/4 SPNP-VI	132M/4-F	132M/4-RDD	160M/4 SPNP-RDD	132M/4-F		
								TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	RATIO												

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,883	N/A	\$ 4,052	\$ 4,635	N/A	\$ 4,959	\$ 3,273	N/A
170	3,697	2.1	8.48	A	N/A	A	A	N/A	A	A	N/A
135	4,678	1.7	10.73	A	N/A	A	A	N/A	A	A	N/A
114	5,528	1.6	12.68	A	N/A	A	A	N/A	A	A	N/A
107	5,882	2.0	13.49	A	N/A	A	A	N/A	A	A	N/A
92	6,858	1.8	15.73	A	N/A	A	A	N/A	A	A	N/A
85	7,447	1.7	17.08	A	N/A	A	A	N/A	A	A	N/A
71	8,820	1.5	20.23	A	N/A	A	A	N/A	A	A	N/A

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$ 4,687	\$ 5,478	\$ 4,856	\$ 5,533	\$ 6,684	\$ 5,857	\$ 4,171	\$ 4,311
----------	----------	----------	----------	----------	----------	----------	----------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 4,323	\$ 5,114	\$ 4,492	\$ 5,169	\$ 6,320	\$ 5,493	\$ 3,807	\$ 3,947
164	3,850	2.5	8.83	A	A	A	A	A	A	A	A
154	4,094	2.5	9.39	A	A	A	A	A	A	A	A
142	4,452	2.4	10.21	A	A	A	A	A	A	A	A
127	4,970	2.3	11.40	A	A	A	A	A	A	A	A
108	5,842	2.2	13.40	A	A	A	A	A	A	A	A
92	6,828	2.0	15.66	A	A	A	A	A	A	A	A
79	7,935	2.4	18.20	A	A	A	A	A	A	A	A
71	8,860	2.3	20.32	A	A	A	A	A	A	A	A
60	10,416	2.1	23.89	A	A	A	A	A	A	A	A
52	12,169	2.0	27.91	A	A	A	A	A	A	A	A
42	14,994	1.6	34.39	A	A	A	A	A	A	A	A
36	17,675	1.4	40.54	A	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 6,376	\$ 7,167	\$ 6,545	\$ 7,439	\$ 8,489	\$ 7,763	\$ 6,077	\$ 6,116
46	13,638	2.2	31.28	A	A	A	A	A	A	A	A
40	15,788	2.1	36.21	A	A	A	A	A	A	A	A
36	17,318	2.4	39.72	A	A	A	A	A	A	A	A
32	19,603	2.1	44.96	A	A	A	A	A	A	A	A
26	23,788	1.7	54.56	A	A	A	A	A	A	A	A
23	27,215	1.5	62.42	A	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	168	168	168	168	168	168
Thermistor	xxx_/4-...TF	168	168	168	168	168	168
Encapsulated Windings (EP) + IP66 Enclosure	xxx_/4-...-EP-IP66	215	322	215	60	60	60

High Efficient 400V 2-Pole Motor 132M - Allow 6-8 weeks 160M - Allow 10-12 weeks	ADD:	132MH/4-V1	160MH/4 SPNP-V1	132MH/4-F	132MH/4-RDD	160MH/4 SPNP-RDD	132MH/4-F
		\$324	\$350	\$324	\$369	\$318	\$369
		132M/2-V1	160M/2 SPNP-V1	132M/2-F	132M/2-RDD	160M/2 SPNP-RDD	132M/2-F
		\$407	\$414	\$407	\$407	Inquire	\$407

TRUFIT

50 HZ		11 KW (15 HP) RIGHT ANGLE WASHDOWN		INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 160
				160M/4-V1	160L/4 SPNP-V1	160M/4-F	160M/4-RDD	160L/4 SPNP-RDD	160M/4-F	
RPM	INCH LBS	SERVICE FACTOR	RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$ 5,478	\$ 5,896	\$ 5,643	\$ 6,684	\$ 6,985	\$ 6,916	\$ 4,311
----------	----------	----------	----------	----------	----------	----------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 5,114	\$ 5,532	\$ 5,279	\$ 6,320	\$ 6,621	\$ 6,552	\$ 3,947
165	5,589	2.2	8.83	A	A	A	A	A	A	A
155	5,944	2.2	9.39	A	A	A	A	A	A	A
143	6,463	2.0	10.21	A	A	A	A	A	A	A
128	7,216	1.8	11.40	A	A	A	A	A	A	A
109	8,482	2.1	13.40	A	A	A	A	A	A	A
93	9,913	1.8	15.66	A	A	A	A	A	A	A
80	11,521	1.9	18.20	A	A	A	A	A	A	A
72	12,863	1.8	20.32	A	A	A	A	A	A	A
61	15,122	1.6	23.89	A	A	A	A	A	A	A
52	17,667	1.4	27.91	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 7,167	\$ 7,585	\$ 7,332	\$ 8,489	\$ 8,790	\$ 8,721	\$ 6,116
180	5,127	4.5	8.10	A	A	A	A	A	A	A
155	5,950	3.9	9.40	A	A	A	A	A	A	A
147	6,286	3.9	9.93	A	A	A	A	A	A	A
136	6,779	3.1	10.71	A	A	A	A	A	A	A
123	7,520	3.0	11.88	A	A	A	A	A	A	A
109	8,514	2.8	13.45	A	A	A	A	A	A	A
89	10,337	2.6	16.33	A	A	A	A	A	A	A
81	11,356	3.1	17.94	A	A	A	A	A	A	A
73	12,603	2.9	19.91	A	A	A	A	A	A	A
65	14,261	2.7	22.53	A	A	A	A	A	A	A
63	14,768	2.6	23.33	A	A	A	A	A	A	A
53	17,313	2.3	27.35	A	A	A	A	A	A	A
47	19,800	2.1	31.28	A	A	A	A	A	A	A
40	22,921	1.8	36.21	A	A	A	A	A	A	A
37	25,143	1.7	39.72	A	A	A	A	A	A	A
32	28,460	1.5	44.96	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	168	168	168	168	168	168
Thermistor	xxx_/4-...TF	168	168	168	168	168	168
Encapsulated	xxx_/4-...-EP-IP66	322	322	322	60	60	60
Windings (EP) + IP66 Enclosure							

High Efficient 400V	ADD:	160MH/4-V1	160LH/4 SPNP-V1	160MH/4-F	160MH/4-RDD	160LH/4 SPNP-RDD	160MH/4-F
		\$350	\$350	\$350	\$318	\$886	\$318
2-Pole Motor Allow 10-12 weeks for delivery		160M/2-V1	160MA/2 SPNP-V1	160M/2-F	160M/2-RDD	160MA/2 SPNP-RDD	160M/2-F
		\$414	\$414	\$414	Inquire	Inquire	Inquire

TRUFIT

50 HZ				15 KW (20 HP) RIGHT ANGLE WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 160	REDUCER IEC B5 ADAPTER FRAME 180
								160L/4-V1	180MX/4 SPNP-V1	160L/4-F	160L/4-RDD	180MX/4 SPNP-RDD	160L/4-F		
RPM	INCH LBS	SERVICE FACTOR	RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT						

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$	5,896	N/A	\$	6,061	\$	6,985	N/A	\$	7,217	\$	4,311	N/A
----	-------	-----	----	-------	----	-------	-----	----	-------	----	-------	-----

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 5,532	N/A	\$ 5,697	\$ 6,621	N/A	\$ 6,853	\$ 3,947	N/A
165	7,603	1.6	8.83	A	N/A	A	A	N/A	A	A	N/A
155	8,085	1.6	9.39	A	N/A	A	A	N/A	A	A	N/A
143	8,791	1.5	10.21	A	N/A	A	A	N/A	A	A	N/A
109	11,537	1.5	13.40	A	N/A	A	A	N/A	A	A	N/A
80	15,670	1.4	18.20	A	N/A	A	A	N/A	A	A	N/A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$	7,585	\$	7,921	\$	7,750	\$	8,790	\$	10,272	\$	9,022	\$	6,116	\$	6,661
180	6,974	2.4	8.10	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
155	8,093	2.4	9.40	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
147	8,550	2.3	9.93	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
136	9,221	2.3	10.71	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
123	10,229	2.2	11.88	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
109	11,580	2.1	13.45	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
89	14,060	1.9	16.33	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
81	15,446	2.3	17.94	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
73	17,143	2.2	19.91	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
65	19,398	2.0	22.53	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
63	20,087	1.9	23.33	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
53	23,548	1.7	27.35	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
47	26,932	1.6	31.28	A	N/A	A	A	A	A	N/A	A	A	A	A	A	A	N/A		

Thermostat	xxx_/4-...TW	168	168	168	168	168	168
Thermistor	xxx_/4-...TF	168	168	168	168	168	168
Encapsulated	xxx_/4-...-EP-IP66	322	439	322	60	81	60
Windings (EP) + IP66 Enclosure							

High Efficient 400V	ADD:	160LH/4-V1	180MXH/4 SPNP-V1	160LH/4-F	160LH/4-RDD	180MXH/4 SPNP-RDD	160LH/4-F
		\$350	\$664	\$350	\$886	N/A	\$886
2-Pole Motor Allow 10-12 weeks for delivery		160MA/2-V1	160L/2 SPNP-V1	160MA/2-F	160MA/2-RDD	160L/2 SPNP-RDD	160MA/2-F
		\$414	\$414	\$414	Inquire	Inquire	Inquire