

TRUFIT

50 HZ				.75 KW (1 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5			REDUCER IEC B5 ADAPTER FRAME 80, 90
								NORD MOTOR						
								80L/4	90S/4 SPNP	80L/4-F	80L/4	90S/4 SPNP	80L/4-F	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT					

Pump 06/015/018 U2; Reducer SK0282NB AZH

				\$ 928	\$ 985	\$ 1,194	\$ 1,220	\$ 1,291	\$ 1,486	\$ 823
341	185	4.9	4.03	A	A	A	A	A	A	A
295	213	4.6	4.66	A	A	A	A	A	A	A
266	237	4.3	5.17	A	A	A	A	A	A	A
230	274	3.9	5.99	A	A	A	A	A	A	A
214	295	3.7	6.44	A	A	A	A	A	A	A
185	341	3.4	7.45	A	A	A	A	A	A	A
156	403	3.0	8.80	A	A	A	A	A	A	A
143	442	2.8	9.64	A	A	A	A	A	A	A
125	503	2.4	10.98	A	A	A	A	A	A	A
122	515	2.4	11.25	A	A	A	A	A	A	A
106	594	2.4	12.98	A	A	A	A	A	A	A
97	651	2.2	14.21	A	A	A	A	A	A	A
83	759	1.6	16.58	A	A	A	A	A	A	A
78	807	1.4	17.61	A	A	A	A	A	A	A

Pump 030/040 U2; Reducer SK2282AZH66

				\$ 1,194	\$ 1,253	\$ 1,460	\$ 1,424	\$ 1,495	\$ 1,690	\$ 1,027
305	207	8.0	4.51	A	A	A	A	A	A	A
240	262	7.2	5.72	A	A	A	A	A	A	A
214	294	6.8	6.43	A	A	A	A	A	A	A
184	343	6.3	7.48	A	A	A	A	A	A	A
164	383	5.9	8.37	A	A	A	A	A	A	A
152	414	7.2	9.03	A	A	A	A	A	A	A
135	465	6.8	10.15	A	A	A	A	A	A	A
116	541	6.3	11.81	A	A	A	A	A	A	A
104	606	5.9	13.23	A	A	A	A	A	A	A
83	757	5.5	16.53	A	A	A	A	A	A	A
74	848	5.1	18.51	A	A	A	A	A	A	A
63	1,003	4.2	21.90	A	A	A	A	A	A	A
57	1,097	3.5	23.96	A	A	A	A	A	A	A
55	1,144	3.8	24.97	A	A	A	A	A	A	A
51	1,229	2.9	26.83	A	A	A	A	A	A	A
46	1,358	2.6	29.65	A	A	A	A	A	A	A
44	1,430	2.4	31.23	N/A	A	N/A	A	A	A	A
38	1,674	2.4	36.54	N/A	A	N/A	A	A	A	A
37	1,703	2.4	37.18	A	A	A	A	A	A	A
31	2,002	1.9	43.71	A	A	A	A	A	A	A
30	2,066	1.9	45.11	A	A	A	A	A	A	A
27	2,368	1.9	51.71	N/A	A	N/A	A	A	A	A
25	2,471	1.8	53.96	A	A	A	A	A	A	A
22	2,923	1.6	63.83	A	A	A	A	A	A	A

High Efficient 400V	80LH/4	90SH/4 SPNP	80LH/4-F	80LH/4	90SH/4 SPNP	80LH/4-F
ADD:	\$125	\$141	\$125	\$142	\$80	\$142

TRUFIT

1.1 KW (1.5 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL			IEC B5			REDUCER IEC B5 ADAPTER FRAME 90
				NORD MOTOR			NORD MOTOR			
				90S/4	90L/4 SPNP	90S/4-F	90S/4	90L/4 SPNP	90S/4-F	
50 HZ	RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEBC	TEFC	TEFC	TEBC
					400V	400V	400V	400V	400V	400V
					2:1 CT	4:1 CT	10:1 CT	2:1 CT	4:1 CT	10:1 CT

Pump 06/015/018 U2; Reducer SK0282NB AZH

				\$ 985	\$ 993	\$ 1,285	\$ 1,291	\$ 1,313	\$ 1,591	\$ 823
359	258	3.5	4.03	A	A	A	A	A	A	A
310	298	3.3	4.66	A	A	A	A	A	A	A
279	330	3.1	5.17	A	A	A	A	A	A	A
241	383	2.8	5.99	A	A	A	A	A	A	A
224	412	2.6	6.44	A	A	A	A	A	A	A
194	476	2.3	7.45	A	A	A	A	A	A	A
164	562	2.1	8.80	A	A	A	A	A	A	A
150	616	1.9	9.64	A	A	A	A	A	A	A
132	702	1.8	10.98	A	A	A	A	A	A	A
128	719	1.7	11.25	A	A	A	A	A	A	A
111	829	1.6	12.98	A	A	A	A	A	A	A
102	908	1.5	14.21	A	A	A	A	A	A	A

Pump 030/040 U2; Reducer SK2282AZH66

				\$ 1,253	\$ 1,261	\$ 1,553	\$ 1,495	\$ 1,517	\$ 1,795	\$ 1,027
320	288	5.7	4.51	A	A	A	A	A	A	A
253	366	5.1	5.72	A	A	A	A	A	A	A
225	411	4.9	6.43	A	A	A	A	A	A	A
193	478	4.5	7.48	A	A	A	A	A	A	A
173	535	4.2	8.37	A	A	A	A	A	A	A
160	577	5.1	9.03	A	A	A	A	A	A	A
142	649	4.9	10.15	A	A	A	A	A	A	A
122	755	4.5	11.81	A	A	A	A	A	A	A
109	845	4.2	13.23	A	A	A	A	A	A	A
87	1,056	3.3	16.53	A	A	A	A	A	A	A
78	1,183	3.1	18.51	A	A	A	A	A	A	A
66	1,399	2.9	21.90	A	A	A	A	A	A	A
60	1,531	2.4	23.96	A	A	A	A	A	A	A
58	1,596	2.6	24.97	A	A	A	A	A	A	A
54	1,714	2.2	26.83	A	A	A	A	A	A	A
49	1,895	2.2	29.65	A	A	A	A	A	A	A
46	1,996	1.9	31.23	A	A	A	A	A	A	A
40	2,335	1.8	36.54	A	A	A	A	A	A	A
39	2,376	1.7	37.18	A	A	A	A	A	A	A
33	2,793	1.7	43.71	A	A	A	A	A	A	A

High Efficient		90SH/4	90LH/4 SPNP	90SH/4-F	90SH/4	90LH/4 SPNP	90SH/4-F
400V	ADD:	\$141	\$141	\$141	\$80	\$160	\$80

TRUFIT

1.1 KW (1.5 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL			IEC B5			REDUCER IEC B5 ADAPTER FRAME 90
				NORD MOTOR			NORD MOTOR			
				90S/4	90L/4 SPNP	90S/4-F	90S/4	90L/4 SPNP	90S/4-F	
50 HZ	RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEBC	TEFC	TEFC	TEBC
					400V	400V	400V	400V	400V	400V
					2:1 CT	4:1 CT	10:1 CT	2:1 CT	4:1 CT	10:1 CT

Pump 045/060/130 U2; Reducer SK3282AZH66

				\$ 1,516	\$ 1,525	\$ 1,816	\$ 1,720	\$ 1,742	\$ 2,020	\$ 1,252
323	286	14.3	4.48	A	A	A	A	A	A	A
254	363	13.5	5.68	A	A	A	A	A	A	A
216	428	12.5	6.70	A	A	A	A	A	A	A
174	531	11.3	8.31	A	A	A	A	A	A	A
147	626	11.9	9.80	A	A	A	A	A	A	A
127	727	10.0	11.38	A	A	A	A	A	A	A
102	902	8.4	14.11	A	A	A	A	A	A	A
87	1,065	7.0	16.67	A	A	A	A	A	A	A
72	1,290	5.6	20.18	A	A	A	A	A	A	A
68	1,366	4.7	21.38	A	A	A	A	A	A	A
64	1,435	4.9	22.45	A	A	A	A	A	A	A
61	1,515	4.7	23.71	A	A	A	A	A	A	A
56	1,654	4.5	25.88	A	A	A	A	A	A	A
50	1,834	4.2	28.70	A	A	A	A	A	A	A
45	2,040	3.3	31.93	A	A	A	A	A	A	A
38	2,414	2.9	37.77	A	A	A	A	A	A	A
37	2,468	2.2	38.62	A	A	A	A	A	A	A
34	2,685	2.9	42.02	A	A	A	A	A	A	A
32	2,866	2.2	44.85	A	A	A	A	A	A	A
30	3,070	1.5	48.04	A	A	A	A	A	A	A
27	3,385	2.1	52.97	A	A	A	A	A	A	A
26	3,565	1.5	55.79	A	A	A	A	A	A	A
23	4,097	2.1	64.12	A	A	A	A	A	A	A
22	4,210	1.5	65.89	A	A	A	A	A	A	A
18	5,097	1.4	79.76	A	A	A	A	A	A	A
16	5,670	1.4	88.74	A	A	A	A	A	A	A

High Efficient 400V	ADD:	90SH/4	90LH/4 SPNP	90SH/4-F	90SH/4	90LH/4 SPNP	90SH/4-F
		\$141	\$141	\$141	\$80	\$160	\$80

TRUFIT

50 HZ	1.1 KW (1.5 HP) GENERAL PURPOSE & WASHDOWN			INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 90
				90S/4	90L/4 SPNP	90S/4-F	90S/4	90L/4 SPNP	90S/4-F	
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO							

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 2,309	\$ 2,318	\$ 2,609	\$ 2,530	\$ 2,552	\$ 2,830	\$ 2,062
----------	----------	----------	----------	----------	----------	----------

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 1,945	\$ 1,954	\$ 2,245	\$ 2,166	\$ 2,188	\$ 2,466	\$ 1,698
238	387	27.4	6.06	A	A	A	A	A	A	A
203	456	23.3	7.13	A	A	A	A	A	A	A
173	532	21.1	8.33	A	A	A	A	A	A	A
157	590	24.5	9.23	A	A	A	A	A	A	A
133	693	21.7	10.85	A	A	A	A	A	A	A
114	810	19.1	12.68	A	A	A	A	A	A	A
95	971	16.4	15.20	A	A	A	A	A	A	A
79	1,162	13.7	18.18	A	A	A	A	A	A	A
67	1,371	10.9	21.45	A	A	A	A	A	A	A
65	1,431	10.5	22.39	A	A	A	A	A	A	A
55	1,677	8.5	26.25	A	A	A	A	A	A	A
55	1,689	9.4	26.43	A	A	A	A	A	A	A
45	2,067	6.9	32.34	A	A	A	A	A	A	A
39	2,352	5.3	36.81	A	A	A	A	A	A	A
35	2,603	5.3	40.74	A	A	A	A	A	A	A
32	2,879	4.9	45.05	A	A	A	A	A	A	A
16	5,784	2.3	90.52	A	A	A	A	A	A	A
13	7,079	2.0	110.78	A	A	A	A	A	A	A

High Efficient		90SH/4	90LH/4 SPNP	90SH/4-F	90SH/4	90LH/4 SPNP	90SH/4-F
400V	ADD:	\$141	\$141	\$141	\$80	\$160	\$80

TRUFIT

50 HZ 1.5 KW (2 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 90	REDUCER IEC B5 ADAPTER FRAME 100
				90L/4	100L/4 SPNP	90L/4-F	90L/4	100L/4 SPNP	90L/4-F		
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO								

Pump 06/015/018 U2; Reducer SK0282NB AZH

				\$ 993	N/A	\$ 1,293	\$ 1,313	N/A	\$ 1,613	\$ 823	N/A
346	353	2.1	4.03	A	N/A	A	A	N/A	A	A	N/A
299	408	2.0	4.66	A	N/A	A	A	N/A	A	A	N/A
270	452	2.1	5.17	A	N/A	A	A	N/A	A	A	N/A
233	524	2.0	5.99	A	N/A	A	A	N/A	A	A	N/A
217	564	1.9	6.44	A	N/A	A	A	N/A	A	A	N/A
187	652	1.7	7.45	A	N/A	A	A	N/A	A	A	N/A
159	770	1.5	8.80	A	N/A	A	A	N/A	A	A	N/A
145	844	1.4	9.64	A	N/A	A	A	N/A	A	A	N/A

Pump 030/040 U2; Reducer SK2282AZH66

				\$ 1,261	\$ 1,364	\$ 1,561	\$ 1,517	\$ 1,643	\$ 1,817	\$ 1,027	\$ 1,060
309	395	4.2	4.51	A	A	A	A	A	A	A	A
244	501	3.7	5.72	A	A	A	A	A	A	A	A
217	563	3.6	6.43	A	A	A	A	A	A	A	A
186	655	3.3	7.48	A	A	A	A	A	A	A	A
167	732	3.1	8.37	A	A	A	A	A	A	A	A
154	790	3.8	9.03	A	A	A	A	A	A	A	A
137	888	2.5	10.15	A	A	A	A	A	A	A	A
118	1,033	2.4	11.81	A	A	A	A	A	A	A	A
105	1,158	2.3	13.23	A	A	A	A	A	A	A	A
84	1,446	2.4	16.53	A	A	A	A	A	A	A	A
75	1,620	2.3	18.51	A	A	A	A	A	A	A	A
64	1,916	2.1	21.90	A	A	A	A	A	A	A	A
58	2,097	1.8	23.96	A	A	A	A	A	A	A	A
56	2,185	1.9	24.97	A	A	A	A	A	A	A	A
52	2,348	1.6	26.83	A	A	A	A	A	A	A	A
47	2,594	1.6	29.65	A	A	A	A	A	A	A	A
45	2,733	1.4	31.23	A	A	A	A	A	A	A	A

High Efficient 400V	ADD:	90LH/4	100LH/4 SPNP	90LH/4-F	90LH/4	100LH/4 SPNP	90LH/4-F
		\$141	\$167	\$141	\$160	\$191	\$160

TRUFIT

50 HZ 1.5 KW (2 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 90	REDUCER IEC B5 ADAPTER FRAME 100
				90L/4	100L/4 SPNP	90L/4-F	90L/4	100L/4 SPNP	90L/4-F		
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO								

Pump 045/060/130 U2; Reducer SK3282AZH66

				\$ 1,525	\$ 1,631	\$ 1,825	\$ 1,742	\$ 1,869	\$ 2,042	\$ 1,252	\$ 1,286
311	392	10.4	4.48	A	A	A	A	A	A	A	A
246	497	9.9	5.68	A	A	A	A	A	A	A	A
208	586	9.2	6.70	A	A	A	A	A	A	A	A
168	727	8.2	8.31	A	A	A	A	A	A	A	A
142	858	8.7	9.80	A	A	A	A	A	A	A	A
123	996	7.3	11.38	A	A	A	A	A	A	A	A
99	1,235	6.1	14.11	A	A	A	A	A	A	A	A
84	1,459	5.1	16.67	A	A	A	A	A	A	A	A
69	1,766	4.1	20.18	A	A	A	A	A	A	A	A
65	1,871	3.4	21.38	A	A	A	A	A	A	A	A
62	1,964	2.7	22.45	A	A	A	A	A	A	A	A
59	2,075	2.4	23.71	A	A	A	A	A	A	A	A
54	2,265	2.5	25.88	A	A	A	A	A	A	A	A
49	2,511	2.5	28.70	A	A	A	A	A	A	A	A
44	2,794	2.4	31.93	A	A	A	A	A	A	A	A
37	3,305	2.2	37.77	A	A	A	A	A	A	A	A
36	3,379	1.6	38.62	A	N/A	A	A	A	A	A	A
33	3,677	2.1	42.02	A	A	A	A	A	A	A	A
31	3,924	1.6	44.85	A	N/A	A	A	A	A	A	A
26	4,635	1.5	52.97	A	N/A	A	A	A	A	A	A
22	5,611	1.6	64.12	A	N/A	A	A	A	A	A	A

High Efficient 400V	ADD:	90LH/4	100LH/4 SPNP	90LH/4-F	90LH/4	100LH/4 SPNP	90LH/4-F
		\$141	\$167	\$141	\$160	\$191	\$160

TRUFIT

50 HZ 1.5 KW (2 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5			REDUCER IEC B5 ADAPTER FRAME 90	REDUCER IEC B5 ADAPTER FRAME 100
				NORD MOTOR							
				90L/4	100L/4 SPNP	90L/4-F	90L/4	100L/4 SPNP	90L/4-F		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEBC	TEFC	TEFC	TEBC		
				400V	400V	400V	400V	400V	400V		
				2:1 CT	4:1 CT	10:1 CT	2:1 CT	4:1 CT	10:1 CT		

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 2,318	\$ 2,424	\$ 2,618	\$ 2,552	\$ 2,715	\$ 2,852	\$ 2,062	\$ 2,132
----------	----------	----------	----------	----------	----------	----------	----------

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 1,954	\$ 2,060	\$ 2,254	\$ 2,188	\$ 2,351	\$ 2,488	\$ 1,698	\$ 1,768
230	530	20.0	6.06	A	A	A	A	A	A	A	A
196	624	17.1	7.13	A	A	A	A	A	A	A	A
167	729	15.4	8.33	A	A	A	A	A	A	A	A
151	808	17.9	9.23	A	A	A	A	A	A	A	A
129	949	15.8	10.85	A	A	A	A	A	A	A	A
110	1,110	14.0	12.68	A	A	A	A	A	A	A	A
92	1,330	12.0	15.20	A	A	A	A	A	A	A	A
77	1,591	10.0	18.18	A	A	A	A	A	A	A	A
65	1,877	7.9	21.45	A	A	A	A	A	A	A	A
62	1,959	7.7	22.39	A	A	A	A	A	A	A	A
53	2,297	6.2	26.25	A	A	A	A	A	A	A	A
53	2,313	6.8	26.43	A	A	A	A	A	A	A	A
43	2,830	5.1	32.34	A	A	A	A	A	A	A	A
38	3,185	3.8	36.40	N/A	A	N/A	N/A	A	N/A	N/A	A
38	3,221	3.8	36.81	A	A	A	A	A	A	A	A
34	3,565	3.9	40.74	A	A	A	A	A	A	A	A
32	3,819	3.7	43.65	N/A	A	N/A	N/A	A	N/A	N/A	A
31	3,942	2.6	45.05	A	A	A	A	A	A	A	A
27	4,568	3.5	52.20	N/A	A	N/A	N/A	A	N/A	N/A	A
23	5,390	2.6	61.60	N/A	A	N/A	N/A	A	N/A	N/A	A
19	6,597	2.0	75.39	N/A	A	N/A	N/A	A	N/A	N/A	A
15	7,921	1.7	90.52	A	A	A	A	A	A	A	A
13	9,693	1.5	110.78	A	A	A	A	A	A	A	A

High Efficient 400V	ADD:	90LH/4	100LH/4 SPNP	90LH/4-F	90LH/4	100LH/4 SPNP	90LH/4-F
		\$141	\$167	\$141	\$160	\$191	\$160

TRUFIT

50 HZ 2.2 KW (3 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 100
				100L/4 TEFC 400V 2:1 CT	100LA/4 SPNP TEFC 400V 4:1 CT	100L/4-F TEBC 400V 10:1 CT	100L/4 TEFC 400V 2:1 CT	100LA/4 SPNP TEFC 400V 4:1 CT	100L/4-F TEBC 400V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO							

Pump 030/040 U2; Reducer SK2282AZH66

				\$ 1,364	\$ 1,390	\$ 1,743	\$ 1,643	\$ 1,697	\$ 2,022	\$ 1,060
319	577	2.8	4.51	A	A	A	A	A	A	A
252	732	2.5	5.72	A	A	A	A	A	A	A
224	823	2.4	6.43	A	A	A	A	A	A	A
193	957	2.2	7.48	A	A	A	A	A	A	A
172	1,071	2.1	8.37	A	A	A	A	A	A	A
159	1,156	2.5	9.03	A	A	A	A	A	A	A
142	1,299	2.4	10.15	A	A	A	A	A	A	A
122	1,512	2.2	11.81	A	A	A	A	A	A	A
109	1,693	2.1	13.23	A	A	A	A	A	A	A
87	2,116	2.0	16.53	A	A	A	A	A	A	A
78	2,369	1.8	18.51	A	A	A	A	A	A	A
66	2,803	1.5	21.90	A	A	A	A	A	A	A
58	3,196	1.4	24.97	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK3282AZH66

				\$ 1,631	\$ 1,659	\$ 2,010	\$ 1,869	\$ 1,923	\$ 2,248	\$ 1,286
321	573	7.1	4.48	A	A	A	A	A	A	A
254	727	6.8	5.68	A	A	A	A	A	A	A
215	858	6.3	6.70	A	A	A	A	A	A	A
173	1,064	5.6	8.31	A	A	A	A	A	A	A
147	1,254	5.9	9.80	A	A	A	A	A	A	A
127	1,457	5.0	11.38	A	A	A	A	A	A	A
102	1,806	4.2	14.11	A	A	A	A	A	A	A
86	2,134	2.6	16.67	A	A	A	A	A	A	A
71	2,583	2.6	20.18	A	A	A	A	A	A	A
67	2,737	2.3	21.38	A	A	A	A	A	A	A
64	2,874	2.4	22.45	A	A	A	A	A	A	A
61	3,035	2.2	23.71	A	A	A	A	A	A	A
56	3,313	2.3	25.88	A	A	A	A	A	A	A
50	3,674	2.1	28.70	A	A	A	A	A	A	A
45	4,087	1.9	31.93	A	A	A	A	A	A	A
38	4,835	1.5	37.77	A	A	A	A	A	A	A
34	5,379	1.5	42.02	A	A	A	A	A	A	A

High Efficient 400V	ADD:	100LH/4	112MH/4 SPNP	100LH/4-F	100LH/4	112MH/4 SPNP	100LH/4-F
		\$167	\$287	\$167	\$191	\$336	\$191

TRUFIT

50 HZ				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 100
				100L/4	100LA/4 SPNP	100L/4-F	100L/4	100LA/4 SPNP	100L/4-F	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 2,424	\$ 2,451	\$ 2,803	\$ 2,715	\$ 2,769	\$ 3,094	\$ 2,132
----------	----------	----------	----------	----------	----------	----------

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 2,060	\$ 2,087	\$ 2,439	\$ 2,351	\$ 2,405	\$ 2,730	\$ 1,768
238	776	13.7	6.06	A	A	A	A	A	A	A
202	913	11.7	7.13	A	A	A	A	A	A	A
173	1,066	10.6	8.33	A	A	A	A	A	A	A
156	1,181	12.2	9.23	A	A	A	A	A	A	A
133	1,389	10.8	10.85	A	A	A	A	A	A	A
114	1,623	9.5	12.68	A	A	A	A	A	A	A
95	1,946	8.2	15.20	A	A	A	A	A	A	A
79	2,327	6.8	18.18	A	A	A	A	A	A	A
67	2,746	5.4	21.45	A	A	A	A	A	A	A
64	2,866	5.2	22.39	A	A	A	A	A	A	A
55	3,360	4.2	26.25	A	A	A	A	A	A	A
54	3,383	4.7	26.43	A	A	A	A	A	A	A
45	4,140	3.0	32.34	A	A	A	A	A	A	A
40	4,659	2.6	36.40	A	A	A	A	A	A	A
39	4,712	2.6	36.81	A	A	A	A	A	A	A
38	4,904	2.6	38.31	A	A	A	A	A	A	A
35	5,215	2.6	40.74	A	A	A	A	A	A	A
33	5,587	2.5	43.65	A	A	A	A	A	A	A
32	5,766	2.4	45.05	A	A	A	A	A	A	A
28	6,682	2.4	52.20	A	A	A	A	A	A	A
23	7,885	2.0	61.60	A	A	A	A	A	A	A
19	9,650	1.5	75.39	A	A	A	A	A	A	A

High Efficient		100LH/4	112MH/4 SPNP	100LH/4-F	100LH/4	112MH/4 SPNP	100LH/4-F
400V	ADD:	\$167	\$287	\$167	\$191	\$336	\$191

TRUFIT

50 HZ 3 KW (4 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5			REDUCER IEC B5 ADAPTER FRAME 100	REDUCER IEC B5 ADAPTER FRAME 112
							NORD MOTOR				
				100LA/4	112M/4 SPNP	100LA/4-F	100LA/4	112M/4 SPNP	100LA/4-F		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEBC	TEFC	TEFC	TEBC		
				400V	400V	400V	400V	400V	400V		
				2:1 CT	4:1 CT	10:1 CT	2:1 CT	4:1 CT	10:1 CT		

Pump 030/040 U2; Reducer SK2282AZH66

				\$ 1,390	N/A	\$ 1,769	\$ 1,697	N/A	\$ 2,076	\$ 1,060	N/A
314	776	2.0	4.51	A	N/A	A	A	N/A	A	A	N/A
247	984	1.8	5.72	A	N/A	A	A	N/A	A	A	N/A
220	1,106	1.7	6.43	A	N/A	A	A	N/A	A	A	N/A
189	1,287	1.6	7.48	A	N/A	A	A	N/A	A	A	N/A
169	1,440	1.5	8.37	A	N/A	A	A	N/A	A	A	N/A
157	1,553	1.8	9.03	A	N/A	A	A	N/A	A	A	N/A
139	1,746	1.7	10.15	A	N/A	A	A	N/A	A	A	N/A
120	2,031	1.6	11.81	A	N/A	A	A	N/A	A	A	N/A
107	2,276	1.5	13.23	A	N/A	A	A	N/A	A	A	N/A
86	2,843	1.4	16.53	A	N/A	A	A	N/A	A	A	N/A

Pump 045/060/130 U2; Reducer SK3282AZH66

				\$ 1,659	\$ 1,815	\$ 2,038	\$ 1,923	\$ 2,137	\$ 2,302	\$ 1,286	\$ 1,286
316	771	2.5	4.48	A	A	A	A	A	A	A	A
249	977	2.2	5.68	A	A	A	A	A	A	A	A
211	1,152	2.1	6.70	A	A	A	A	A	A	A	A
170	1,429	1.9	8.31	A	A	A	A	A	A	A	A
144	1,686	2.1	9.80	A	A	A	A	A	A	A	A
124	1,957	2.1	11.38	A	A	A	A	A	A	A	A
100	2,427	1.9	14.11	A	A	A	A	A	A	A	A
85	2,867	1.9	16.67	A	A	A	A	A	A	A	A
70	3,471	1.9	20.18	A	A	A	A	A	A	A	A
66	3,677	1.7	21.38	A	N/A	A	A	N/A	A	A	N/A
63	3,861	1.8	22.45	A	A	A	A	A	A	A	A
60	4,078	1.6	23.71	A	N/A	A	A	N/A	A	A	N/A
55	4,451	1.6	25.88	A	N/A	A	A	N/A	A	A	N/A
49	4,936	1.5	28.70	A	N/A	A	A	N/A	A	A	N/A

High Efficient		112MH/4	112MH/4 SPNP	112MH/4-F	112MH/4	112MH/4 SPNP	112MH/4-F
400V	ADD:	\$287	\$131	\$307	\$336	\$122	\$356

TRUFIT

50 HZ 3 KW (4 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5			REDUCER IEC B5 ADAPTER FRAME 100	REDUCER IEC B5 ADAPTER FRAME 112
							NORD MOTOR				
				100LA/4	112M/4 SPNP	100LA/4-F	100LA/4	112M/4 SPNP	100LA/4-F		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 2,451	\$ 2,607	\$ 2,830	\$ 2,769	\$ 2,983	\$ 3,148	\$ 2,132	\$ 2,132
----------	----------	----------	----------	----------	----------	----------	----------

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 2,087	\$ 2,243	\$ 2,466	\$ 2,405	\$ 2,619	\$ 2,784	\$ 1,768	\$ 1,768
301	808	11.3	4.70	N/A	A	N/A	N/A	A	N/A	N/A	A
283	860	10.7	5.00	N/A	A	N/A	N/A	A	N/A	N/A	A
261	934	9.8	5.43	N/A	A	N/A	N/A	A	N/A	N/A	A
233	1,042	10.2	6.06	A	A	A	A	A	A	A	A
198	1,226	8.7	7.13	A	A	A	A	A	A	A	A
170	1,433	7.9	8.33	A	A	A	A	A	A	A	A
153	1,588	9.1	9.23	A	A	A	A	A	A	A	A
130	1,866	8.1	10.85	A	A	A	A	A	A	A	A
112	2,181	2.3	12.68	A	A	A	A	A	A	A	A
93	2,614	2.3	15.20	A	A	A	A	A	A	A	A
78	3,127	2.3	18.18	A	A	A	A	A	A	A	A
66	3,689	2.3	21.45	A	A	A	A	A	A	A	A
63	3,851	2.1	22.39	A	A	A	A	A	A	A	A
54	4,515	2.3	26.25	A	A	A	A	A	A	A	A
54	4,546	2.1	26.43	A	A	A	A	A	A	A	A
53	4,596	3.1	26.72	N/A	A	N/A	N/A	A	N/A	N/A	A
44	5,511	2.9	32.04	N/A	A	N/A	N/A	A	N/A	N/A	A
44	5,562	2.1	32.34	A	A	A	A	A	A	A	A
39	6,261	1.9	36.40	A	A	A	A	A	A	A	A
38	6,331	2.0	36.81	A	A	A	A	A	A	A	A
37	6,589	2.7	38.31	N/A	A	N/A	N/A	A	N/A	N/A	A
35	7,007	1.9	40.74	A	A	A	A	A	A	A	A
32	7,508	1.8	43.65	A	A	A	A	A	A	A	A
31	7,749	1.7	45.05	A	A	A	A	A	A	A	A
27	8,978	1.7	52.20	A	A	A	A	A	A	A	A
23	10,595	1.4	61.60	A	A	A	A	A	A	A	A

High Efficient		112MH/4	112MH/4 SPNP	112MH/4-F	112MH/4	112MH/4 SPNP	112MH/4-F
400V	ADD:	\$287	\$131	\$307	\$336	\$122	\$356

TRUFIT

50 HZ 3 KW (4 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 100	REDUCER IEC B5 ADAPTER FRAME 112
				100LA/4	112M/4 SPNP	100LA/4-F	100LA/4	112M/4 SPNP	100LA/4-F		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		

Pump 320 U2; Reducer SK5282AZH66

				\$ 2,793	\$ 2,949	\$ 3,172	\$ 3,105	\$ 3,319	\$ 3,484	\$ 2,468	\$ 2,468
224	1,089	17.2	6.33	A	A	A	A	A	A	A	A
197	1,233	15.5	7.17	A	A	A	A	A	A	A	A
163	1,496	14.0	8.70	A	A	A	A	A	A	A	A
150	1,627	12.5	9.46	A	A	A	A	A	A	A	A
132	1,842	12.0	10.71	A	A	A	A	A	A	A	A
109	2,236	10.4	13.00	A	A	A	A	A	A	A	A
92	2,645	8.7	15.38	A	A	A	A	A	A	A	A
80	3,025	8.0	17.59	A	A	A	A	A	A	A	A
75	3,247	7.1	18.88	A	A	A	A	A	A	A	A
69	3,502	7.8	20.36	A	A	A	A	A	A	A	A
57	4,300	6.0	25.00	A	A	A	A	A	A	A	A
46	5,246	5.1	30.50	A	A	A	A	A	A	A	A
42	5,750	2.4	33.43	A	A	A	A	A	A	A	A
40	6,099	3.9	35.46	N/A	A	N/A	N/A	A	N/A	N/A	A
35	7,018	2.3	40.80	A	A	A	A	A	A	A	A
34	7,214	3.9	41.94	N/A	A	N/A	N/A	A	N/A	N/A	A
30	8,130	2.5	47.27	A	A	A	A	A	A	A	A
27	8,856	3.2	51.49	N/A	A	N/A	N/A	A	N/A	N/A	A
25	9,555	2.3	55.55	A	A	A	A	A	A	A	A
25	9,615	2.3	55.90	A	A	A	A	A	A	A	A
21	11,804	2.2	68.63	A	A	A	A	A	A	A	A
15	15,791	1.4	91.81	A	A	A	A	A	A	A	A

High Efficient		112MH/4	112MH/4 SPNP	112MH/4-F	112MH/4	112MH/4 SPNP	112MH/4-F
400V	ADD:	\$287	\$131	\$307	\$336	\$122	\$356

TRUFIT

50 HZ 4 KW (5.4 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 112	REDUCER IEC B5 ADAPTER FRAME 132
				112M/4	132S/4 SPNP	112M/4-F	112M/4	132S/4 SPNP	112M/4-F		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		

Pump 030/040 U2; Reducer SK2282AZH66

				\$ 1,546	N/A	\$ 1,945	\$ 1,911	N/A	\$ 2,310	\$ 1,060	N/A
320	1,046	1.6	4.51	A	N/A	A	A	N/A	A	A	N/A
253	1,327	1.4	5.72	A	N/A	A	A	N/A	A	A	N/A
160	2,095	1.4	9.03	A	N/A	A	A	N/A	A	A	N/A

Pump 045/060/130 U2; Reducer SK3282AZH66

				\$ 1,815	\$ 2,111	\$ 2,214	\$ 2,137	\$ 2,547	\$ 2,536	\$ 1,286	\$ 1,355
323	1,039	2.6	4.48	A	A	A	A	A	A	A	A
254	1,318	2.5	5.68	A	A	A	A	A	A	A	A
216	1,554	2.4	6.70	A	A	A	A	A	A	A	A
174	1,928	2.1	8.31	A	A	A	A	A	A	A	A
147	2,274	2.4	9.80	A	A	A	A	A	A	A	A
127	2,640	2.4	11.38	A	A	A	A	A	A	A	A
102	3,274	2.1	14.11	A	A	A	A	A	A	A	A
87	3,867	1.9	16.67	A	A	A	A	A	A	A	A
72	4,682	1.5	20.18	A	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 2,607	\$ 2,905	\$ 3,006	\$ 2,983	\$ 3,396	\$ 3,382	\$ 2,132	\$ 2,204
----------	----------	----------	----------	----------	----------	----------	----------

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 2,243	\$ 2,541	\$ 2,642	\$ 2,619	\$ 3,032	\$ 3,018	\$ 1,768	\$ 1,840
307	1,090	8.4	4.70	N/A	A	N/A	N/A	A	N/A	N/A	A
289	1,160	7.9	5.00	N/A	A	N/A	N/A	A	N/A	N/A	A
266	1,260	7.3	5.43	N/A	A	N/A	N/A	A	N/A	N/A	A
238	1,406	7.6	6.06	A	A	A	A	A	A	A	A
203	1,654	6.4	7.13	A	A	A	A	A	A	A	A
173	1,933	5.8	8.33	A	A	A	A	A	A	A	A
157	2,141	6.8	9.23	A	A	A	A	A	A	A	A
133	2,517	6.0	10.85	A	A	A	A	A	A	A	A
114	2,942	5.3	12.68	A	A	A	A	A	A	A	A
95	3,526	2.6	15.20	A	A	A	A	A	A	A	A
79	4,218	2.6	18.18	A	A	A	A	A	A	A	A
67	4,976	2.6	21.45	A	A	A	A	A	A	A	A
65	5,194	2.6	22.39	A	A	A	A	A	A	A	A
55	6,090	2.6	26.25	A	A	A	A	A	A	A	A
55	6,132	2.6	26.43	A	A	A	A	A	A	A	A
54	6,199	2.4	26.72	N/A	A	N/A	N/A	A	N/A	N/A	A
45	7,433	2.4	32.04	N/A	A	N/A	N/A	A	N/A	N/A	A
45	7,503	1.9	32.34	A	A	A	A	A	A	A	A
40	8,445	1.4	36.40	A	A	A	A	A	A	A	A
39	8,540	1.4	36.81	A	A	A	A	A	A	A	A
38	8,888	1.4	38.31	N/A	A	N/A	N/A	A	N/A	N/A	A
35	9,452	1.4	40.74	A	A	A	A	A	A	A	A
33	10,127	1.4	43.65	A	A	A	A	A	A	A	A

High Efficient 400V	112MH/4	132SH/4 SPNP	112MH/4-F	112MH/4	132SH/4 SPNP	112MH/4-F
ADD:	\$131	\$324	\$131	\$122	\$369	\$122

TRUFIT

50 HZ 4 KW (5.4 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 112	REDUCER IEC B5 ADAPTER FRAME 132
				112M/4	132S/4 SPNP	112M/4-F	112M/4	132S/4 SPNP	112M/4-F		
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO								

Pump 320 U2; Reducer SK5282AZH66

				\$ 2,949	\$ 3,245	\$ 3,348	\$ 3,319	\$ 3,732	\$ 3,718	\$ 2,468	\$ 2,540
228	1,469	12.7	6.33	A	A	A	A	A	A	A	A
202	1,663	11.5	7.17	A	A	A	A	A	A	A	A
166	2,018	10.3	8.70	A	A	A	A	A	A	A	A
153	2,195	9.3	9.46	A	A	A	A	A	A	A	A
135	2,485	8.9	10.71	A	A	A	A	A	A	A	A
111	3,016	7.7	13.00	A	A	A	A	A	A	A	A
94	3,568	6.4	15.38	A	A	A	A	A	A	A	A
82	4,081	6.0	17.59	A	A	A	A	A	A	A	A
77	4,380	5.3	18.88	A	A	A	A	A	A	A	A
71	4,724	5.8	20.36	A	A	A	A	A	A	A	A
58	5,800	4.4	25.00	A	A	A	A	A	A	A	A
47	7,076	2.5	30.50	A	A	A	A	A	A	A	A
43	7,756	2.6	33.43	A	A	A	A	A	A	A	A
41	8,227	2.9	35.46	N/A	A	N/A	N/A	A	N/A	N/A	A
35	9,466	2.3	40.80	A	A	A	A	A	A	A	A
34	9,730	2.5	41.94	N/A	A	N/A	N/A	A	N/A	N/A	A
31	10,967	1.9	47.27	A	A	A	A	A	A	A	A
28	11,946	1.8	51.49	N/A	A	N/A	N/A	A	N/A	N/A	A
26	12,888	1.7	55.55	A	A	A	A	A	A	A	A
26	12,969	1.8	55.90	A	A	A	A	A	A	A	A
21	15,922	1.6	68.63	A	A	A	A	A	A	A	A

High Efficient		112MH/4	132SH/4 SPNP	112MH/4-F	112MH/4	132SH/4 SPNP	112MH/4-F
400V	ADD:	\$131	\$324	\$131	\$122	\$369	\$122

TRUFIT

50 HZ 5.5 KW (7.5 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 132
				132S/4	132M/4 SPNP	132S/4-F	132S/4	132M/4 SPNP	132S/4-F	
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO							

Pump 045/060/130 U2; Reducer SK3282AZH66

				\$ 2,111	\$ 2,212	\$ 2,535	\$ 2,547	\$ 2,617	\$ 2,971	\$ 1,355
323	1,429	2.8	4.48	A	A	A	A	A	A	A
254	1,812	2.7	5.68	A	A	A	A	A	A	A
216	2,137	2.5	6.70	A	A	A	A	A	A	A
174	2,651	2.2	8.31	A	A	A	A	A	A	A
147	3,126	2.3	9.80	A	A	A	A	A	A	A
127	3,630	2.0	11.38	A	A	A	A	A	A	A
102	4,501	1.7	14.11	A	A	A	A	A	A	A
87	5,318	1.4	16.67	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 2,905	\$ 3,005	\$ 3,329	\$ 3,396	\$ 3,466	\$ 3,820	\$ 2,204
----------	----------	----------	----------	----------	----------	----------

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 2,541	\$ 2,641	\$ 2,965	\$ 3,032	\$ 3,102	\$ 3,456	\$ 1,840
307	1,499	6.1	4.70	A	A	A	A	A	A	A
289	1,595	5.7	5.00	A	A	A	A	A	A	A
266	1,732	5.3	5.43	A	A	A	A	A	A	A
238	1,933	2.3	6.06	A	A	A	A	A	A	A
203	2,274	2.2	7.13	A	A	A	A	A	A	A
173	2,657	2.0	8.33	A	A	A	A	A	A	A
157	2,944	2.3	9.23	A	A	A	A	A	A	A
133	3,461	2.1	10.85	A	A	A	A	A	A	A
114	4,045	2.8	12.68	A	A	A	A	A	A	A
95	4,849	2.7	15.20	A	A	A	A	A	A	A
79	5,799	2.7	18.18	A	A	A	A	A	A	A
67	6,843	2.2	21.45	A	A	A	A	A	A	A
65	7,142	2.1	22.39	A	A	A	A	A	A	A
55	8,374	1.9	26.25	A	A	A	A	A	A	A
55	8,431	1.9	26.43	A	A	A	A	A	A	A
54	8,524	1.6	26.72	A	A	A	A	A	A	A
45	10,221	1.5	32.04	A	A	A	A	A	A	A
45	10,316	1.5	32.34	A	A	A	A	A	A	A

High Efficient 400V	132SH/4	132MH/4 SPNP	132SH/4-F	132SH/4	132MH/4 SPNP	132SH/4-F
ADD:	\$324	\$324	\$324	\$369	\$369	\$369

TRUFIT

50 HZ 5.5 KW (7.5 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 132
				132S/4	132M/4 SPNP	132S/4-F	132S/4	132M/4 SPNP	132S/4-F	
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO							

Pump 320 U2; Reducer SK5282AZH66

				\$ 3,245	\$ 3,346	\$ 3,669	\$ 3,732	\$ 3,802	\$ 4,156	\$ 2,540
228	2,019	9.3	6.33	A	A	A	A	A	A	A
202	2,287	8.4	7.17	A	A	A	A	A	A	A
166	2,775	7.5	8.70	A	A	A	A	A	A	A
153	3,018	6.7	9.46	A	A	A	A	A	A	A
135	3,416	6.5	10.71	A	A	A	A	A	A	A
111	4,147	5.6	13.00	A	A	A	A	A	A	A
94	4,906	4.7	15.38	A	A	A	A	A	A	A
82	5,611	4.3	17.59	A	A	A	A	A	A	A
77	6,023	3.8	18.88	A	A	A	A	A	A	A
71	6,495	4.2	20.36	A	A	A	A	A	A	A
58	7,975	2.9	25.00	A	A	A	A	A	A	A
47	9,730	2.6	30.50	A	A	A	A	A	A	A
43	10,664	1.9	33.43	A	A	A	A	A	A	A
41	11,312	2.1	35.46	A	A	A	A	A	A	A
35	13,015	1.7	40.80	A	A	A	A	A	A	A
34	13,379	2.1	41.94	A	A	A	A	A	A	A
31	15,079	1.4	47.27	A	N/A	A	A	A	A	A
28	16,425	1.7	51.49	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK6282SWAZH66

				\$ 5,227	\$ 5,323	\$ 5,651	\$ 5,848	\$ 5,918	\$ 6,272	\$ 4,656
296	1,557	12.3	4.88	N/A	A	N/A	A	A	A	A
263	1,755	11.6	5.50	N/A	A	N/A	A	A	A	A
250	1,844	11.2	5.78	N/A	A	N/A	A	A	A	A
214	2,150	12.3	6.74	A	A	A	A	A	A	A
185	2,495	9.5	7.82	A	A	A	A	A	A	A
154	2,995	8.1	9.39	A	A	A	A	A	A	A
136	3,394	11.2	10.64	A	A	A	A	A	A	A
136	3,401	5.3	10.66	A	A	A	A	A	A	A
117	3,940	9.9	12.35	A	A	A	A	A	A	A
97	4,731	8.4	14.83	A	A	A	A	A	A	A
77	5,965	6.6	18.70	A	A	A	A	A	A	A
63	7,321	5.5	22.95	A	A	A	A	A	A	A
55	8,310	4.8	26.05	A	A	A	A	A	A	A
48	9,538	4.2	29.90	A	A	A	A	A	A	A
37	12,594	2.3	39.48	A	A	A	A	A	A	A
29	15,870	2.2	49.75	A	A	A	A	A	A	A
24	19,485	2.1	61.08	A	A	A	A	A	A	A
22	20,875	1.4	65.44	A	N/A	A	A	A	A	A
18	25,625	1.4	80.33	A	N/A	A	A	A	A	A

High Efficient 400V	132SH/4	132MH/4 SPNP	132SH/4-F	132SH/4	132MH/4 SPNP	132SH/4-F
ADD:	\$324	\$324	\$324	\$369	\$369	\$369

TRUFIT

50 HZ 7.5 KW (10 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 132	REDUCER IEC B5 ADAPTER FRAME 160
				132M/4	160M/4 SPNP	132M/4-F	132M/4	160M/4 SPNP	132M/4-F		
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO								

Pump 045/060/130 U2; Reducer SK3282AZH66

				\$ 2,212	N/A	\$ 2,636	\$ 2,617	N/A	\$ 3,041	\$ 1,355	N/A
323	1,953	2.1	4.48	A	N/A	A	A	N/A	A	A	N/A
254	2,476	2.0	5.68	A	N/A	A	A	N/A	A	A	N/A
216	2,921	1.8	6.70	A	N/A	A	A	N/A	A	A	N/A
174	3,623	1.6	8.31	A	N/A	A	A	N/A	A	A	N/A
147	4,273	1.7	9.80	A	N/A	A	A	N/A	A	A	N/A
127	4,962	1.5	11.38	A	N/A	A	A	N/A	A	A	N/A

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 3,005	\$ 3,706	\$ 3,429	\$ 3,466	\$ 4,333	\$ 3,890	\$ 2,204	\$ 2,238
----------	----------	----------	----------	----------	----------	----------	----------

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 2,641	\$ 3,342	\$ 3,065	\$ 3,102	\$ 3,969	\$ 3,526	\$ 1,840	\$ 1,874
307	2,049	4.5	4.70	A	A	A	A	A	A	A	A
289	2,180	4.2	5.00	A	A	A	A	A	A	A	A
266	2,367	3.9	5.43	A	A	A	A	A	A	A	A
238	2,642	2.3	6.06	A	A	A	A	A	A	A	A
203	3,109	2.2	7.13	A	A	A	A	A	A	A	A
173	3,632	2.0	8.33	A	A	A	A	A	A	A	A
157	4,024	2.3	9.23	A	A	A	A	A	A	A	A
133	4,731	2.1	10.85	A	A	A	A	A	A	A	A
114	5,528	2.0	12.68	A	A	A	A	A	A	A	A
95	6,627	2.0	15.20	A	A	A	A	A	A	A	A
79	7,926	2.0	18.18	A	A	A	A	A	A	A	A
67	9,352	1.6	21.45	A	A	A	A	A	A	A	A
65	9,762	1.5	22.39	A	A	A	A	A	A	A	A
55	11,523	1.4	26.43	A	A	A	A	A	A	A	A

High Efficient 400V	ADD:	132MH/4	160MH/4 SPNP	132MH/4-F	132MH/4	160MH/4 SPNP	132MH/4-F
		\$324	\$350	\$324	\$369	\$318	\$369

TRUFIT

50 HZ 7.5 KW (10 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 132	REDUCER IEC B5 ADAPTER FRAME 160
				132M/4	160M/4 SPNP	132M/4-F	132M/4	160M/4 SPNP	132M/4-F		
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO								

Pump 320 U2; Reducer SK5282AZH66

				\$ 3,346	\$ 4,047	\$ 3,770	\$ 3,802	\$ 4,668	\$ 4,226	\$ 2,540	\$ 2,573
334	1,884	7.3	4.32	N/A	A	N/A	N/A	A	N/A	N/A	A
288	2,184	6.9	5.01	N/A	A	N/A	N/A	A	N/A	N/A	A
273	2,306	6.7	5.29	N/A	A	N/A	N/A	A	N/A	N/A	A
253	2,490	6.4	5.71	N/A	A	N/A	N/A	A	N/A	N/A	A
228	2,760	6.8	6.33	A	A	A	A	A	A	A	A
202	3,126	6.1	7.17	A	A	A	A	A	A	A	A
166	3,793	5.5	8.70	A	A	A	A	A	A	A	A
153	4,125	4.9	9.46	A	A	A	A	A	A	A	A
135	4,670	4.7	10.71	A	A	A	A	A	A	A	A
111	5,668	4.1	13.00	A	A	A	A	A	A	A	A
94	6,706	3.4	15.38	A	A	A	A	A	A	A	A
82	7,669	3.2	17.59	A	A	A	A	A	A	A	A
77	8,232	2.4	18.88	A	A	A	A	A	A	A	A
71	8,877	2.1	20.36	A	A	A	A	A	A	A	A
58	10,900	2.1	25.00	A	A	A	A	A	A	A	A
47	13,298	1.9	30.50	A	A	A	A	A	A	A	A
43	14,575	1.4	33.43	A	A	A	A	A	A	A	A
41	15,461	1.5	35.46	A	N/A	A	A	N/A	A	A	N/A
34	18,286	1.5	41.94	A	N/A	A	A	N/A	A	A	N/A

High Efficient	132MH/4	160MH/4 SPNP	132MH/4-F	132MH/4	160MH/4 SPNP	132MH/4-F
400V ADD:	\$324	\$350	\$324	\$369	\$318	\$369

TRUFIT

50 HZ 7.5 KW (10 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 132	REDUCER IEC B5 ADAPTER FRAME 160
				132M/4	160M/4 SPNP	132M/4-F	132M/4	160M/4 SPNP	132M/4-F		
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO								

Pump 320 U2; Reducer SK6282SWAZH66

				\$ 5,323	\$ 6,186	\$ 5,747	\$ 5,918	\$ 7,465	\$ 6,342	\$ 4,656	\$ 5,370
296	2,128	9.0	4.88	N/A	A	N/A	A	A	A	A	A
263	2,398	8.5	5.50	N/A	A	N/A	A	A	A	A	A
250	2,520	8.2	5.78	N/A	A	N/A	A	A	A	A	A
214	2,939	9.0	6.74	A	A	A	A	A	A	A	A
185	3,410	7.0	7.82	A	A	A	A	A	A	A	A
154	4,094	6.0	9.39	A	A	A	A	A	A	A	A
136	4,639	8.2	10.64	A	A	A	A	A	A	A	A
136	4,648	3.9	10.66	A	A	A	A	A	A	A	A
117	5,385	7.2	12.35	A	A	A	A	A	A	A	A
97	6,466	6.1	14.83	A	A	A	A	A	A	A	A
77	8,153	4.8	18.70	A	A	A	A	A	A	A	A
63	10,006	4.0	22.95	A	A	A	A	A	A	A	A
55	11,358	2.4	26.05	A	A	A	A	A	A	A	A
48	13,036	2.3	29.90	A	A	A	A	A	A	A	A
37	17,213	1.7	39.48	A	A	A	A	A	A	A	A
28	21,691	1.6	49.75	A	A	A	A	A	A	A	A
24	26,631	1.5	61.08	A	A	A	A	A	A	A	A

High Efficient 400V		132MH/4	160MH/4 SPNP	132MH/4-F	132MH/4	160MH/4 SPNP	132MH/4-F
ADD:		\$324	\$350	\$324	\$369	\$318	\$369

TRUFIT

50 HZ 11 KW (15 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 160
				160M/4	160L/4 SPNP	160M/4-F	160M/4	160L/4 SPNP	160M/4-F	
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO							

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 3,706	\$ 4,124	\$ 4,216	\$ 4,333	\$ 4,634	\$ 4,843	\$ 2,238
----------	----------	----------	----------	----------	----------	----------

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 3,342	\$ 3,760	\$ 3,852	\$ 3,969	\$ 4,270	\$ 4,479	\$ 1,874
311	2,975	2.8	4.70	A	A	A	A	A	A	A
292	3,165	2.7	5.00	A	A	A	A	A	A	A
269	3,437	2.7	5.43	A	A	A	A	A	A	A
241	3,836	2.5	6.06	A	A	A	A	A	A	A
205	4,513	2.3	7.13	A	A	A	A	A	A	A
175	5,273	2.1	8.33	A	A	A	A	A	A	A
158	5,843	2.5	9.23	A	A	A	A	A	A	A
135	6,868	2.2	10.85	A	A	A	A	A	A	A
115	8,026	1.9	12.68	A	A	A	A	A	A	A
96	9,622	1.6	15.20	A	A	A	A	A	A	A
80	11,508	1.4	18.18	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK5282AZH66

				\$ 4,047	\$ 4,466	\$ 4,557	\$ 4,668	\$ 4,969	\$ 5,178	\$ 2,573
338	2,735	5.0	4.32	A	A	A	A	A	A	A
291	3,171	4.7	5.01	A	A	A	A	A	A	A
276	3,349	4.6	5.29	A	A	A	A	A	A	A
256	3,614	4.4	5.71	A	A	A	A	A	A	A
231	4,007	4.7	6.33	A	A	A	A	A	A	A
204	4,539	4.2	7.17	A	A	A	A	A	A	A
168	5,507	3.8	8.70	A	A	A	A	A	A	A
154	5,988	3.4	9.46	A	A	A	A	A	A	A
136	6,779	3.3	10.71	A	A	A	A	A	A	A
112	8,229	2.6	13.00	A	A	A	A	A	A	A
95	9,736	2.4	15.38	A	A	A	A	A	A	A
83	11,134	2.2	17.59	A	A	A	A	A	A	A
77	11,951	1.9	18.88	A	A	A	A	A	A	A
72	12,888	2.1	20.36	A	A	A	A	A	A	A
58	15,825	1.6	25.00	A	A	A	A	A	A	A

High Efficient		160MH/4	160LH/4 SPNP	160MH/4-F	160MH/4	160LH/4 SPNP	160MH/4-F
400V	ADD:	\$350	\$350	\$350	\$318	\$886	\$318

TRUFIT

50 HZ 11 KW (15 HP) GENERAL PURPOSE & WASHDOWN				INTEGRAL NORD MOTOR			IEC B5 NORD MOTOR			REDUCER IEC B5 ADAPTER FRAME 160
				160M/4	160L/4 SPNP	160M/4-F	160M/4	160L/4 SPNP	160M/4-F	
				TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TEBC 400V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO							

Pump 320 U2; Reducer SK6282SWAZH66

				\$ 6,186	\$ 6,604	\$ 6,696	\$ 7,465	\$ 7,766	\$ 7,975	\$ 5,370
299	3,089	6.2	4.88	A	A	A	A	A	A	A
265	3,482	5.8	5.50	A	A	A	A	A	A	A
253	3,659	5.6	5.78	A	A	A	A	A	A	A
217	4,266	6.2	6.74	A	A	A	A	A	A	A
187	4,950	4.8	7.82	A	A	A	A	A	A	A
155	5,944	4.1	9.39	A	A	A	A	A	A	A
137	6,735	5.7	10.64	A	A	A	A	A	A	A
137	6,748	2.7	10.66	A	A	A	A	A	A	A
118	7,818	5.0	12.35	A	A	A	A	A	A	A
98	9,387	4.2	14.83	A	A	A	A	A	A	A
78	11,837	3.3	18.70	A	A	A	A	A	A	A
64	14,527	2.5	22.95	A	A	A	A	A	A	A
56	16,490	2.4	26.05	A	A	A	A	A	A	A
49	18,927	2.1	29.90	A	A	A	A	A	A	A

High Efficient	160MH/4	160LH/4 SPNP	160MH/4-F	160MH/4	160LH/4 SPNP	160MH/4-F
400V ADD:	\$350	\$350	\$350	\$318	\$886	\$318

TRUFIT

50 HZ		15 KW (20 HP) GENERAL PURPOSE & WASHDOWN		INTEGRAL NORD MOTOR			IEC B5			REDUCER IEC B5 ADAPTER FRAME 160	REDUCER IEC B5 ADAPTER FRAME 180		
							NORD MOTOR						
RPM	INCH LBS			SERVICE FACTOR	GEAR RATIO	160L/4	180MX/4 SPNP	160L/4-F	160L/4 160			180MX/4 SPNP	160L/4-F 160
						TEFC	TEFC	TEBC	TEFC			TEFC	TEBC
		400V	400V			400V	400V	400V	400V				
				2:1 CT	4:1 CT	10:1 CT	2:1 CT	4:1 CT	10:1 CT				

Pump 045/060/130 U2; Reducer SK4282SWAZH66

\$ 4,124	N/A	\$ 4,634	\$ 4,634	N/A	\$ 5,144	\$ 2,238	N/A
----------	-----	----------	----------	-----	----------	----------	-----

Pump 180/220 U2; Reducer SK4282AZH66

				\$ 3,760	N/A	\$ 4,270	\$ 4,270	N/A	\$ 4,780	\$ 1,874	N/A
311	4,047	2.0	4.70	A	N/A	A	A	N/A	A	A	N/A
292	4,305	2.0	5.00	A	N/A	A	A	N/A	A	A	N/A
269	4,675	1.9	5.43	A	N/A	A	A	N/A	A	A	N/A
241	5,218	1.8	6.06	A	N/A	A	A	N/A	A	A	N/A
205	6,139	1.7	7.13	A	N/A	A	A	N/A	A	A	N/A
175	7,172	1.6	8.33	A	N/A	A	A	N/A	A	A	N/A
158	7,947	1.8	9.23	A	N/A	A	A	N/A	A	A	N/A
135	9,342	1.6	10.85	A	N/A	A	A	N/A	A	A	N/A
115	10,917	1.4	12.68	A	N/A	A	A	N/A	A	A	N/A

Pump 320 U2; Reducer SK5282AZH66

				\$ 4,466	\$ 4,712	\$ 4,976	\$ 4,969	\$ 6,750	\$ 5,479	\$ 2,573	\$ 3,440
338	3,720	3.7	4.32	A	A	A	A	A	A	A	A
291	4,314	3.5	5.01	A	A	A	A	A	A	A	A
276	4,555	2.3	5.29	A	A	A	A	A	A	A	A
256	4,916	2.3	5.71	A	A	A	A	A	A	A	A
231	5,450	2.2	6.33	A	A	A	A	A	A	A	A
204	6,173	2.1	7.17	A	A	A	A	A	A	A	A
168	7,491	1.9	8.70	A	A	A	A	A	A	A	A
154	8,145	2.2	9.46	A	A	A	A	A	A	A	A
136	9,221	2.1	10.71	A	A	A	A	A	A	A	A
112	11,193	1.9	13.00	A	A	A	A	A	A	A	A
95	13,242	1.7	15.38	A	A	A	A	A	A	A	A
83	15,145	1.6	17.59	A	A	A	A	A	A	A	A
77	16,256	1.4	18.88	A	A	A	A	A	A	A	A
72	17,530	1.6	20.36	A	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK6282SWAZH66

				\$ 6,604	\$ 6,850	\$ 7,114	\$ 7,766	\$ 8,720	\$ 8,276	\$ 5,370	\$ 5,410
299	4,202	4.5	4.88	A	A	A	A	A	A	A	A
265	4,736	4.3	5.50	A	A	A	A	A	A	A	A
253	4,977	4.2	5.78	A	A	A	A	A	A	A	A
217	5,803	4.6	6.74	A	A	A	A	A	A	A	A
187	6,733	3.5	7.82	A	A	A	A	A	A	A	A
155	8,085	3.0	9.39	A	A	A	A	A	A	A	A
137	9,161	4.2	10.64	A	A	A	A	A	A	A	A
137	9,178	2.0	10.66	A	A	A	A	A	A	A	A
118	10,633	2.2	12.35	A	A	A	A	A	A	A	A
98	12,769	2.0	14.83	A	A	A	A	A	A	A	A
78	16,101	2.0	18.70	A	A	A	A	A	A	A	A
64	19,760	2.0	22.95	A	A	A	A	A	A	A	A
56	22,429	1.8	26.05	A	A	A	A	A	A	A	A
49	25,744	1.6	29.90	A	A	A	A	A	A	A	A

High Efficient 400V	ADD:	160LH/4	180MH/4 SPNP	160LH/4-F	160LH/4	180MH/4 SPNP	160LH/4-F
		\$350	\$664	\$350	\$886	N/A	\$886