

<div><div>.50 HP</div><div>60 HZ</div><div>EXPLOSION PROOF</div><div>TRU-FIT™</div><div>RIGHT ANGLE</div></div>				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
				BALDOR MOTOR		
				DRILL RIG DUTY		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	VM7006-I	IDXM7006	
				56C	56C	
				TEFC	TEFC	
				230/460V	230/460V	
				CONSTANT	10:1 CT	

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$2,072	\$2,496	\$1,267
420	75	10.3	4.10	A	A	A
361	87	6.5	4.77	A	A	A
323	98	6.4	5.33	A	A	A
285	111	6.1	6.04	A	A	A
244	129	6.5	7.04	A	A	A
215	147	6.0	8.01	A	A	A
190	166	5.5	9.07	A	A	A
166	190	5.1	10.37	A	A	A
146	216	4.6	11.81	A	A	A
128	247	4.2	13.49	A	A	A
110	286	3.6	15.61	A	A	A
92	344	2.1	18.79	A	A	A
76	417	2.5	22.78	A	A	A
66	476	2.2	26.03	A	A	A
61	517	2.1	28.24	A	A	A
53	591	1.8	32.27	A	A	A

<div><div>.75 HP</div><div>60 HZ</div><div>EXPLOSION PROOF</div><div>TRU-FIT™</div><div>RIGHT ANGLE</div></div>				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
				BALDOR MOTOR		
				DRILL RIG DUTY		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	VM7010-I	IDXM7010	
				56C	56C	
				TEFC	TEFC	
				230/460V	230/460V	
				CONSTANT	10:1 CT	

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$2,162	\$2,523	\$1,267
421	112	5.0	4.10	A	A	A
362	131	4.7	4.77	A	A	A
324	146	4.7	5.33	A	A	A
286	165	4.5	6.04	A	A	A
245	193	4.4	7.04	A	A	A
215	219	4.0	8.01	A	A	A
190	249	3.7	9.07	A	A	A
166	284	3.4	10.37	A	A	A
146	324	3.1	11.81	A	A	A
128	370	2.9	13.49	A	A	A
111	428	2.5	15.61	A	A	A
92	515	1.5	18.79	A	A	A
76	624	1.7	22.78	A	A	A
66	713	1.5	26.03	A	A	A
61	774	1.4	28.24	A	A	A

<div>1 HP</div> <div>60 HZ</div> <div>EXPLOSION PROOF</div> <div>TRU-FIT™</div> <div>RIGHT ANGLE</div>				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY VM7014T-I 143TC TEFC 230/460V CONSTANT	IDXM7014T 143TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO			

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$2,281	\$2,666	\$1,267
421	150	4.4	4.10	A	A	A
362	174	4.1	4.77	A	A	A
324	195	3.9	5.33	A	A	A
286	220	3.6	6.04	A	A	A
245	257	3.3	7.04	A	A	A
215	292	3.0	8.01	A	A	A
190	331	2.8	9.07	A	A	A
166	379	2.6	10.37	A	A	A
146	431	2.4	11.81	A	A	A
128	492	2.2	13.49	A	A	A
111	570	1.9	15.61	A	A	A

Pump 030/040 U2; Reducer SK92772SWAZH

				\$2,885	\$3,270	\$1,871
61	1,038	5.1	28.44	A	A	A
54	1,169	4.8	32.04	A	A	A
47	1,336	4.4	36.61	A	A	A
42	1,488	2.7	40.77	A	A	A
38	1,676	2.7	45.93	A	A	A
33	1,916	2.7	52.48	A	A	A
31	2,045	1.7	56.02	A	A	A
27	2,336	1.7	64.01	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$4,059	\$4,444	\$3,045
35	1,823	7.5	49.94	A	A	A
29	2,160	6.4	59.17	A	A	A
27	2,339	5.9	64.08	A	A	A
23	2,771	5.0	75.91	A	A	A
20	3,072	4.5	84.17	A	A	A
18	3,413	4.0	93.50	A	A	A
16	4,043	3.4	110.77	A	A	A

1.5 HP		60 HZ		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY		
		EXPLOSION PROOF		VM7034T-I		IDXM7034T
				145TC	145TC	
				TENV	TEFC	
				230/460V	230/460V	
				CONSTANT	10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO			

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$2,360	\$2,716	\$1,267
421	225	3.0	4.10	A	A	A
362	261	2.7	4.77	A	A	A
324	292	2.6	5.33	A	A	A
286	331	2.4	6.04	A	A	A
245	386	2.2	7.04	A	A	A
215	439	2.0	8.01	A	A	A
190	497	1.9	9.07	A	A	A
166	568	1.7	10.37	A	A	A

Pump 030/040 U2; Reducer SK92772SWAZH

				\$2,964	\$3,320	\$1,871
159	596	7.6	10.88	A	A	A
139	681	6.7	12.43	A	A	A
124	762	6.2	13.91	A	A	A
111	855	6.1	15.60	A	A	A
97	977	5.3	17.83	A	A	A
61	1,559	3.4	28.44	A	A	A
54	1,756	3.2	32.04	A	A	A
47	2,006	2.9	36.61	A	A	A
42	2,234	1.8	40.77	A	A	A
38	2,517	1.8	45.93	A	A	A
33	2,876	1.8	52.48	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$4,138	\$4,494	\$3,045
203	465	16.8	8.48	A	A	A
161	588	13.5	10.73	A	A	A
136	695	12.7	12.68	A	A	A
128	739	16.2	13.49	A	A	A
108	879	14.1	16.04	A	A	A
101	936	13.7	17.08	A	A	A
85	1,109	12.0	20.23	A	A	A
72	1,310	10.5	23.91	A	A	A
69	1,372	9.7	25.03	A	A	A
58	1,625	8.2	29.66	A	A	A
48	1,951	7.0	35.61	A	A	A
45	2,085	6.6	38.05	A	A	A
48	1,951	7.0	35.61	A	A	A
45	2,085	6.6	38.05	A	A	A
35	2,737	5.0	49.94	A	A	A
29	3,243	4.2	59.17	A	A	A
27	3,512	3.9	64.08	A	A	A
23	4,160	3.3	75.91	A	A	A
20	4,613	3.0	84.17	A	A	A
18	5,124	2.7	93.50	A	A	A
16	6,070	2.3	110.77	A	A	A
15	6,450	2.1	117.70	A	A	A

2 HP		60 HZ		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME		
				BALDOR MOTORS				
				DRILL RIG DUTY				
		EXPLOSION PROOF		VM7037T-I	IDXM7037T	140TC		
		TRU-FIT™ RIGHT ANGLE		145TC	145TC			
		RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO		TEFC	TEFC
							230/460V	230/460V
							CONSTANT	10:1 CT

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$2,449	\$2,852	\$1,267
421	300	2.2	4.10	A	A	A
362	349	2.0	4.77	A	A	A
324	390	1.9	5.33	A	A	A
286	442	1.8	6.04	A	A	A
245	515	1.6	7.04	A	A	A
215	586	1.5	8.01	A	A	A

Pump 030/040 U2; Reducer SK92772SWAZH

				\$3,053	\$3,456	\$1,871
159	795	5.7	10.88	A	A	A
139	909	5.0	12.43	A	A	A
124	1,017	4.7	13.91	A	A	A
111	1,140	4.5	15.60	A	A	A
97	1,303	4.0	17.83	A	A	A
61	2,079	2.6	28.44	A	A	A
54	2,342	2.4	32.04	A	A	A
47	2,676	2.2	36.61	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$4,227	\$4,630	\$3,045
203	620	12.6	8.48	A	A	A
161	784	10.2	10.73	A	A	A
136	927	9.5	12.68	A	A	A
128	986	12.1	13.49	A	A	A
108	1,173	10.6	16.04	A	A	A
85	1,479	9.0	20.23	A	A	A
72	1,748	7.8	23.91	A	A	A
69	1,830	7.3	25.03	A	A	A
58	2,168	6.1	29.66	A	A	A
48	2,603	5.3	35.61	A	A	A
45	2,781	4.9	38.05	A	A	A
43	2,950	4.6	40.36	A	A	A
36	3,487	3.9	47.70	A	A	A
35	3,651	3.8	49.94	A	A	A
29	4,325	3.2	59.17	A	A	A
27	4,684	2.9	64.08	A	A	A
23	5,549	2.5	75.91	A	A	A
27	4,684	2.9	64.08	A	A	A
23	5,549	2.5	75.91	A	A	A
16	8,097	1.7	110.77	A	A	A
15	8,604	1.6	117.70	A	A	A

<div>3 HP</div> <div>60 HZ</div> <div>EXPLOSION PROOF</div> <div>TRU-FIT™ RIGHT ANGLE</div>				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
				BALDOR MOTORS			
				DRILL RIG DUTY VM7042T-I 182TC TEFC 230/460V CONSTANT	IDXM7142T 182TC TEFC 230/460V 2:1 CT	IDXM7542T 182TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO				

Pump 030/040 U2; Reducer SK92772SWAZH

				\$3,433	\$3,642	\$3,726	\$1,918
359	527	6.9	4.81	A	A	A	A
318	595	6.3	5.43	A	A	A	A
282	670	5.6	6.11	A	A	A	A
269	703	5.7	6.41	A	A	A	A
227	833	5.0	7.60	A	A	A	A
202	937	4.7	8.55	A	A	A	A
179	1,055	4.2	9.63	A	A	A	A
159	1,192	3.8	10.88	A	A	A	A
139	1,362	3.3	12.43	A	A	A	A
124	1,525	3.1	13.91	A	A	A	A
111	1,710	3.0	15.60	A	A	A	A
97	1,954	2.6	17.83	A	A	A	A
87	2,162	2.5	19.73	A	A	A	A
78	2,435	2.3	22.22	A	A	A	A
68	2,783	2.1	25.39	A	A	A	A
61	3,117	1.7	28.44	A	A	A	A
54	3,512	1.6	32.04	A	A	A	A
47	4,012	1.5	36.61	A	A	A	A

Pump 045/060/130 U2: Reducer SK9032.1SWAZH660A

				\$4,603	\$4,812	\$4,896	\$3,088
203	929	8.4	8.48	A	A	A	A
161	1,176	6.8	10.73	A	A	A	A
136	1,390	6.4	12.68	A	A	A	A
128	1,479	8.2	13.49	A	A	A	A
108	1,758	7.0	16.04	A	A	A	A
101	1,872	6.9	17.08	A	A	A	A
85	2,217	6.0	20.23	A	A	A	A
72	2,621	5.2	23.91	A	A	A	A
69	2,743	4.8	25.03	A	A	A	A
58	3,251	4.1	29.66	A	A	A	A
48	3,903	3.5	35.61	A	A	A	A
45	4,170	3.3	38.05	A	A	A	A
43	4,423	3.1	40.36	A	A	A	A
36	5,228	2.6	47.70	A	A	A	A
35	5,473	2.5	49.94	A	A	A	A
36	5,228	2.6	47.70	A	A	A	A
35	5,473	2.5	49.94	A	A	A	A
23	8,320	1.6	75.91	A	A	A	A
20	9,225	1.5	84.17	A	A	A	A

5 HP				60 HZ				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				EXPLOSION PROOF				BALDOR MOTOR				
								DRILL RIG DUTY				
				TRU-FIT™ RIGHT ANGLE				VM7044T-I	IDXM7144T	IDXM7544T		
								184TC	184TC	213TC		
								TEFC	TEFC	TEFC		
								230/460V	230/460V	230/460V		
								CONSTANT	2:1 CT	10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO									

Pump 030/040 U2; Reducer SK92772SWAZH

				\$3,764	\$3,968	\$4,553	\$1,918	\$1,918
364	866	4.2	4.81	A	A	A	A	A
322	978	3.8	5.43	A	A	A	A	A
286	1,100	3.4	6.11	A	A	A	A	A
273	1,154	3.5	6.41	A	A	A	A	A
230	1,369	3.1	7.60	A	A	A	A	A
205	1,540	2.8	8.55	A	A	A	A	A
182	1,734	2.5	9.63	A	A	A	A	A
161	1,959	2.3	10.88	A	A	A	A	A
141	2,239	2.0	12.43	A	A	A	A	A
126	2,505	1.9	13.91	A	A	A	A	A
112	2,810	1.8	15.60	A	A	A	A	A
98	3,211	1.6	17.83	A	A	A	A	A
89	3,553	1.5	19.73	A	A	A	A	A
79	4,002	1.4	22.22	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$4,934	\$5,138	\$5,811	\$3,088	\$3,176
206	1,527	5.1	8.48	A	A	A	A	A
163	1,932	4.1	10.73	A	A	A	A	A
138	2,284	3.9	12.68	A	A	A	A	A
130	2,430	2.3	13.49	A	A	A	A	A
109	2,889	4.3	16.04	A	A	A	A	A
102	3,076	4.2	17.08	A	A	A	A	A
87	3,643	3.6	20.23	A	A	A	A	A
73	4,306	3.2	23.91	A	A	A	A	A
70	4,508	2.9	25.03	A	A	A	A	A
59	5,342	2.5	29.66	A	A	A	A	A
49	6,413	2.1	35.61	A	A	A	A	A
46	6,853	2.0	38.05	A	A	A	A	A
43	7,269	1.9	40.36	A	A	A	A	A
37	8,591	1.6	47.70	A	A	A	A	A
35	8,994	1.5	49.94	A	A	A	A	A

5 HP		60 HZ		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTOR				
				DRILL RIG DUTY				
EXPLOSION PROOF				VM7044T-I	IDXM7144T	IDXM7544T		
TRU-FIT™ RIGHT ANGLE				184TC	184TC	213TC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$5,832	\$6,036	\$6,709	\$3,986	\$4,074
---------	---------	---------	---------	---------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$5,468	\$5,672	\$6,345	\$3,622	\$3,710
198	1,590	7.8	8.83	A	A	A	A	A
186	1,691	7.8	9.39	A	A	A	A	A
198	1,590	7.8	8.83	A	A	A	A	A
186	1,691	7.8	9.39	A	A	A	A	A
131	2,413	7.3	13.40	A	A	A	A	A
112	2,820	6.3	15.66	A	A	A	A	A
96	3,278	6.6	18.20	A	A	A	A	A
86	3,660	6.3	20.32	A	A	A	A	A
73	4,303	5.6	23.89	A	A	A	A	A
63	5,027	4.9	27.91	A	A	A	A	A
55	5,709	4.3	31.70	A	A	A	A	A
51	6,194	4.0	34.39	A	A	A	A	A
43	7,301	3.4	40.54	A	A	A	A	A
37	8,585	2.9	47.67	A	A	A	A	A
31	10,030	2.5	55.69	A	A	A	A	A
28	11,391	2.2	63.25	A	A	A	A	A
26	12,357	2.0	68.61	A	A	A	A	A
23	13,720	1.8	76.18	A	A	A	A	A
20	15,566	1.6	86.43	A	A	A	A	A
18	17,210	1.4	95.56	A	A	A	A	A

<div>7.5 HP</div> <div>60 HZ</div> <div>EXPLOSION PROOF</div> <div>TRU-FIT™ RIGHT ANGLE</div>				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTORS			
				DRILL RIG DUTY			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	VM7047T-I	IDXM7147T	IDXM7547T	
				213TC	213TC	215TC	
				TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

Pump 030/040 U2; Reducer SK92772SWAZH

				\$3,901	\$4,496	\$5,622	\$1,918
366	1,292	2.8	4.81	A	A	A	A
324	1,458	2.6	5.43	A	A	A	A
288	1,641	2.3	6.11	A	A	A	A
275	1,722	2.3	6.41	A	A	A	A
232	2,041	2.1	7.60	A	A	A	A
206	2,297	1.9	8.55	A	A	A	A
183	2,587	1.7	9.63	A	A	A	A
162	2,922	1.6	10.88	A	A	N/A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$5,159	\$5,754	\$6,880	\$3,176
208	2,278	3.4	8.48	A	A	A	A
164	2,882	2.8	10.73	A	A	A	A
139	3,406	2.6	12.68	A	A	A	A
130	3,623	3.3	13.49	A	A	A	A
110	4,308	2.9	16.04	A	A	A	A
103	4,588	2.8	17.08	A	A	A	A
87	5,434	2.4	20.23	A	A	A	A
74	6,422	2.1	23.91	A	A	A	A
70	6,723	2.0	25.03	A	A	A	A
59	7,967	1.7	29.66	A	A	A	A

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$6,057	\$6,652	\$7,778	\$4,074
---------	---------	---------	---------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$5,693	\$6,288	\$7,414	\$3,710
199	2,372	5.2	8.83	A	A	A	A
187	2,522	5.3	9.39	A	A	A	A
172	2,742	4.8	10.21	A	A	A	A
154	3,062	4.3	11.40	A	A	A	A
131	3,599	4.9	13.40	A	A	A	A
112	4,206	4.2	15.66	A	A	A	A
97	4,889	4.4	18.20	A	A	A	A
87	5,458	4.2	20.32	A	A	A	A
74	6,417	3.7	23.89	A	A	A	A
63	7,497	3.3	27.91	A	A	A	A
51	9,237	2.7	34.39	A	A	A	A
43	10,889	2.3	40.54	A	A	A	A
51	9,237	2.7	34.39	A	A	A	A
43	10,889	2.3	40.54	A	A	A	A
37	12,804	1.9	47.67	A	A	A	A
32	14,958	1.7	55.69	A	A	A	A

<div>7.5 HP</div> <div>60 HZ</div> <div>EXPLOSION PROOF</div> <div>TRU-FIT™</div> <div>RIGHT ANGLE</div>				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTORS			
				DRILL RIG DUTY			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	VM7047T-I	IDXM7147T	IDXM7547T	
				213TC	213TC	215TC	
				TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$7,948	\$8,543	\$9,669	\$5,965
78	6,052	6.3	22.53	A	A	A	A
75	6,266	6.1	23.33	A	A	A	A
64	7,346	5.5	27.35	A	A	A	A
56	8,402	5.1	31.28	A	A	A	A
49	9,726	4.4	36.21	A	A	A	A
44	10,669	4.0	39.72	A	A	A	A
39	12,076	3.5	44.96	A	A	A	A
32	14,655	2.9	54.56	A	A	A	A
28	16,766	2.5	62.42	A	A	A	A
24	19,404	2.2	72.24	A	A	A	A
20	23,682	1.8	88.17	A	A	A	A

10 HP		60 HZ		EXPLOSION PROOF		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						BALDOR MOTORS				
						DRILL RIG DUTY				
						VM7170T-I	IDXM7170T	IDXM7570T		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	215TC	215TC	254TC				
				TEFC	TEFC	TEFC				
				230/460V	230/460V	230/460V				
				CONSTANT	2:1 CT	10:1 CT				

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$5,521	\$6,710	N/A	\$3,176	N/A
208	3,037	2.6	8.48	A	A	N/A	A	N/A
164	3,842	2.1	10.73	A	A	N/A	A	N/A
139	4,541	1.9	12.68	A	A	N/A	A	N/A
130	4,831	2.4	13.49	A	A	N/A	A	N/A
110	5,744	2.2	16.04	A	A	N/A	A	N/A
103	6,116	2.1	17.08	A	A	N/A	A	N/A
87	7,244	1.8	20.23	A	A	N/A	A	N/A
74	8,562	1.6	23.91	A	A	N/A	A	N/A
70	8,963	1.5	25.03	A	A	N/A	A	N/A

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$6,419	\$7,608	\$8,359	\$4,074	\$4,214
---------	---------	---------	---------	---------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$6,055	\$7,244	\$7,995	\$3,710	\$3,850
199	3,162	3.9	8.83	A	A	A	A	A
187	3,363	3.9	9.39	A	A	A	A	A
172	3,656	3.6	10.21	A	A	A	A	A
154	4,082	3.3	11.40	A	A	A	A	A
131	4,799	3.7	13.40	A	A	A	A	A
112	5,608	3.2	15.66	A	A	A	A	A
97	6,517	3.3	18.20	A	A	A	A	A
87	7,277	3.2	20.32	A	A	A	A	A
74	8,555	2.8	23.89	A	A	A	A	A
63	9,995	2.5	27.91	A	A	A	A	A
56	11,352	2.2	31.70	N/A	A	A	N/A	A
51	12,315	2.0	34.39	A	A	A	A	A
43	14,517	1.7	40.54	A	A	A	A	A
37	17,071	1.5	47.67	A	A	A	A	A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$8,310	\$9,499	\$10,149	\$5,965	\$6,004
39	16,100	2.6	44.96	A	A	A	A	A
32	19,538	2.2	54.56	A	A	A	A	A
28	22,353	1.9	62.42	A	A	A	A	A
24	25,869	1.6	72.24	A	A	A	A	A

<div>15 HP</div> <div>60 HZ</div> <div>EXPLOSION PROOF</div> <div>TRU-FIT™</div> <div>RIGHT ANGLE</div>				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
				BALDOR MOTORS			
				DRILL RIG DUTY			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	CM7054T-I	IDXM7054T	IDXM7554T	
				254TC	254TC	256TC	
				TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$8,307	\$8,261	\$9,589	\$4,214
----------------	----------------	----------------	----------------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$7,943	\$7,897	\$9,225	\$3,850
199	4,743	2.6	8.83	A	A	A	A
187	5,043	2.6	9.39	A	A	A	A
172	5,484	2.4	10.21	A	A	A	A
154	6,123	2.2	11.40	A	A	A	A
131	7,197	2.5	13.40	A	A	A	A
112	8,411	2.1	15.66	A	A	A	A
97	9,775	2.2	18.20	A	A	A	A
87	10,914	2.1	20.32	A	A	A	A
74	12,831	1.9	23.89	A	A	A	A
63	14,990	1.7	27.91	A	A	A	A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$10,097	\$10,051	\$11,379	\$6,004
217	4,351	5.3	8.10	A	A	A	A
187	5,049	4.6	9.40	A	A	A	A
177	5,333	4.6	9.93	A	A	A	A
164	5,752	4.4	10.71	A	A	A	A
148	6,381	5.4	11.88	A	A	A	A
131	7,224	5.3	13.45	A	A	A	A
108	8,771	4.3	16.33	A	A	A	A
98	9,636	3.9	17.94	A	A	A	A
88	10,694	3.6	19.91	A	A	A	A
78	12,101	3.1	22.53	A	A	A	A
75	12,531	3.0	23.33	A	A	A	A
64	14,690	2.8	27.35	A	A	A	A
56	16,800	2.5	31.28	A	A	A	A
49	19,448	2.2	36.21	A	A	A	A
44	21,334	2.0	39.72	A	A	A	A
39	24,148	1.8	44.96	A	A	A	A
32	29,304	1.4	54.56	A	A	A	A