

0.50 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 56TC
				BALDOR MOTOR		
				DRILL RIG DUTY WM7006-I	IDXM7006	
				56C	56C	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TENV	
				230/460V	230/460V	
				CONSTANT	10:1 CT	

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 1,482	\$ 1,955	\$ 726
427	74	12.6	4.03	A	A	A
369	85	11.6	4.66	A	A	A
333	95	10.8	5.17	A	A	A
287	110	9.9	5.99	A	A	A
267	118	9.4	6.44	A	A	A
231	136	8.6	7.45	A	A	A
195	161	7.7	8.80	A	A	A
178	176	7.2	9.64	A	A	A
157	201	6.8	10.98	A	A	A
153	206	6.1	11.25	A	A	A
133	238	6.1	12.98	A	A	A
121	260	5.6	14.21	A	A	A
104	303	4.2	16.58	A	A	A
98	322	3.6	17.61	A	A	A
86	365	3.2	19.95	A	A	A
80	395	3.2	21.57	A	A	A
76	415	2.8	22.70	A	A	A
66	475	2.4	25.96	A	A	A
57	550	2.1	30.03	A	A	A
50	625	2.2	34.16	A	A	A
43	739	2.0	40.38	A	A	A
39	809	1.8	44.22	A	A	A
33	945	1.4	51.64	A	A	A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,686	\$ 2,159	\$ 930
381	83	20.3	4.51	A	A	A
301	105	18.2	5.72	A	A	A
267	118	17.3	6.43	A	A	A
230	137	16.0	7.48	A	A	A
205	153	15.0	8.37	A	A	A
190	165	18.2	9.03	A	A	A
169	186	17.2	10.15	A	A	A
146	216	16.0	11.81	A	A	A
130	242	15.0	13.23	A	A	A
104	302	14.0	16.53	A	A	A
93	339	12.9	18.51	A	A	A
79	401	10.8	21.90	A	A	A
72	438	8.9	23.96	A	A	A
69	457	9.6	24.97	A	A	A
64	491	8.0	26.83	A	A	A
58	543	8.3	29.65	A	A	A
55	572	7.0	31.23	A	A	A
47	669	6.7	36.54	A	A	A
46	680	6.1	37.18	A	A	A
39	800	6.3	43.71	A	A	A
38	826	4.9	45.11	A	A	A
33	946	5.0	51.71	A	A	A
32	987	4.6	53.96	A	A	A
27	1168	4.0	63.83	A	A	A
25	1275	3.1	69.67	A	A	A
21	1508	2.8	82.42	A	A	A

0.75 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 56TC
				BALDOR MOTOR		
				DRILL RIG DUTY VW7010-I	IDXM7010	
				56C	56C	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TENV	
				230/460V	230/460V	
				CONSTANT	10:1 CT	

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 1,566	\$ 1,982	\$ 726
428	110	8.4	<b>4.03</b>	A	A	A
370	128	7.7	<b>4.66</b>	A	A	A
334	142	7.2	<b>5.17</b>	A	A	A
288	164	6.6	<b>5.99</b>	A	A	A
268	176	6.3	<b>6.44</b>	A	A	A
232	204	5.8	<b>7.45</b>	A	A	A
196	241	5.1	<b>8.80</b>	A	A	A
179	264	4.8	<b>9.64</b>	A	A	A
157	301	4.5	<b>10.98</b>	A	A	A
153	308	4.1	<b>11.25</b>	A	A	A
133	356	4.0	<b>12.98</b>	A	A	A
121	389	3.8	<b>14.21</b>	A	A	A
104	454	2.7	<b>16.58</b>	A	A	A
98	483	2.3	<b>17.61</b>	A	A	A
86	547	2.1	<b>19.95</b>	A	A	A
80	591	2.1	<b>21.57</b>	A	A	A
76	622	1.8	<b>22.70</b>	A	A	A
66	711	1.6	<b>25.96</b>	A	A	A
57	823	1.4	<b>30.03</b>	A	A	A
50	936	1.4	<b>34.16</b>	A	A	A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,770	\$ 2,186	\$ 930
382	124	13.5	<b>4.51</b>	A	A	A
302	157	12.1	<b>5.72</b>	A	A	A
268	176	11.5	<b>6.43</b>	A	A	A
231	205	10.7	<b>7.48</b>	A	A	A
206	229	10.0	<b>8.37</b>	A	A	A
191	247	12.2	<b>9.03</b>	A	A	A
170	278	11.5	<b>10.15</b>	A	A	A
146	324	10.7	<b>11.81</b>	A	A	A
130	363	10.0	<b>13.23</b>	A	A	A
104	453	9.3	<b>16.53</b>	A	A	A
93	507	8.6	<b>18.51</b>	A	A	A
79	600	7.2	<b>21.90</b>	A	A	A
72	657	6.0	<b>23.96</b>	A	A	A
69	684	6.4	<b>24.97</b>	A	A	A
64	735	5.4	<b>26.83</b>	A	A	A
58	812	5.5	<b>29.65</b>	A	A	A
55	856	4.7	<b>31.23</b>	A	A	A
47	1001	4.5	<b>36.54</b>	A	A	A
46	1019	4.0	<b>37.18</b>	A	A	A
39	1198	4.2	<b>43.71</b>	A	A	A
38	1236	3.2	<b>45.11</b>	A	A	A
33	1417	3.3	<b>51.71</b>	A	A	A
32	1479	3.0	<b>53.96</b>	A	A	A
27	1749	2.6	<b>63.83</b>	A	A	A
25	1909	2.0	<b>69.67</b>	A	A	A
21	2258	1.9	<b>82.42</b>	A	A	A

1 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY VW7014T-I	IDXM7014T	
				143TC	143TC	
				TEFC	TEFC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	
				CONSTANT	10:1 CT	

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 1,678	\$ 2,125	\$ 726
428	147	5.9	4.03	A	A	A
370	170	5.5	4.66	A	A	A
334	189	5.1	5.17	A	A	A
288	219	4.7	5.99	A	A	A
268	235	4.4	6.44	A	A	A
232	272	4.1	7.45	A	A	A
196	321	3.6	8.80	A	A	A
179	352	3.4	9.64	A	A	A
157	401	2.9	10.98	A	A	A
153	411	2.9	11.25	A	A	A
133	474	2.8	12.98	A	A	A
121	519	2.6	14.21	A	A	A
104	605	1.9	16.58	A	A	A
98	643	1.7	17.61	A	A	A
86	728	1.5	19.95	A	A	A
80	787	1.5	21.57	A	A	A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,882	\$ 2,329	\$ 930
382	165	9.6	4.51	A	A	A
302	209	8.6	5.72	A	A	A
268	235	8.2	6.43	A	A	A
231	273	7.5	7.48	A	A	A
206	306	7.1	8.37	A	A	A
191	330	8.6	9.03	A	A	A
170	370	8.1	10.15	A	A	A
146	431	7.6	11.81	A	A	A
130	483	7.1	13.23	A	A	A
104	603	6.6	16.53	A	A	A
93	676	6.1	18.51	A	A	A
79	799	5.1	21.90	A	A	A
72	875	4.2	23.96	A	A	A
69	911	4.6	24.97	A	A	A
64	979	3.8	26.83	A	A	A
58	1082	3.9	29.65	A	A	A
55	1140	3.3	31.23	A	A	A
47	1334	3.2	36.54	A	A	A
46	1357	2.9	37.18	A	A	A
39	1595	3.0	43.71	A	A	A
38	1647	2.3	45.11	A	A	A
33	1887	2.3	51.71	A	A	A
32	1970	2.2	53.96	A	A	A
27	2330	1.9	63.83	A	A	A
25	2543	1.5	69.67	A	A	A

1.5 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY VM7034T-I 145TC TEFC 230/460V CONSTANT	IDXM7034T 145TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO			

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 1,752	\$ 2,175	\$ 726
428	221	3.3	<b>4.03</b>	A	A	A
370	255	3.2	<b>4.66</b>	A	A	A
334	283	3.3	<b>5.17</b>	A	A	A
288	328	3.1	<b>5.99</b>	A	A	A
268	353	3.0	<b>6.44</b>	A	A	A
232	408	2.7	<b>7.45</b>	A	A	A
196	482	2.4	<b>8.80</b>	A	A	A
179	528	2.3	<b>9.64</b>	A	A	A
157	602	2.1	<b>10.98</b>	A	A	A
153	617	1.9	<b>11.25</b>	A	A	A
133	711	1.9	<b>12.98</b>	A	A	A
121	779	1.8	<b>14.21</b>	A	A	A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,956	\$ 2,379	\$ 930
382	247	6.6	<b>4.51</b>	A	A	A
302	313	5.9	<b>5.72</b>	A	A	A
268	352	5.6	<b>6.43</b>	A	A	A
231	410	5.2	<b>7.48</b>	A	A	A
206	459	4.9	<b>8.37</b>	A	A	A
191	495	5.9	<b>9.03</b>	A	A	A
170	556	5.6	<b>10.15</b>	A	A	A
146	647	5.2	<b>11.81</b>	A	A	A
130	725	4.9	<b>13.23</b>	A	A	A
104	906	3.8	<b>16.53</b>	A	A	A
93	1014	3.7	<b>18.51</b>	A	A	A
79	1200	3.4	<b>21.90</b>	A	A	A
72	1313	2.8	<b>23.96</b>	A	A	A
69	1368	3.0	<b>24.97</b>	A	A	A
64	1470	2.5	<b>26.83</b>	A	A	A
58	1625	2.6	<b>29.65</b>	A	A	A
55	1711	2.2	<b>31.23</b>	A	A	A
47	2002	2.1	<b>36.54</b>	A	A	A
46	2037	1.9	<b>37.18</b>	A	A	A
39	2395	2.0	<b>43.71</b>	A	A	A
38	2472	1.5	<b>45.11</b>	A	A	A
33	2834	1.6	<b>51.71</b>	A	A	A
32	2957	1.5	<b>53.96</b>	A	A	A

1.5 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY VM7034T-I 145TC TEFC 230/460V CONSTANT	IDXM7034T 145TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO			

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 2,181	\$ 2,604	\$ 1,155
385	246	16.4	<b>4.48</b>	A	A	A
304	311	15.6	<b>5.68</b>	A	A	A
257	367	14.4	<b>6.70</b>	A	A	A
208	455	12.9	<b>8.31</b>	A	A	A
176	537	13.6	<b>9.80</b>	A	A	A
152	624	11.5	<b>11.38</b>	A	A	A
122	773	9.7	<b>14.11</b>	A	A	A
103	914	8.0	<b>16.67</b>	A	A	A
85	1106	6.5	<b>20.18</b>	A	A	A
81	1172	5.4	<b>21.38</b>	A	A	A
77	1230	5.7	<b>22.45</b>	A	A	A
73	1299	5.4	<b>23.71</b>	A	A	A
67	1418	5.2	<b>25.88</b>	A	A	A
60	1573	4.8	<b>28.70</b>	A	A	A
54	1750	4.4	<b>31.93</b>	A	A	A
46	2070	3.4	<b>37.77</b>	A	A	A
45	2116	2.5	<b>38.62</b>	A	A	A
41	2303	3.4	<b>42.02</b>	A	A	A
38	2458	2.6	<b>44.85</b>	A	A	A
36	2633	1.8	<b>48.04</b>	A	A	A
33	2903	2.5	<b>52.97</b>	A	A	A
31	3057	1.8	<b>55.79</b>	A	A	A
27	3514	2.5	<b>64.12</b>	A	A	A
26	3611	1.8	<b>65.89</b>	A	A	A
22	4371	1.7	<b>79.76</b>	A	A	A
19	4863	1.7	<b>88.74</b>	A	A	A

1.5 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY VM7034T-I 145TC TEFC 230/460V CONSTANT	IDXM7034T 145TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO			

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$	2,991	\$	3,414	\$	1,965
----	-------	----	-------	----	-------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$	2,627	\$	3,050	\$	1,601
285	332	31.5	<b>6.06</b>	A	A	A			
242	391	26.8	<b>7.13</b>	A	A	A			
207	456	24.3	<b>8.33</b>	A	A	A			
187	506	28.2	<b>9.23</b>	A	A	A			
159	595	24.9	<b>10.85</b>	A	A	A			
136	695	22.0	<b>12.68</b>	A	A	A			
113	833	18.8	<b>15.20</b>	A	A	A			
95	996	15.8	<b>18.18</b>	A	A	A			
80	1175	12.5	<b>21.45</b>	A	A	A			
77	1227	12.1	<b>22.39</b>	A	A	A			
66	1439	9.8	<b>26.25</b>	A	A	A			
65	1448	10.8	<b>26.43</b>	A	A	A			
53	1772	8.0	<b>32.34</b>	A	A	A			
47	2017	6.1	<b>36.81</b>	A	A	A			
42	2233	6.1	<b>40.74</b>	A	A	A			
38	2469	5.6	<b>45.05</b>	A	A	A			
19	4960	2.7	<b>90.52</b>	A	A	A			
16	6071	2.2	<b>110.78</b>	A	A	A			

2 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY VM7037T-I 145TC TEFC 230/460V CONSTANT	IDXM7037T 145TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO			

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 1,836	\$ 2,311	\$ 726
428	295	2.5	4.03	A	A	A
370	341	2.4	4.66	A	A	A
334	378	2.5	5.17	A	A	A
288	438	2.4	5.99	A	A	A
268	471	2.2	6.44	A	A	A
232	545	2.1	7.45	A	A	A
196	643	1.8	8.80	A	A	A
179	705	1.7	9.64	A	A	A
157	803	1.6	10.98	A	A	A
153	822	1.5	11.25	A	A	A
133	949	1.4	12.98	A	A	A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 2,040	\$ 2,515	\$ 930
382	330	4.8	4.51	A	A	A
302	418	4.3	5.72	A	A	A
268	470	4.1	6.43	A	A	A
231	547	3.8	7.48	A	A	A
206	612	3.6	8.37	A	A	A
191	660	4.3	9.03	A	A	A
170	742	4.1	10.15	A	A	A
146	863	2.9	11.81	A	A	A
130	967	2.8	13.23	A	A	A
104	1208	2.9	16.53	A	A	A
93	1353	2.8	18.51	A	A	A
79	1601	2.6	21.90	A	A	A
72	1751	2.1	23.96	A	A	A
69	1825	2.3	24.97	A	A	A
64	1961	1.9	26.83	A	A	A
58	2167	2.0	29.65	A	A	A
55	2283	1.7	31.23	A	A	A
47	2671	1.6	36.54	A	A	A
46	2718	1.4	37.18	A	A	A
39	3195	1.5	43.71	A	A	A

2 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY VM7037T-I 145TC TEFC 230/460V CONSTANT	IDXM7037T 145TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO			

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 2,265	\$ 2,740	\$ 1,155
385	327	12.0	<b>4.48</b>	A	A	A
304	415	11.4	<b>5.68</b>	A	A	A
257	490	10.6	<b>6.70</b>	A	A	A
208	607	9.5	<b>8.31</b>	A	A	A
176	716	10.0	<b>9.80</b>	A	A	A
152	832	8.4	<b>11.38</b>	A	A	A
122	1031	7.1	<b>14.11</b>	A	A	A
103	1219	5.9	<b>16.67</b>	A	A	A
85	1475	4.8	<b>20.18</b>	A	A	A
81	1563	3.9	<b>21.38</b>	A	A	A
77	1641	4.2	<b>22.45</b>	A	A	A
73	1733	2.9	<b>23.71</b>	A	A	A
67	1892	3.0	<b>25.88</b>	A	A	A
60	2098	2.9	<b>28.70</b>	A	A	A
54	2334	2.9	<b>31.93</b>	A	A	A
46	2761	2.6	<b>37.77</b>	A	A	A
45	2823	1.9	<b>38.62</b>	A	A	A
41	3072	2.6	<b>42.02</b>	A	A	A
38	3279	1.9	<b>44.85</b>	A	A	A
36	3512	1.3	<b>48.04</b>	A	A	A
33	3872	1.9	<b>52.97</b>	A	A	A
31	4078	1.3	<b>55.79</b>	A	A	A
27	4687	1.8	<b>64.12</b>	A	A	A



2 HP EXPLOSION PROOF TRU-FIT™				C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
				BALDOR MOTOR		
				DRILL RIG DUTY VM7037T-I	IDXM7037T	
				145TC	145TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	
				230/460V	230/460V	
				CONSTANT	10:1 CT	

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$	3,075	\$	3,550	\$	1,965
----	-------	----	-------	----	-------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$	2,711	\$	3,186	\$	1,601
285	443	23.1	6.06	A		A		A	
242	521	19.7	7.13	A		A		A	
207	609	17.8	8.33	A		A		A	
187	675	20.7	9.23	A		A		A	
159	793	18.3	10.85	A		A		A	
136	927	16.1	12.68	A		A		A	
113	1111	13.8	15.20	A		A		A	
95	1329	11.6	18.18	A		A		A	
80	1568	9.2	21.45	A		A		A	
77	1637	8.9	22.39	A		A		A	
66	1919	7.2	26.25	A		A		A	
65	1932	7.9	26.43	A		A		A	
53	2364	5.8	32.34	A		A		A	
47	2691	4.4	36.81	A		A		A	
42	2978	4.5	40.74	A		A		A	
38	3293	3.1	45.05	A		A		A	
19	6617	2.1	90.52	A		A		A	
16	8098	1.7	110.78	A		A		A	

3 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
				BALDOR MOTOR			
				DRILL RIG DUTY VM7042T-I	IDXM7142T	IDXM7542T	
				182TC	182TC	182TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 2,386	\$ 2,687	\$ 2,771	\$ 963
382	494	3.3	<b>4.51</b>	A	A	A	A
302	627	3.0	<b>5.72</b>	A	A	A	A
268	705	2.8	<b>6.43</b>	A	A	A	A
231	820	2.6	<b>7.48</b>	A	A	A	A
206	917	2.4	<b>8.37</b>	A	A	A	A
191	990	3.0	<b>9.03</b>	A	A	A	A
170	1112	2.8	<b>10.15</b>	A	A	A	A
146	1294	2.6	<b>11.81</b>	A	A	A	A
130	1450	2.4	<b>13.23</b>	A	A	A	A
104	1812	2.3	<b>16.53</b>	A	A	A	A
93	2029	2.1	<b>18.51</b>	A	A	A	A
79	2400	1.7	<b>21.90</b>	A	A	A	A
72	2626	1.4	<b>23.96</b>	A	A	A	A
69	2737	1.6	<b>24.97</b>	A	A	A	A

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 2,612	\$ 2,913	\$ 2,997	\$ 1,189
385	491	8.4	<b>4.48</b>	A	A	A	A
304	623	8.0	<b>5.68</b>	A	A	A	A
257	734	7.4	<b>6.70</b>	A	A	A	A
208	911	6.7	<b>8.31</b>	A	A	A	A
176	1074	7.0	<b>9.80</b>	A	A	A	A
152	1247	5.9	<b>11.38</b>	A	A	A	A
122	1546	5.0	<b>14.11</b>	A	A	A	A
103	1827	4.1	<b>16.67</b>	A	A	A	A
85	2212	3.1	<b>20.18</b>	A	A	A	A
81	2343	2.7	<b>21.38</b>	A	A	A	A
77	2461	2.8	<b>22.45</b>	A	A	A	A
73	2599	2.5	<b>23.71</b>	A	A	A	A
67	2836	2.6	<b>25.88</b>	A	A	A	A
60	3146	2.4	<b>28.70</b>	A	A	A	A
54	3500	2.2	<b>31.93</b>	A	A	A	A
46	4140	1.8	<b>37.77</b>	A	A	A	A
41	4605	1.8	<b>42.02</b>	A	A	A	A

3 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
				BALDOR MOTOR			
				DRILL RIG DUTY VM7042T-I	IDXM7142T	IDXM7542T	
				182TC	182TC	182TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$	3,458	\$	3,759	\$	3,843	\$	2,035
----	-------	----	-------	----	-------	----	-------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$	3,094	\$	3,395	\$	3,479	\$	1,671
367	515	18.0	4.70	A		A		A		A	
345	548	17.0	5.00	A		A		A		A	
318	595	15.6	5.43	A		A		A		A	
285	664	16.2	6.06	A		A		A		A	
242	781	13.8	7.13	A		A		A		A	
207	913	12.5	8.33	A		A		A		A	
187	1012	14.5	9.23	A		A		A		A	
159	1189	12.8	10.85	A		A		A		A	
136	1390	11.3	12.68	A		A		A		A	
113	1666	9.7	15.20	A		A		A		A	
95	1993	8.1	18.18	A		A		A		A	
80	2351	6.4	21.45	A		A		A		A	
77	2454	6.2	22.39	A		A		A		A	
66	2877	5.0	26.25	A		A		A		A	
65	2897	5.5	26.43	A		A		A		A	
65	2929	4.9	26.72	A		A		A		A	
54	3512	4.6	32.04	A		A		A		A	
53	3544	3.4	32.34	A		A		A		A	
47	3989	3.0	36.40	A		A		A		A	
47	4034	2.9	36.81	A		A		A		A	
45	4199	4.3	38.31	A		A		A		A	
42	4465	3.0	40.74	A		A		A		A	
40	4784	2.9	43.65	A		A		A		A	
38	4937	2.8	45.05	A		A		A		A	
33	5721	2.8	52.20	A		A		A		A	
28	6751	2.3	61.60	A		A		A		A	
23	8263	1.7	75.39	A		A		A		A	
19	9921	1.4	90.52	A		A		A		A	

5 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTOR				
				DRILL RIG DUTY VM7044T-I	IDXM7144T	IDXM7544T		
				184TC	184TC	213TC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 2,696	\$ 3,013	N/A	\$ 963	N/A
388	812	2.0	4.51	A	A	N/A	A	N/A
306	1030	1.8	5.72	A	A	N/A	A	N/A
272	1158	1.7	6.43	A	A	N/A	A	N/A
234	1347	1.6	7.48	A	A	N/A	A	N/A
209	1507	1.5	8.37	A	A	N/A	A	N/A
194	1626	1.8	9.03	A	A	N/A	A	N/A
172	1828	1.7	10.15	A	A	N/A	A	N/A
148	2127	1.6	11.81	A	A	N/A	A	N/A
132	2383	1.5	13.23	A	A	N/A	A	N/A
106	2977	1.4	16.53	A	A	N/A	A	N/A

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 2,922	\$ 3,239	\$ 3,893	\$ 1,189	\$ 1,258
391	807	2.3	4.48	A	A	A	A	A
308	1023	2.2	5.68	A	A	A	A	A
261	1207	2.1	6.70	A	A	A	A	A
211	1497	1.9	8.31	A	A	A	A	A
179	1765	2.1	9.80	A	A	A	A	A
154	2050	2.1	11.38	A	A	A	A	A
124	2541	1.9	14.11	A	A	A	A	A
105	3002	1.9	16.67	A	A	A	A	A
87	3634	1.9	20.18	A	A	A	A	A
82	3851	1.6	21.38	A	A	A	A	A
78	4043	1.7	22.45	A	A	A	A	A
74	4270	1.5	23.71	A	A	A	A	A
68	4661	1.6	25.88	A	A	A	A	A
61	5169	1.5	28.70	A	A	A	A	A

5 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTOR				
				DRILL RIG DUTY VM7044T-I	IDXM7144T	IDXM7544T		
				184TC	184TC	213TC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$	3,768	\$	4,085	\$	4,742	\$	2,035	\$	2,107
----	-------	----	-------	----	-------	----	-------	----	-------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$	3,404	\$	3,721	\$	4,378	\$	1,671	\$	1,743
372	846	10.8	4.70	A	A	A	A	A	A	A	A	A	A
350	901	10.2	5.00	A	A	A	A	A	A	A	A	A	A
322	978	9.4	5.43	A	A	A	A	A	A	A	A	A	A
289	1091	2.5	6.06	A	A	A	A	A	A	A	A	A	A
245	1284	2.4	7.13	A	A	A	A	A	A	A	A	A	A
210	1500	2.3	8.33	A	A	A	A	A	A	A	A	A	A
190	1662	2.5	9.23	A	A	A	A	A	A	A	A	A	A
161	1954	2.4	10.85	A	A	A	A	A	A	A	A	A	A
138	2284	2.3	12.68	A	A	A	A	A	A	A	A	A	A
115	2738	2.3	15.20	A	A	A	A	A	A	A	A	A	A
96	3274	2.3	18.18	A	A	A	A	A	A	A	A	A	A
82	3863	2.3	21.45	A	A	A	A	A	A	A	A	A	A
78	4032	2.1	22.39	A	A	A	A	A	A	A	A	A	A
67	4728	2.3	26.25	A	A	A	A	A	A	A	A	A	A
66	4760	2.1	26.43	A	A	A	A	A	A	A	A	A	A
65	4812	2.9	26.72	A	A	A	A	A	A	A	A	A	A
55	5770	2.7	32.04	A	A	A	A	A	A	A	A	A	A
54	5824	2.1	32.34	A	A	A	A	A	A	A	A	A	A
48	6556	1.8	36.40	A	A	A	A	A	A	A	A	A	A
48	6629	1.7	36.81	A	A	A	A	A	A	A	A	A	A
46	6900	1.8	38.31	A	A	A	A	A	A	A	A	A	A
43	7337	1.8	40.74	A	A	A	A	A	A	A	A	A	A
40	7861	1.8	43.65	A	A	A	A	A	A	A	A	A	A
39	8114	1.7	45.05	A	A	A	A	A	A	A	A	A	A
34	9401	1.7	52.20	A	A	A	A	A	A	A	A	A	A
28	11094	1.4	61.60	A	A	A	A	A	A	A	A	A	A

5 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTOR				
				DRILL RIG DUTY VM7044T-I	IDXM7144T	IDXM7544T		
				184TC	184TC	213TC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 4,089	\$ 4,406	\$ 5,063	\$ 2,356	\$ 2,428
276	1140	27.4	<b>6.33</b>	A	A	A	A	A
244	1291	24.7	<b>7.17</b>	A	A	A	A	A
201	1567	22.2	<b>8.70</b>	A	A	A	A	A
185	1704	19.9	<b>9.46</b>	A	A	A	A	A
163	1929	19.1	<b>10.71</b>	A	A	A	A	A
135	2341	16.6	<b>13.00</b>	A	A	A	A	A
114	2770	13.9	<b>15.38</b>	A	A	A	A	A
99	3168	12.8	<b>17.59</b>	A	A	A	A	A
93	3400	2.4	<b>18.88</b>	A	A	A	A	A
86	3667	2.1	<b>20.36</b>	A	A	A	A	A
70	4503	2.1	<b>25.00</b>	A	A	A	A	A
57	5493	2.2	<b>30.50</b>	A	A	A	A	A
52	6021	2.4	<b>33.43</b>	A	A	A	A	A
49	6386	1.5	<b>35.46</b>	A	A	A	A	A
43	7348	2.2	<b>40.80</b>	A	A	A	A	A
42	7553	1.5	<b>41.94</b>	A	A	A	A	A
37	8513	2.5	<b>47.27</b>	A	A	A	A	A
34	9273	5.1	<b>51.49</b>	A	A	A	A	A
32	10005	1.9	<b>55.55</b>	A	A	A	A	A
31	10068	2.3	<b>55.90</b>	A	A	A	A	A
25	12360	2.1	<b>68.63</b>	A	A	A	A	A
19	16535	1.5	<b>91.81</b>	A	A	A	A	A

7.5 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTOR			
				DRILL RIG DUTY VM7047T-I	IDXM7147T	IDXM7547T	
				213TC	213TC	215TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 3,264	\$ 3,836	\$ 4,962	\$ 1,258
393	1203	3.3	<b>4.48</b>	A	A	A	A
310	1526	3.2	<b>5.68</b>	A	A	A	A
263	1800	2.9	<b>6.70</b>	A	A	A	A
212	2232	2.6	<b>8.31</b>	A	A	A	A
180	2632	2.8	<b>9.80</b>	A	A	A	A
155	3057	2.3	<b>11.38</b>	A	A	A	A
125	3790	2.0	<b>14.11</b>	A	A	A	A
106	4478	1.6	<b>16.67</b>	A	A	A	A

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 4,113	\$ 4,685	\$ 5,811	\$ 2,107
----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 3,749	\$ 4,321	\$ 5,447	\$ 1,743
374	1262	7.3	<b>4.70</b>	A	A	A	A
352	1343	6.9	<b>5.00</b>	A	A	A	A
324	1458	6.3	<b>5.43</b>	A	A	A	A
290	1628	6.6	<b>6.06</b>	A	A	A	A
247	1915	5.6	<b>7.13</b>	A	A	A	A
211	2237	5.1	<b>8.33</b>	A	A	A	A
191	2479	5.9	<b>9.23</b>	A	A	A	A
162	2914	5.2	<b>10.85</b>	A	A	A	A
139	3406	4.6	<b>12.68</b>	A	A	A	A
116	4083	3.2	<b>15.20</b>	A	A	A	A
97	4883	3.2	<b>18.18</b>	A	A	A	A
82	5761	2.6	<b>21.45</b>	A	A	A	A
79	6014	2.5	<b>22.39</b>	A	A	A	A
67	7051	2.0	<b>26.25</b>	A	A	A	A
67	7099	2.2	<b>26.43</b>	A	A	A	A
66	7177	1.9	<b>26.72</b>	A	A	A	A
55	8606	1.8	<b>32.04</b>	A	A	A	A
54	8687	1.6	<b>32.34</b>	A	A	A	A

7.5 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTOR			
				DRILL RIG DUTY VM7047T-I	IDXM7147T	IDXM7547T	
				213TC	213TC	215TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 4,434	\$ 5,006	\$ 6,132	\$ 2,428
278	1700	16.4	<b>6.33</b>	A	A	A	A
245	1926	14.8	<b>7.17</b>	A	A	A	A
202	2337	13.3	<b>8.70</b>	A	A	A	A
186	2541	12.0	<b>9.46</b>	A	A	A	A
164	2877	11.5	<b>10.71</b>	A	A	A	A
135	3492	9.9	<b>13.00</b>	A	A	A	A
114	4131	8.3	<b>15.38</b>	A	A	A	A
100	4725	7.7	<b>17.59</b>	A	A	A	A
93	5071	6.8	<b>18.88</b>	A	A	A	A
86	5469	7.5	<b>20.36</b>	A	A	A	A
70	6715	5.7	<b>25.00</b>	A	A	A	A
58	8192	3.1	<b>30.50</b>	A	A	A	A
53	8979	2.2	<b>33.43</b>	A	A	A	A
50	9525	2.5	<b>35.46</b>	A	A	A	A
43	10959	2.0	<b>40.80</b>	A	A	A	A
42	11265	2.5	<b>41.94</b>	A	A	A	A
37	12697	1.7	<b>47.27</b>	A	A	A	A
34	13830	2.0	<b>51.49</b>	A	A	A	A
31	15015	1.5	<b>55.90</b>	A	A	A	A
26	18434	1.4	<b>68.63</b>	A	A	A	A



7.5 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				BALDOR MOTOR			
				DRILL RIG DUTY VM7047T-I	IDXM7147T	IDXM7547T	
				213TC	213TC	215TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 6,550	\$ 7,122	\$ 8,248	\$ 4,544
361	1311	21.7	<b>4.88</b>	A	A	A	A
320	1477	20.5	<b>5.50</b>	A	A	A	A
304	1553	19.9	<b>5.78</b>	A	A	A	A
261	1810	21.8	<b>6.74</b>	A	A	A	A
225	2100	16.9	<b>7.82</b>	A	A	A	A
187	2522	14.4	<b>9.39</b>	A	A	A	A
165	2858	19.9	<b>10.64</b>	A	A	A	A
143	3317	17.5	<b>12.35</b>	A	A	A	A
119	3983	14.8	<b>14.83</b>	A	A	A	A
94	5023	11.6	<b>18.70</b>	A	A	A	A
77	6164	9.7	<b>22.95</b>	A	A	A	A
68	6997	8.6	<b>26.05</b>	A	A	A	A
59	8031	7.5	<b>29.90</b>	A	A	A	A
45	10604	2.6	<b>39.48</b>	A	A	A	A
29	16406	2.4	<b>61.08</b>	A	A	A	A
27	17577	1.7	<b>65.44</b>	A	A	A	A
22	21577	1.7	<b>80.33</b>	A	A	A	A

10 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
				BALDOR MOTOR				
				DRILL RIG DUTY VM7170T-I	IDXM7170T	IDXM7570T		
				215TC	215TC	254TC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 3,691	\$ 4,792	N/A	\$ 1,258	N/A
393	1604	2.5	<b>4.48</b>	A	A	N/A	A	N/A
310	2034	2.4	<b>5.68</b>	A	A	N/A	A	N/A
263	2399	2.2	<b>6.70</b>	A	A	N/A	A	N/A
212	2976	2.0	<b>8.31</b>	A	A	N/A	A	N/A
180	3509	2.1	<b>9.80</b>	A	A	N/A	A	N/A
155	4075	1.8	<b>11.38</b>	A	A	N/A	A	N/A
125	5053	1.5	<b>14.11</b>	A	A	N/A	A	N/A

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 4,540	\$ 5,641	\$ 6,286	\$ 2,107	\$ 2,141
----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 4,176	\$ 5,277	\$ 5,922	\$ 1,743	\$ 1,777
374	1683	5.4	<b>4.70</b>	A	A	A	A	A
352	1791	5.0	<b>5.00</b>	A	A	A	A	A
324	1944	4.6	<b>5.43</b>	A	A	A	A	A
290	2170	4.8	<b>6.06</b>	A	A	A	A	A
247	2553	4.1	<b>7.13</b>	A	A	A	A	A
211	2983	3.7	<b>8.33</b>	A	A	A	A	A
191	3305	4.3	<b>9.23</b>	A	A	A	A	A
162	3885	2.6	<b>10.85</b>	A	A	A	A	A
139	4541	2.4	<b>12.68</b>	A	A	A	A	A
116	5443	2.4	<b>15.20</b>	A	A	A	A	A
97	6510	2.4	<b>18.18</b>	A	A	A	A	A
82	7681	1.9	<b>21.45</b>	A	A	A	A	A
79	8018	1.8	<b>22.39</b>	A	A	A	A	A
67	9400	1.5	<b>26.25</b>	A	A	A	A	A
67	9465	1.6	<b>26.43</b>	A	A	A	A	A

10 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
				BALDOR MOTOR				
				DRILL RIG DUTY VM7170T-I	IDXM7170T	IDXM7570T		
				215TC	215TC	254TC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 4,861	\$ 5,962	\$ 6,606	\$ 2,428	\$ 2,461
407	1547	11.9	4.32	N/A	N/A	A	N/A	A
351	1794	11.2	5.01	N/A	N/A	A	N/A	A
333	1894	11.0	5.29	N/A	N/A	A	N/A	A
308	2045	10.4	5.71	N/A	N/A	A	N/A	A
278	2267	2.2	6.33	A	A	A	A	A
245	2568	10.0	7.17	A	A	A	A	A
202	3115	9.0	8.70	A	A	A	A	A
186	3388	8.1	9.46	A	A	A	A	A
164	3835	7.7	10.71	A	A	A	A	A
135	4655	6.7	13.00	A	A	A	A	A
114	5508	5.6	15.38	A	A	A	A	A
100	6299	5.2	17.59	A	A	A	A	A
93	6761	2.9	18.88	A	A	A	A	A
86	7291	2.6	20.36	A	A	A	A	A
70	8953	2.6	25.00	A	A	A	A	A
58	10922	2.3	30.50	A	A	A	A	A
53	11971	1.7	33.43	A	A	A	A	A
50	12698	1.9	35.46	A	A	N/A	A	N/A
43	14610	1.5	40.80	A	A	A	A	A
42	15019	1.9	41.94	A	A	N/A	A	N/A
34	18439	1.5	51.49	A	A	N/A	A	N/A

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 6,977	\$ 8,078	\$ 9,403	\$ 4,544	\$ 5,258
361	1748	14.6	4.88	A	A	A	A	A
320	1970	13.8	5.50	A	A	A	A	A
304	2070	13.4	5.78	A	A	A	A	A
261	2414	14.7	6.74	A	A	A	A	A
225	2800	11.4	7.82	A	A	A	A	A
187	3363	9.7	9.39	A	A	A	A	A
165	3810	13.4	10.64	A	A	A	A	A
143	4423	11.8	12.35	A	A	A	A	A
119	5311	10.0	14.83	A	A	A	A	A
94	6696	7.8	18.70	A	A	A	A	A
77	8218	6.5	22.95	A	A	A	A	A
68	9329	5.8	26.05	A	A	A	A	A
59	10707	5.0	29.90	A	A	A	A	A
45	14138	2.0	39.48	A	A	A	A	A
35	17815	2.0	49.75	A	A	A	A	A
29	21873	1.8	61.08	A	A	A	A	A

15 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
				BALDOR MOTOR			
				DRILL RIG DUTY CM7054T-I	IDXM7054T	IDXM7554T	
				254TC	254TC	256TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	
				CONSTANT	2:1 CT	10:1 CT	

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$	5,984	\$	6,188	\$	7,516	\$	2,141
----	-------	----	-------	----	-------	----	-------

**Pump 180/220 U2; Reducer SK4282AZH66**

\$	5,620	\$	5,824	\$	7,152	\$	1,777
374	2524	3.3	4.70	A	A	A	A
352	2686	3.2	5.00	A	A	A	A
324	2916	3.2	5.43	A	A	A	A
290	3255	3.0	6.06	A	A	A	A
247	3830	2.8	7.13	A	A	A	A
211	4474	2.5	8.33	A	A	A	A
191	4957	2.9	9.23	A	A	A	A
162	5828	2.6	10.85	A	A	A	A
139	6810	2.3	12.68	A	A	A	A
116	8164	2.0	15.20	A	A	A	A
97	9764	1.6	18.18	A	A	A	A

**Pump 320 U2; Reducer SK5282AZH66**

\$	6,304	\$	6,508	\$	7,836	\$	2,461
407	2320	8.7	4.32	A	A	A	A
351	2691	8.3	5.01	A	A	A	A
333	2841	8.1	5.29	A	A	A	A
308	3067	7.7	5.71	A	A	A	A
278	3400	8.1	6.33	A	A	A	A
245	3851	2.5	7.17	A	A	A	A
202	4673	6.6	8.70	A	A	A	A
186	5081	5.9	9.46	A	A	A	A
164	5752	5.7	10.71	A	A	A	A
135	6982	3.1	13.00	A	A	A	A
114	8261	2.8	15.38	A	A	A	A
100	9448	2.6	17.59	A	A	A	A
93	10140	2.3	18.88	A	A	A	A
86	10935	2.5	20.36	A	A	A	A
70	13428	1.9	25.00	A	A	A	A
58	16382	1.6	30.50	A	A	A	A

**Pump 320 U2; Reducer SK6282SWAZH66**

\$	9,101	\$	9,305	\$	10,633	\$	5,258
361	2621	10.8	4.88	A	A	A	A
320	2954	10.2	5.50	A	A	A	A
304	3104	9.8	5.78	A	A	A	A
261	3620	10.8	6.74	A	A	A	A
225	4200	8.4	7.82	A	A	A	A
187	5043	7.2	9.39	A	A	A	A
165	5715	9.9	10.64	A	A	A	A
143	6633	8.7	12.35	A	A	A	A
119	7965	7.4	14.83	A	A	A	A
94	10044	5.8	18.70	A	A	A	A
77	12326	3.3	22.95	A	A	A	A
68	13991	2.9	26.05	A	A	A	A
59	16059	2.5	29.90	A	A	A	A

20 HP EXPLOSION PROOF  TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
				BALDOR MOTOR				
				DRILL RIG DUTY CM7056T-I	IDXM7056T	IDXM7556T+M13G		
				256TC	256TC	284TC *		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$	6,605	\$	7,392	N/A	\$	2,141	N/A
----	-------	----	-------	-----	----	-------	-----

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$	6,241	\$	7,028	N/A	\$	1,777	N/A
374	3366	2.5	4.70	A	A	N/A	A	N/A			
352	3581	2.4	5.00	A	A	N/A	A	N/A			
324	3889	2.4	5.43	A	A	N/A	A	N/A			
290	4340	2.2	6.06	A	A	N/A	A	N/A			
247	5107	2.1	7.13	A	A	N/A	A	N/A			
211	5966	1.9	8.33	A	A	N/A	A	N/A			
191	6611	2.2	9.23	A	A	N/A	A	N/A			
162	7771	1.9	10.85	A	A	N/A	A	N/A			
139	9081	1.7	12.68	A	A	N/A	A	N/A			
116	10886	1.5	15.20	A	A	N/A	A	N/A			

**Pump 320 U2; Reducer SK5282AZH66**

				\$	6,925	\$	7,712	\$	12,186	\$	2,461	\$	3,328
407	3094	6.1	4.32	A	A	A	A	A	A	A			
351	3588	5.8	5.01	A	A	A	A	A	A	A			
333	3789	5.6	5.29	A	A	A	A	A	A	A			
308	4090	5.3	5.71	A	A	A	A	A	A	A			
278	4534	5.7	6.33	A	A	A	A	A	A	A			
245	5135	2.5	7.17	A	A	A	A	A	A	A			
202	6231	2.3	8.70	A	A	A	A	A	A	A			
186	6775	2.6	9.46	A	A	A	A	A	A	A			
164	7671	2.5	10.71	A	A	A	A	A	A	A			
135	9311	2.3	13.00	A	A	A	A	A	A	A			
114	11015	2.1	15.38	A	A	A	A	A	A	A			
100	12598	1.9	17.59	A	A	A	A	A	A	A			
93	13522	1.7	18.88	A	A	A	A	A	A	A			
86	14582	1.9	20.36	A	A	A	A	A	A	A			
70	17905	1.4	25.00	A	A	A	A	A	A	A			

\* M13G NEMA C-FACE - Please allow additional week for delivery.

20 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
				BALDOR MOTOR				
				DRILL RIG DUTY CM7056T-I	IDXM7056T	IDXM7556T+M13G		
				256TC	256TC	284TC *		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 9,722	\$ 10,509	\$ 14,156	\$ 5,258	\$ 5,298
361	3495	7.5	<b>4.88</b>	A	A	A	A	A
320	3939	7.1	<b>5.50</b>	A	A	A	A	A
304	4140	6.8	<b>5.78</b>	A	A	A	A	A
261	4827	7.5	<b>6.74</b>	A	A	A	A	A
225	5601	5.8	<b>7.82</b>	A	A	A	A	A
187	6725	5.0	<b>9.39</b>	A	A	A	A	A
165	7620	6.9	<b>10.64</b>	A	A	A	A	A
143	8845	6.0	<b>12.35</b>	A	A	A	A	A
119	10621	2.5	<b>14.83</b>	A	A	A	A	A
94	13393	2.5	<b>18.70</b>	A	A	A	A	A
77	16437	2.4	<b>22.95</b>	A	A	A	A	A
68	18657	2.2	<b>26.05</b>	A	A	A	A	A
59	21414	1.9	<b>29.90</b>	A	A	A	A	A

\* M13G NEMA C-FACE - Please allow additional week for delivery.

25 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
				BALDOR MOTOR				
				DRILL RIG DUTY CM7058T-I	IDXM7058T+M13G	IDXM7558T+M13G		
				284TC	284TC *	324TC *		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 8,962	\$ 11,969	N/A	\$ 3,407	N/A
407	3867	3.5	4.32	A	A	N/A	A	N/A
351	4485	3.3	5.01	A	A	N/A	A	N/A
333	4736	3.3	5.29	A	A	N/A	A	N/A
308	5112	3.1	5.71	A	A	N/A	A	N/A
278	5667	3.3	6.33	A	A	N/A	A	N/A
245	6419	3.0	7.17	A	A	N/A	A	N/A
202	7788	2.7	8.70	A	A	N/A	A	N/A
186	8469	2.4	9.46	A	A	N/A	A	N/A
164	9588	2.3	10.71	A	A	N/A	A	N/A
135	11638	2.0	13.00	A	A	N/A	A	N/A
114	13768	1.7	15.38	A	A	N/A	A	N/A
100	15747	1.5	17.59	A	A	N/A	A	N/A
93	16901	1.4	18.88	A	A	N/A	A	N/A
86	18226	1.5	20.36	A	A	N/A	A	N/A

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 11,033	\$ 14,040	\$ 16,825	\$ 5,478	\$ 5,775
401	3930	5.8	4.39	A	A	A	A	A
361	4369	5.5	4.88	A	A	A	A	A
320	4924	5.2	5.50	A	A	A	A	A
304	5174	5.0	5.78	A	A	A	A	A
294	5362	5.0	5.99	A	A	A	A	A
261	6034	5.5	6.74	A	A	A	A	A
225	7000	4.3	7.82	A	A	A	A	A
187	8406	3.6	9.39	A	A	A	A	A
165	9525	4.0	10.64	A	A	A	A	A
143	11056	3.5	12.35	A	A	A	A	A
119	13276	3.0	14.83	A	A	A	A	A
94	16740	2.3	18.70	A	A	A	A	A
77	20545	1.9	22.95	A	A	A	A	A
68	23320	1.7	26.05	A	A	N/A	A	N/A
59	26766	1.5	29.90	A	A	N/A	A	N/A

\* M13G NEMA C-FACE - Please allow additional week for delivery.

30 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
				BALDOR MOTOR				
				DRILL RIG DUTY CM7060T-I  286TC  TEFC  230/460V  CONSTANT	IDXM7060T+M13G  286TC *  TEFC  230/460V  2:1 CT	IDXM7560T+M13G  326TC *  TEFC  230/460V  10:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO					

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 9,686	\$ 13,336	N/A	\$ 3,407	N/A
407	4641	2.9	<b>4.32</b>	A	A	N/A	A	N/A
351	5382	2.8	<b>5.01</b>	A	A	N/A	A	N/A
333	5683	2.7	<b>5.29</b>	A	A	N/A	A	N/A
308	6134	2.6	<b>5.71</b>	A	A	N/A	A	N/A
278	6800	2.7	<b>6.33</b>	A	A	N/A	A	N/A
245	7703	2.5	<b>7.17</b>	A	A	N/A	A	N/A
202	9346	2.2	<b>8.70</b>	A	A	N/A	A	N/A
186	10163	2.0	<b>9.46</b>	A	A	N/A	A	N/A
164	11506	1.9	<b>10.71</b>	A	A	N/A	A	N/A
135	13966	1.7	<b>13.00</b>	A	A	N/A	A	N/A
114	16523	1.4	<b>15.38</b>	A	A	N/A	A	N/A

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 11,757	\$ 15,407	\$ 18,111	\$ 5,478	\$ 5,775
401	4716	4.6	<b>4.39</b>	A	A	A	A	A
361	5243	4.4	<b>4.88</b>	A	A	A	A	A
320	5909	4.2	<b>5.50</b>	A	A	A	A	A
304	6209	4.0	<b>5.78</b>	A	A	A	A	A
294	6435	4.0	<b>5.99</b>	A	A	A	A	A
261	7241	4.4	<b>6.74</b>	A	A	A	A	A
225	8401	3.4	<b>7.82</b>	A	A	A	A	A
187	10088	2.4	<b>9.39</b>	A	A	A	A	A
165	11431	3.3	<b>10.64</b>	A	A	A	A	A
143	13268	2.9	<b>12.35</b>	A	A	A	A	A
119	15932	2.5	<b>14.83</b>	A	A	A	A	A
94	20089	1.9	<b>18.70</b>	A	A	A	A	A
77	24655	1.6	<b>22.95</b>	A	A	A	A	A
68	27986	1.4	<b>26.05</b>	A	A	N/A	A	N/A

\* M13G NEMA C-FACE - Please allow additional week for delivery.



40 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 360TC
				BALDOR MOTOR				
				DRILL RIG DUTY CM7062T-I	IDXM7062T+M13G	IDXM7562T+M13G		
				324TC	324TC *	364TC *		
				TEFC	TEFC	TEFC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 14,263	\$ 19,142	\$ 20,737	\$ 5,775	\$ 6,937
404	6235	2.9	<b>4.39</b>	A	A	A	A	A
364	6931	2.8	<b>4.88</b>	A	A	A	A	A
323	7812	2.6	<b>5.50</b>	A	A	A	A	A
307	8209	2.5	<b>5.78</b>	A	A	A	A	A
296	8508	2.5	<b>5.99</b>	A	A	A	A	A
263	9573	2.8	<b>6.74</b>	A	A	A	A	A
227	11107	2.1	<b>7.82</b>	A	A	A	A	A
189	13337	1.8	<b>9.39</b>	A	A	A	A	A
167	15112	2.5	<b>10.64</b>	A	A	A	A	A
144	17541	2.2	<b>12.35</b>	A	A	A	A	A
120	21063	1.9	<b>14.83</b>	A	A	A	A	A
95	26560	1.5	<b>18.70</b>	A	A	A	A	A

\* M13G NEMA C-FACE - Please allow additional week for delivery.

50 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 360TC
				BALDOR MOTOR				
				DRILL RIG DUTY CM7064T-I	IDXM7064T+M13G	IDXM7564T+M13G		
				326TC	326TC *	365TC *		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC		
				230/460V	230/460V	230/460V		
				CONSTANT	2:1 CT	10:1 CT		

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 15,375	\$ 20,803	\$ 23,265	\$ 5,775	\$ 6,937
404	7794	2.3	<b>4.39</b>	A	A	A	A	A
364	8664	2.2	<b>4.88</b>	A	A	A	A	A
323	9765	2.1	<b>5.50</b>	A	A	A	A	A
307	10262	2.0	<b>5.78</b>	A	A	A	A	A
296	10635	2.0	<b>5.99</b>	A	A	A	A	A
263	11966	2.2	<b>6.74</b>	A	A	A	A	A
227	13884	1.7	<b>7.82</b>	A	A	A	A	A
189	16671	1.5	<b>9.39</b>	A	A	A	A	A
167	18890	2.0	<b>10.64</b>	A	A	A	A	A
144	21926	1.8	<b>12.35</b>	A	A	A	A	A
120	26329	1.5	<b>14.83</b>	A	A	A	A	A

\* M13G NEMA C-FACE - Please allow additional week for delivery.

60 HP EXPLOSION PROOF TRU-FIT™				C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 360TC
				BALDOR MOTOR			
				DRILL RIG DUTY	IDXM7066T+M13G		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V CONSTANT	TEFC 230/460V 2:1 CT	TEFC 230/460V 10:1 CT	

**Pump 320 U2; Reducer SK6282SWAZH66**

				INQUIRE	\$ 24,022	INQUIRE	\$ 6,937
404	9352	1.9	<b>4.39</b>		A		A
364	10396	1.8	<b>4.88</b>		A		A
323	11717	1.7	<b>5.50</b>		A		A
307	12314	1.7	<b>5.78</b>		A		A
296	12761	1.7	<b>5.99</b>		A		A
263	14359	1.8	<b>6.74</b>		A		A
227	16660	1.4	<b>7.82</b>		A		A
167	22667	1.7	<b>10.64</b>		A		A
144	26310	1.5	<b>12.35</b>		A		A

\* M13G NEMA C-FACE - Please allow additional week for delivery.