

0.25 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
				NORD MOTOR		NORD MOTOR		BALDOR	
				63L/4VR	71S/4VN	63L/4VR	71S/4VN	KNM3454	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	56C TEFC 230/460V 5:1 CT	56C TEFC 230/460V 10:1 CT	56C TENV 230/460V CONSTANT	

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 751	\$ 775	\$ 915	\$ 932	\$ 1,052	\$ 726
417	36	25.2	4.03	A	A	A	A	A	A
361	42	23.2	4.66	A	A	A	A	A	A
325	46	21.7	5.17	A	A	A	A	A	A
280	54	19.9	5.99	A	A	A	A	A	A
261	58	18.8	6.44	A	A	A	A	A	A
226	67	17.3	7.45	A	A	A	A	A	A
191	79	15.4	8.80	A	A	A	A	A	A
174	87	14.4	9.64	A	A	A	A	A	A
153	99	13.6	10.98	A	A	A	A	A	A
149	101	12.3	11.25	A	A	A	A	A	A
129	117	12.1	12.98	A	A	A	A	A	A
118	128	11.3	14.21	A	A	A	A	A	A
101	149	8.3	16.58	A	A	A	A	A	A
95	158	7.2	17.61	A	A	A	A	A	A
84	179	6.4	19.95	A	A	A	A	A	A
78	194	6.4	21.57	A	A	A	A	A	A
74	204	5.6	22.70	A	A	A	A	A	A
65	233	4.9	25.96	A	A	A	A	A	A
56	270	4.2	30.03	A	A	A	A	A	A
49	307	4.4	34.16	A	A	A	A	A	A
42	363	4.0	40.38	A	A	A	A	A	A
38	398	3.6	44.22	A	A	A	A	A	A
33	464	2.8	51.64	A	A	A	A	A	A
30	508	2.8	56.55	A	A	A	A	A	A
25	593	2.1	65.99	A	A	A	A	A	A
21	714	1.6	79.40	A	A	A	A	A	A
20	771	1.6	85.72	A	A	A	A	A	A

0.33 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		BALDOR MOTOR		
				71S/4VR	71L/4VN	71S/4VR	71L/4VN	KNM3534	IDNM3534	
				56C	56C	56C	56C			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TENV	TENV	
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	20:1 CT	

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 775	\$ 784	\$ 932	\$ 933	\$ 1,087	\$ 1,223	\$ 726
424	50	18.4	<b>4.03</b>	A	A	A	A	A	A	A
367	57	17.0	<b>4.66</b>	A	A	A	A	A	A	A
331	64	15.9	<b>5.17</b>	A	A	A	A	A	A	A
285	74	14.5	<b>5.99</b>	A	A	A	A	A	A	A
266	79	13.7	<b>6.44</b>	A	A	A	A	A	A	A
230	92	12.6	<b>7.45</b>	A	A	A	A	A	A	A
194	108	11.3	<b>8.80</b>	A	A	A	A	A	A	A
177	119	10.5	<b>9.64</b>	A	A	A	A	A	A	A
156	135	10.0	<b>10.98</b>	A	A	A	A	A	A	A
152	138	9.0	<b>11.25</b>	A	A	A	A	A	A	A
132	160	8.9	<b>12.98</b>	A	A	A	A	A	A	A
120	175	8.3	<b>14.21</b>	A	A	A	A	A	A	A
103	204	6.1	<b>16.58</b>	A	A	A	A	A	A	A
97	217	5.3	<b>17.61</b>	A	A	A	A	A	A	A
86	245	4.7	<b>19.95</b>	A	A	A	A	A	A	A
79	265	4.7	<b>21.57</b>	A	A	A	A	A	A	A
75	279	4.1	<b>22.70</b>	A	A	A	A	A	A	A
66	319	3.6	<b>25.96</b>	A	A	A	A	A	A	A
57	369	3.1	<b>30.03</b>	A	A	A	A	A	A	A
50	420	3.2	<b>34.16</b>	A	A	A	A	A	A	A
42	497	2.9	<b>40.38</b>	A	A	A	A	A	A	A
39	544	2.7	<b>44.22</b>	A	A	A	A	A	A	A
33	635	2.0	<b>51.64</b>	A	A	A	A	A	A	A
30	696	2.0	<b>56.55</b>	A	A	A	A	A	A	A
26	812	1.5	<b>65.99</b>	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,515	\$1,515	\$1,515	\$1,515

0.33 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
				NORD MOTOR		NORD MOTOR		BALDOR MOTOR		
				71S/4VR	71L/4VN	71S/4VR	71L/4VN	KNM3534	IDNM3534	
				TEFC	TEFC	TEFC	TEFC	TENV	TENV	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	20:1 CT	

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,039	\$ 1,050	\$ 1,136	\$ 1,137	\$ 1,291	\$ 1,427	\$ 930
379	55	29.7	4.51	N/A	N/A	A	A	A	A	A
299	70	26.7	5.72	N/A	A	A	A	A	A	A
266	79	25.3	6.43	N/A	A	A	A	A	A	A
229	92	23.4	7.48	N/A	A	A	A	A	A	A
204	103	22.0	8.37	A	A	A	A	A	A	A
189	111	26.7	9.03	N/A	A	A	A	A	A	A
168	125	25.2	10.15	N/A	A	A	A	A	A	A
145	145	23.4	11.81	N/A	A	A	A	A	A	A
129	163	22.0	13.23	A	A	A	A	A	A	A
103	203	20.5	16.53	N/A	A	A	A	A	A	A
92	228	18.9	18.51	A	A	A	A	A	A	A
78	269	15.8	21.90	A	A	A	A	A	A	A
71	295	13.1	23.96	N/A	A	A	A	A	A	A
68	307	14.1	24.97	N/A	A	A	A	A	A	A
64	330	11.8	26.83	A	A	A	A	A	A	A
58	365	12.1	29.65	A	A	A	A	A	A	A
55	384	10.3	31.23	A	A	A	A	A	A	A
47	449	9.9	36.54	N/A	A	A	A	A	A	A
46	457	8.9	37.18	N/A	A	A	A	A	A	A
39	538	9.3	43.71	A	A	A	A	A	A	A
38	555	7.2	45.11	N/A	A	A	A	A	A	A
33	636	7.2	51.71	A	A	A	A	A	A	A
32	664	6.7	53.96	N/A	A	A	A	A	A	A
27	785	5.9	63.83	A	A	A	A	A	A	A
25	857	4.6	69.67	A	A	A	A	A	A	A
21	1014	4.1	82.42	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,515	\$1,515	\$1,515	\$1,515

0.5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		BALDOR MOTOR		
				71L/4VR	80S/4VR	71L/4VR	80S/4VN	VNM3538	IDNM3538	
						56C	56C	56C	56C	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TENV	TENV	
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	20:1 CT	

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 784	\$ 830	\$ 933	\$ 973	\$ 1,142	\$ 1,307	\$ 726
427	73	12.6	<b>4.03</b>	A	A	A	A	A	A	A
369	84	11.6	<b>4.66</b>	A	A	A	A	A	A	A
333	93	10.8	<b>5.17</b>	A	A	A	A	A	A	A
287	108	9.9	<b>5.99</b>	A	A	A	A	A	A	A
267	116	9.4	<b>6.44</b>	A	A	A	A	A	A	A
231	134	8.6	<b>7.45</b>	A	A	A	A	A	A	A
195	158	7.7	<b>8.80</b>	A	A	A	A	A	A	A
178	174	7.2	<b>9.64</b>	A	A	A	A	A	A	A
157	198	6.8	<b>10.98</b>	A	A	A	A	A	A	A
153	203	6.1	<b>11.25</b>	A	A	A	A	A	A	A
133	234	6.1	<b>12.98</b>	A	A	A	A	A	A	A
121	256	5.6	<b>14.21</b>	A	A	A	A	A	A	A
104	298	4.2	<b>16.58</b>	A	A	A	A	A	A	A
98	317	3.6	<b>17.61</b>	A	A	A	A	A	A	A
86	359	3.2	<b>19.95</b>	A	A	A	A	A	A	A
80	388	3.2	<b>21.57</b>	A	A	A	A	A	A	A
76	409	2.8	<b>22.70</b>	A	A	A	A	A	A	A
66	467	2.4	<b>25.96</b>	A	A	A	A	A	A	A
57	541	2.1	<b>30.03</b>	A	A	A	A	A	A	A
50	615	2.2	<b>34.16</b>	A	A	A	A	A	A	A
43	727	2.0	<b>40.38</b>	A	A	A	A	A	A	A
39	796	1.8	<b>44.22</b>	A	A	A	A	A	A	A
33	930	1.4	<b>51.64</b>	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,524	\$1,524	\$1,524	\$1,524

0.5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		BALDOR MOTOR		
				71L/4VR	80S/4VR	71L/4VR	80S/4VN	VNM3538	IDNM3538	
						56C	56C	56C	56C	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TENV	TENV	
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	20:1 CT	

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,050	\$ 1,097	\$ 1,137	\$ 1,177	\$ 1,346	\$ 1,511	\$ 930
381	81	20.3	4.51	N/A	N/A	A	A	A	A	A
301	103	18.2	5.72	A	A	A	A	A	A	A
267	116	17.3	6.43	A	A	A	A	A	A	A
230	135	16.0	7.48	A	A	A	A	A	A	A
205	151	15.0	8.37	A	A	A	A	A	A	A
190	163	18.2	9.03	A	A	A	A	A	A	A
169	183	17.2	10.15	A	A	A	A	A	A	A
146	213	16.0	11.81	A	A	A	A	A	A	A
130	238	15.0	13.23	A	A	A	A	A	A	A
104	298	14.0	16.53	A	A	A	A	A	A	A
93	333	12.9	18.51	A	A	A	A	A	A	A
79	394	10.8	21.90	A	A	A	A	A	A	A
72	431	8.9	23.96	A	A	A	A	A	A	A
69	449	9.6	24.97	A	A	A	A	A	A	A
64	483	8.0	26.83	A	A	A	A	A	A	A
58	534	8.3	29.65	A	A	A	A	A	A	A
55	562	7.0	31.23	A	A	A	A	A	A	A
47	658	6.7	36.54	A	A	A	A	A	A	A
46	669	6.1	37.18	A	A	A	A	A	A	A
39	787	6.3	43.71	A	A	A	A	A	A	A
38	812	4.9	45.11	A	A	A	A	A	A	A
33	931	5.0	51.71	A	A	A	A	A	A	A
32	971	4.6	53.96	A	A	A	A	A	A	A
27	1149	4.0	63.83	A	A	A	A	A	A	A
25	1254	3.1	69.67	A	A	A	A	A	A	A
21	1484	2.8	82.42	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,524	\$1,524	\$1,524	\$1,524

0.75 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		BALDOR MOTOR		
				80S/4VR	80L/4VN	80S/4VR	80LH/4VN	VM3542	IDNM3542	
				TEFC	TEFC	TEFC	TEFC	TENV	TENV	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	20:1 CT	

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 830	\$ 841	\$ 973	\$ 1,044	\$ 1,134	\$ 1,374	\$ 726
424	109	8.4	<b>4.03</b>	A	A	A	A	A	A	A
367	126	7.7	<b>4.66</b>	A	A	A	A	A	A	A
331	140	7.2	<b>5.17</b>	A	A	A	A	A	A	A
285	162	6.6	<b>5.99</b>	A	A	A	A	A	A	A
266	174	6.3	<b>6.44</b>	A	A	A	A	A	A	A
230	201	5.8	<b>7.45</b>	A	A	A	A	A	A	A
194	238	5.1	<b>8.80</b>	A	A	A	A	A	A	A
177	260	4.8	<b>9.64</b>	A	A	A	A	A	A	A
156	296	4.5	<b>10.98</b>	A	A	A	A	A	A	A
152	304	4.1	<b>11.25</b>	A	A	A	A	A	A	A
132	350	4.0	<b>12.98</b>	A	A	A	A	A	A	A
120	384	3.8	<b>14.21</b>	A	A	A	A	A	A	A
103	448	2.7	<b>16.58</b>	A	A	A	A	A	A	A
97	475	2.3	<b>17.61</b>	A	A	A	A	A	A	A
86	539	2.1	<b>19.95</b>	A	A	A	A	A	A	A
79	582	2.1	<b>21.57</b>	A	A	A	A	A	A	A
75	613	1.8	<b>22.70</b>	A	A	A	A	A	A	A
66	701	1.6	<b>25.96</b>	A	A	A	A	A	A	A
57	811	1.4	<b>30.03</b>	A	A	A	A	A	A	A
50	922	1.4	<b>34.16</b>	A	A	A	A	A	A	A

Nord SK205E VFD				
3PH, 200-240V	ADD:	\$1,560	\$1,560	\$1,560

0.75 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		BALDOR MOTOR		
				80S/4VR	80L/4VN	80S/4VR	80LH/4VN	VM3542	IDNM3542	
				TEFC	TEFC	TEFC	TEFC	TENV	TENV	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	20:1 CT	

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,097	\$ 1,107	\$ 1,177	\$ 1,248	\$ 1,338	\$ 1,578	\$ 930
379	122	13.5	4.51	N/A	N/A	A	A	A	A	A
299	154	12.1	5.72	A	A	A	A	A	A	A
266	174	11.5	6.43	A	A	A	A	A	A	A
229	202	10.7	7.48	A	A	A	A	A	A	A
204	226	10.0	8.37	A	A	A	A	A	A	A
189	244	12.2	9.03	A	A	A	A	A	A	A
168	274	11.5	10.15	A	A	A	A	A	A	A
145	319	10.7	11.81	A	A	A	A	A	A	A
129	357	10.0	13.23	A	A	A	A	A	A	A
103	446	9.3	16.53	A	A	A	A	A	A	A
92	500	8.6	18.51	A	A	A	A	A	A	A
78	591	7.2	21.90	A	A	A	A	A	A	A
71	647	6.0	23.96	A	A	A	A	A	A	A
68	674	6.4	24.97	A	A	A	A	A	A	A
64	724	5.4	26.83	A	A	A	A	A	A	A
58	801	5.5	29.65	A	A	A	A	A	A	A
55	843	4.7	31.23	A	A	A	A	A	A	A
47	987	4.5	36.54	A	A	A	A	A	A	A
46	1004	4.0	37.18	A	A	A	A	A	A	A
39	1180	4.2	43.71	A	A	A	A	A	A	A
38	1218	3.2	45.11	A	A	A	A	A	A	A
33	1396	3.3	51.71	A	A	A	A	A	A	A
32	1457	3.0	53.96	A	A	A	A	A	A	A
27	1723	2.6	63.83	A	A	A	A	A	A	A
25	1881	2.0	69.67	A	A	A	A	A	A	A
21	2225	1.9	82.42	A	A	A	A	A	A	A

Nord SK205E VFD				
3PH, 200-240V	ADD:	\$1,560	\$1,560	\$1,560

1 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C or 140TC
						NORD MOTOR		BALDOR MOTOR				
				80LH/4VR	90S/4VN	80LH/4VR	90SH/4VN	VM3546T	VEM3546	IDNM3581T		
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT		

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 841	\$ 898	\$ 1,044	\$ 1,092	\$ 1,244	\$ 1,441	\$ 2,047	\$ 726
409	154	5.9	<b>4.03</b>	A	A	A	A	A	A	A	A
354	178	5.5	<b>4.66</b>	A	A	A	A	A	A	A	A
319	197	5.1	<b>5.17</b>	A	A	A	A	A	A	A	A
275	228	4.7	<b>5.99</b>	A	A	A	A	A	A	A	A
256	245	4.4	<b>6.44</b>	A	A	A	A	A	A	A	A
221	284	4.1	<b>7.45</b>	A	A	A	A	A	A	A	A
188	335	3.6	<b>8.80</b>	A	A	A	A	A	A	A	A
171	367	3.4	<b>9.64</b>	A	A	A	A	A	A	A	A
150	418	2.9	<b>10.98</b>	A	A	A	A	A	A	A	A
147	429	2.9	<b>11.25</b>	A	A	A	A	A	A	A	A
127	495	2.8	<b>12.98</b>	A	A	A	A	A	A	A	A
116	541	2.6	<b>14.21</b>	A	A	A	A	A	A	A	A
100	632	1.9	<b>16.58</b>	A	A	A	A	A	A	A	A
94	671	1.7	<b>17.61</b>	A	A	A	A	A	A	A	A
83	760	1.5	<b>19.95</b>	A	A	A	A	A	A	A	A
76	822	1.5	<b>21.57</b>	A	N/A	A	A	A	A	A	A

Nord High Efficiency	80LH/4VR	90SH/4VN
230/460V or 575V ADD:	\$125	\$141

Nord SK205E VFD				
3PH, 200-240V ADD:	\$1,600	\$1,600	\$1,600	\$1,600



1 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 56C or 140TC
						NORD MOTOR		BALDOR MOTOR			
				80LH/4VR	90S/4VN	80LH/4VR	90SH/4VN	VM3546T	VEM3546	IDNM3581T	
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT	

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,107	\$ 1,166	\$ 1,044	\$ 1,092	\$ 1,244	\$ 1,441	\$ 2,047	\$ 726
366	172	9.6	4.51	A	A	A	A	A	A	A	A
288	218	8.6	5.72	A	A	A	A	A	A	A	A
257	245	8.2	6.43	A	A	A	A	A	A	A	A
221	285	7.5	7.48	A	A	A	A	A	A	A	A
197	319	7.1	8.37	A	A	A	A	A	A	A	A
183	344	8.6	9.03	A	A	A	A	A	A	A	A
163	387	8.1	10.15	A	A	A	A	A	A	A	A
140	450	7.6	11.81	A	A	A	A	A	A	A	A
125	504	7.1	13.23	A	A	A	A	A	A	A	A
100	630	6.6	16.53	A	A	A	A	A	A	A	A
89	705	6.1	18.51	A	A	A	A	A	A	A	A
75	834	5.1	21.90	A	A	A	A	A	A	A	A
69	913	4.2	23.96	A	A	A	A	A	A	A	A
66	951	4.6	24.97	A	A	A	A	A	A	A	A
61	1022	3.8	26.83	A	A	A	A	A	A	A	A
56	1130	3.9	29.65	A	A	A	A	A	A	A	A
53	1190	3.3	31.23	A	A	A	A	A	A	A	A
45	1392	3.2	36.54	A	A	A	A	A	A	A	A
44	1417	2.9	37.18	A	A	A	A	A	A	A	A
38	1665	3.0	43.71	A	A	A	A	A	A	A	A
37	1719	2.3	45.11	A	A	A	A	A	A	A	A
32	1970	2.3	51.71	A	A	A	A	A	A	A	A
31	2056	2.2	53.96	A	A	A	A	A	A	A	A
26	2432	1.9	63.83	A	A	A	A	A	A	A	A
24	2654	1.5	69.67	A	A	A	A	A	A	A	A

Nord High Efficiency	80LH/4VR	90SH/4VN
230/460V or 575V ADD:	\$125	\$141

Nord SK205E VFD				
3PH, 200-240V ADD:	\$1,600	\$1,600	\$1,600	\$1,600

1.5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC
						NORD MOTOR		BALDOR MOTOR					
				90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	VM3554T	VEM3554	IDNM3584T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 898	\$ 906	\$ 1,092	\$ 1,123	\$ 1,253	\$ 1,520	\$ 2,184	\$ 726
412	224	3.3	4.03	A	A	A	A	A	A	A	A
356	259	3.2	4.66	A	A	A	A	A	A	A	A
321	287	3.3	5.17	A	A	A	A	A	A	A	A
277	333	3.1	5.99	A	A	A	A	A	A	A	A
258	358	3.0	6.44	A	A	A	A	A	A	A	A
223	414	2.7	7.45	A	A	A	A	A	A	A	A
189	489	2.4	8.80	A	A	A	A	A	A	A	A
172	536	2.3	9.64	A	A	A	A	A	A	A	A
151	610	2.1	10.98	A	A	A	A	A	A	A	A
148	626	1.9	11.25	A	A	A	A	A	A	A	A
128	722	1.9	12.98	A	A	A	A	A	A	A	A
117	790	1.8	14.21	A	A	A	A	A	A	A	A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,166	\$ 1,174	\$ 1,296	\$ 1,327	\$ 1,457	\$ 1,724	\$ 2,388	\$ 930
368	251	6.6	4.51	A	A	A	A	A	A	A	A
290	318	5.9	5.72	A	A	A	A	A	A	A	A
258	358	5.6	6.43	A	A	A	A	A	A	A	A
222	416	5.2	7.48	A	A	A	A	A	A	A	A
198	465	4.9	8.37	A	A	A	A	A	A	A	A
184	502	5.9	9.03	A	A	A	A	A	A	A	A
164	564	5.6	10.15	A	A	A	A	A	A	A	A
141	657	5.2	11.81	A	A	A	A	A	A	A	A
125	736	4.9	13.23	A	A	A	A	A	A	A	A
100	919	3.8	16.53	A	A	A	A	A	A	A	A
90	1029	3.7	18.51	A	A	A	A	A	A	A	A
76	1218	3.4	21.90	A	A	A	A	A	A	A	A
69	1332	2.8	23.96	A	A	A	A	A	A	A	A
66	1388	3.0	24.97	A	A	A	A	A	A	A	A
62	1492	2.5	26.83	A	A	A	A	A	A	A	A
56	1649	2.6	29.65	A	A	A	A	A	A	A	A
53	1736	2.2	31.23	A	A	A	A	A	A	A	A
45	2032	2.1	36.54	A	A	A	A	A	A	A	A
45	2067	1.9	37.18	A	A	A	A	A	A	A	A
38	2430	2.0	43.71	A	A	A	A	A	A	A	A
37	2508	1.5	45.11	A	A	A	A	A	A	A	A
32	2875	1.6	51.71	A	A	A	A	A	A	A	A
31	3000	1.5	53.96	A	A	A	A	A	A	A	A

Nord High Efficiency		90SH/4VR	90LH/4VN
230/460V or 575V	ADD:	\$141	\$141

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,716	\$1,716	\$1,716	\$1,716

1.5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC
						NORD MOTOR		BALDOR MOTOR					
				90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	VM3554T	VEM3554	IDNM3584T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 1,429	\$ 1,438	\$ 1,521	\$ 1,552	\$ 1,682	\$ 1,949	\$ 2,613	\$ 1,155
371	249	16.4	<b>4.48</b>	A	A	A	A	A	A	A	A
292	316	15.6	<b>5.68</b>	A	A	A	A	A	A	A	A
248	373	14.4	<b>6.70</b>	A	A	A	A	A	A	A	A
200	462	12.9	<b>8.31</b>	A	A	A	A	A	A	A	A
169	545	13.6	<b>9.80</b>	A	A	A	A	A	A	A	A
146	633	11.5	<b>11.38</b>	A	A	A	A	A	A	A	A
118	785	9.7	<b>14.11</b>	A	A	A	A	A	A	A	A
100	927	8.0	<b>16.67</b>	A	A	A	A	A	A	A	A
82	1122	6.5	<b>20.18</b>	A	A	A	A	A	A	A	A
78	1189	5.4	<b>21.38</b>	A	A	A	A	A	A	A	A
74	1248	5.7	<b>22.45</b>	A	A	A	A	A	A	A	A
70	1318	5.4	<b>23.71</b>	A	A	A	A	A	A	A	A
64	1439	5.2	<b>25.88</b>	A	A	A	A	A	A	A	A
58	1596	4.8	<b>28.70</b>	A	A	A	A	A	A	A	A
52	1775	4.4	<b>31.93</b>	A	A	A	A	A	A	A	A
44	2100	3.4	<b>37.77</b>	A	A	A	A	A	A	A	A
43	2147	2.5	<b>38.62</b>	A	A	A	A	A	A	A	A
40	2336	3.4	<b>42.02</b>	A	A	A	A	A	A	A	A
37	2494	2.6	<b>44.85</b>	A	A	A	A	A	A	A	A
35	2671	1.8	<b>48.04</b>	A	A	A	A	A	A	A	A
31	2945	2.5	<b>52.97</b>	A	A	A	A	A	A	A	A
30	3102	1.8	<b>55.79</b>	A	A	A	A	A	A	A	A
26	3565	2.5	<b>64.12</b>	A	A	A	A	A	A	A	A
25	3663	1.8	<b>65.89</b>	A	A	A	A	A	A	A	A
21	4435	1.7	<b>79.76</b>	A	A	A	A	A	A	A	A
19	4934	1.7	<b>88.74</b>	A	A	A	A	A	A	A	A

Nord High Efficiency	90SH/4VR	90LH/4VN
230/460V or 575V ADD:	\$141	\$141

Nord SK205E VFD				
3PH, 380-480V ADD:	\$1,716	\$1,716	\$1,716	\$1,716

1.5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC
						NORD MOTOR		BALDOR MOTOR					
				90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	VM3554T	VEM3554	IDNM3584T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,222	\$ 2,231	\$ 2,331	\$ 2,362	\$ 2,492	\$ 2,759	\$ 3,423	\$ 1,965
----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 1,858	\$ 1,867	\$ 1,967	\$ 1,998	\$ 2,128	\$ 2,395	\$ 3,059	\$ 1,601
274	337	31.5	6.06	A	A	A	A	A	A	A	A
233	396	26.8	7.13	A	A	A	A	A	A	A	A
199	463	24.3	8.33	A	A	A	A	A	A	A	A
180	513	28.2	9.23	A	A	A	A	A	A	A	A
153	603	24.9	10.85	A	A	A	A	A	A	A	A
131	705	22.0	12.68	A	A	A	A	A	A	A	A
109	845	18.8	15.20	A	A	A	A	A	A	A	A
91	1011	15.8	18.18	A	A	A	A	A	A	A	A
77	1193	12.5	21.45	A	A	A	A	A	A	A	A
74	1245	12.1	22.39	A	A	A	A	A	A	A	A
63	1460	9.8	26.25	A	A	A	A	A	A	A	A
63	1470	10.8	26.43	A	A	A	A	A	A	A	A
51	1798	8.0	32.34	A	A	A	A	A	A	A	A
45	2047	6.1	36.81	A	A	A	A	A	A	A	A
41	2265	6.1	40.74	A	A	A	A	A	A	A	A
37	2505	5.6	45.05	A	A	A	A	A	A	A	A
18	5033	2.7	90.52	A	A	A	A	A	A	A	A
15	6159	2.2	110.78	A	A	A	A	A	A	A	A

Nord High Efficiency	90SH/4VR	90LH/4VN
230/460V or 575V ADD:	\$141	\$141

Nord SK205E VFD				
3PH, 380-480V ADD:	\$1,716	\$1,716	\$1,716	\$1,716

2 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		BALDOR MOTOR					
				90L/4VR	100L/4VN	90LH/4VR	100LH/4VN	VM3558T	VEM3558	IDNM3587T			
						145TC	182TC	145TC	56C	145TC			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 906	N/A	\$ 1,123	N/A	\$ 1,280	\$ 1,564	\$ 2,249	\$ 726	N/A
412	305	2.5	<b>4.03</b>	A	N/A	A	N/A	A	A	A	A	N/A
356	353	2.4	<b>4.66</b>	A	N/A	A	N/A	A	A	A	A	N/A
321	392	2.5	<b>5.17</b>	A	N/A	A	N/A	A	A	A	A	N/A
277	454	2.4	<b>5.99</b>	A	N/A	A	N/A	A	A	A	A	N/A
258	488	2.2	<b>6.44</b>	A	N/A	A	N/A	A	A	A	A	N/A
223	565	2.1	<b>7.45</b>	A	N/A	A	N/A	A	A	A	A	N/A
189	667	1.8	<b>8.80</b>	A	N/A	A	N/A	A	A	A	A	N/A
172	731	1.7	<b>9.64</b>	A	N/A	A	N/A	A	A	A	A	N/A
151	832	1.6	<b>10.98</b>	A	N/A	A	N/A	A	A	A	A	N/A
148	853	1.5	<b>11.25</b>	A	N/A	A	N/A	A	A	A	A	N/A
128	984	1.4	<b>12.98</b>	A	N/A	A	N/A	A	A	A	A	N/A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,174	\$ 1,277	\$ 1,327	\$ 1,425	\$ 1,484	\$ 1,768	\$ 2,453	\$ 930	\$ 963
368	342	4.8	<b>4.51</b>	A	A	A	A	A	A	A	A	A
290	434	4.3	<b>5.72</b>	A	A	A	A	A	A	A	A	A
258	487	4.1	<b>6.43</b>	A	A	A	A	A	A	A	A	A
222	567	3.8	<b>7.48</b>	A	A	A	A	A	A	A	A	A
198	634	3.6	<b>8.37</b>	A	A	A	A	A	A	A	A	A
184	684	4.3	<b>9.03</b>	A	A	A	A	A	A	A	A	A
164	769	4.1	<b>10.15</b>	A	A	A	A	A	A	A	A	A
141	895	2.9	<b>11.81</b>	A	A	A	A	A	A	A	A	A
125	1003	2.8	<b>13.23</b>	A	A	A	A	A	A	A	A	A
100	1253	2.9	<b>16.53</b>	A	A	A	A	A	A	A	A	A
90	1403	2.8	<b>18.51</b>	A	A	A	A	A	A	A	A	A
76	1660	2.6	<b>21.90</b>	A	A	A	A	A	A	A	A	A
69	1816	2.1	<b>23.96</b>	A	A	A	A	A	A	A	A	A
66	1893	2.3	<b>24.97</b>	A	A	A	A	A	A	A	A	A
62	2034	1.9	<b>26.83</b>	A	A	A	A	A	A	A	A	A
56	2247	2.0	<b>29.65</b>	A	A	A	A	A	A	A	A	A
53	2367	1.7	<b>31.23</b>	A	A	A	A	A	A	A	A	A
45	2770	1.6	<b>36.54</b>	A	A	A	A	A	A	A	A	A
45	2818	1.4	<b>37.18</b>	A	N/A	A	N/A	A	A	A	A	N/A
38	3313	1.5	<b>43.71</b>	A	A	A	A	A	A	A	A	A

Nord High Efficiency		90LH/4VR	100LH/4VN
230/460V or 575V	ADD:	\$141	\$167

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,737	\$1,744	\$1,737	\$1,744

2 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		BALDOR MOTOR					
				90L/4VR	100L/4VN	90LH/4VR	100LH/4VN	VM3558T	VEM3558	IDNM3587T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 1,438	\$ 1,544	\$ 1,552	\$ 1,651	\$ 1,709	\$ 1,993	\$ 2,678	\$ 1,155	\$ 1,189
371	340	12.0	4.48	A	A	A	A	A	A	A	A	A
292	431	11.4	5.68	A	A	A	A	A	A	A	A	A
248	508	10.6	6.70	A	A	A	A	A	A	A	A	A
200	630	9.5	8.31	A	A	A	A	A	A	A	A	A
169	743	10.0	9.80	A	A	A	A	A	A	A	A	A
146	863	8.4	11.38	A	A	A	A	A	A	A	A	A
118	1070	7.1	14.11	A	A	A	A	A	A	A	A	A
100	1264	5.9	16.67	A	A	A	A	A	A	A	A	A
82	1530	4.8	20.18	A	A	A	A	A	A	A	A	A
78	1621	3.9	21.38	A	A	A	A	A	A	A	A	A
74	1702	4.2	22.45	A	A	A	A	A	A	A	A	A
70	1797	2.9	23.71	A	A	A	A	A	A	A	A	A
64	1962	3.0	25.88	A	A	A	A	A	A	A	A	A
58	2175	2.9	28.70	A	A	A	A	A	A	A	A	A
52	2420	2.9	31.93	A	A	A	A	A	A	A	A	A
44	2863	2.6	37.77	A	A	A	A	A	A	A	A	A
43	2927	1.9	38.62	A	N/A	A	A	A	A	A	A	A
40	3185	2.6	42.02	A	A	A	A	A	A	A	A	A
37	3400	1.9	44.85	A	N/A	A	A	A	A	A	A	A
35	3641	1.3	48.04	A	N/A	A	N/A	A	A	A	A	N/A
31	4015	1.9	52.97	A	N/A	A	A	A	A	A	A	A
30	4229	1.3	55.79	A	N/A	A	N/A	A	A	A	A	N/A
26	4860	1.8	64.12	A	N/A	A	A	A	A	A	A	A

Nord High Efficiency	90LH/4VR	100LH/4VN
230/460V or 575V ADD:	\$141	\$167

Nord SK205E VFD				
3PH, 380-480V ADD:	\$1,737	\$1,744	\$1,737	\$1,744

2 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		BALDOR MOTOR					
				90L/4VR	100L/4VN	90LH/4VR 145TC	100LH/4VN 182TC	VM3558T 145TC	VEM3558 56C	IDNM3587T 145TC			
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V CONSTANT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO										

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,231	\$ 2,337	\$ 2,362	\$ 2,497	\$ 2,519	\$ 2,803	\$ 3,488	\$ 1,965	\$ 2,035
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 1,867	\$ 1,973	\$ 1,998	\$ 2,133	\$ 2,155	\$ 2,439	\$ 3,124	\$ 1,601	\$ 1,671
353	356	25.7	4.70	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	A
332	379	24.2	5.00	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	A
306	412	22.3	5.43	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	A
274	459	23.1	6.06	A	A	A	A	A	A	A	A	A
233	540	19.7	7.13	A	A	A	A	A	A	A	A	A
199	631	17.8	8.33	A	A	A	A	A	A	A	A	A
180	700	20.7	9.23	A	A	A	A	A	A	A	A	A
153	822	18.3	10.85	A	A	A	A	A	A	A	A	A
131	961	16.1	12.68	A	A	A	A	A	A	A	A	A
109	1152	13.8	15.20	A	A	A	A	A	A	A	A	A
91	1378	11.6	18.18	A	A	A	A	A	A	A	A	A
77	1626	9.2	21.45	A	A	A	A	A	A	A	A	A
74	1697	8.9	22.39	A	A	A	A	A	A	A	A	A
63	1990	7.2	26.25	A	A	A	A	A	A	A	A	A
63	2003	7.9	26.43	A	A	A	A	A	A	A	A	A
62	2025	7.0	26.72	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	A
52	2429	6.5	32.04	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	A
51	2451	5.8	32.34	A	A	A	A	A	A	A	A	A
46	2759	4.4	36.40	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	A
45	2790	4.4	36.81	A	A	A	A	A	A	A	A	A
43	2904	6.1	38.31	N/A	N/A	N/A	A	N/A	N/A	N/A	N/A	A
41	3088	4.5	40.74	A	A	A	A	A	A	A	A	A
38	3309	4.3	43.65	N/A	A	N/A	A	N/A	N/A	N/A	N/A	A
37	3415	3.1	45.05	A	A	A	A	A	A	A	A	A
32	3957	4.1	52.20	N/A	A	N/A	A	N/A	N/A	N/A	N/A	A
27	4669	3.4	61.60	N/A	A	N/A	A	N/A	N/A	N/A	N/A	A
22	5715	2.5	75.39	N/A	A	N/A	A	N/A	N/A	N/A	N/A	A
18	6861	2.1	90.52	A	A	A	A	A	A	A	A	A
15	8397	1.7	110.78	A	A	A	A	A	A	A	A	A

Nord High Efficiency	90LH/4VR	100LH/4VN
230/460V or 575V ADD:	\$141	\$167

Nord SK205E VFD				
3PH, 380-480V ADD:	\$1,737	\$1,744	\$1,737	\$1,744

3 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		BALDOR MOTOR					
				100L/4VR	100LA/4VN	100LH/4VR	112MH/4VN	VM3611T	VEM3661T	IDNM3661T			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,277	\$ 1,303	\$ 1,425	\$ 1,647	\$ 1,632	\$ 2,098	\$ 2,959	\$ 963
378	487	3.3	4.51	A	A	A	A	A	A	A	A
298	618	3.0	5.72	A	A	A	A	A	A	A	A
265	694	2.8	6.43	A	A	A	A	A	A	A	A
228	808	2.6	7.48	A	A	A	A	A	A	A	A
204	904	2.4	8.37	A	A	A	A	A	A	A	A
189	975	3.0	9.03	A	A	A	A	A	A	A	A
168	1096	2.8	10.15	A	A	A	A	A	A	A	A
144	1275	2.6	11.81	A	A	A	A	A	A	A	A
129	1429	2.4	13.23	A	A	A	A	A	A	A	A
103	1785	2.3	16.53	A	A	A	A	A	A	A	A
92	1999	2.1	18.51	A	A	A	A	A	A	A	A
78	2365	1.7	21.90	A	A	A	A	A	A	A	A
71	2588	1.4	23.96	A	A	A	A	A	A	A	A
68	2697	1.6	24.97	A	A	A	A	A	A	A	A

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 1,544	\$ 1,572	\$ 1,651	\$ 1,873	\$ 1,858	\$ 2,324	\$ 3,185	\$ 1,189
381	484	8.4	4.48	A	A	A	A	A	A	A	A
300	613	8.0	5.68	A	A	A	A	A	A	A	A
254	724	7.4	6.70	A	A	A	A	A	A	A	A
205	897	6.7	8.31	A	A	A	A	A	A	A	A
174	1058	7.0	9.80	A	A	A	A	A	A	A	A
150	1229	5.9	11.38	A	A	A	A	A	A	A	A
121	1524	5.0	14.11	A	A	A	A	A	A	A	A
102	1800	4.1	16.67	A	A	A	A	A	A	A	A
84	2179	3.1	20.18	A	A	A	A	A	A	A	A
80	2309	2.7	21.38	A	A	A	A	A	A	A	A
76	2425	2.8	22.45	A	A	A	A	A	A	A	A
72	2561	2.5	23.71	A	A	A	A	A	A	A	A
66	2795	2.6	25.88	A	A	A	A	A	A	A	A
59	3100	2.4	28.70	A	A	A	A	A	A	A	A
53	3448	2.2	31.93	A	A	A	A	A	A	A	A
45	4079	1.8	37.77	A	A	A	A	A	A	A	A
41	4538	1.8	42.02	A	A	A	A	A	A	A	A

Nord High Efficiency	100LH/4VR	112MH/4VN
230/460V or 575V ADD:	\$167	\$287

Nord SK205E VFD				
3PH, 380-480V ADD:	\$2,014	\$2,021	\$2,014	\$2,021



3 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		BALDOR MOTOR				
				100L/4VR	100LA/4VN	100LH/4VR	112MH/4VN	VM3611T	VEM3661T	IDNM3661T		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT		

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,337	\$ 2,364	\$ 2,497	\$ 2,719	\$ 2,704	\$ 3,170	\$ 4,031	\$ 2,035
----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 1,973	\$ 2,000	\$ 2,133	\$ 2,355	\$ 2,340	\$ 2,806	\$ 3,667	\$ 1,671
363	508	18.0	4.70	N/A	N/A	A	A	A	A	A	A
341	540	17.0	5.00	N/A	N/A	A	A	A	A	A	A
314	586	15.6	5.43	N/A	N/A	A	A	A	A	A	A
281	654	16.2	6.06	A	A	A	A	A	A	A	A
239	770	13.8	7.13	A	A	A	A	A	A	A	A
205	900	12.5	8.33	A	A	A	A	A	A	A	A
185	997	14.5	9.23	A	A	A	A	A	A	A	A
157	1172	12.8	10.85	A	A	A	A	A	A	A	A
134	1369	11.3	12.68	A	A	A	A	A	A	A	A
112	1642	9.7	15.20	A	A	A	A	A	A	A	A
94	1963	8.1	18.18	A	A	A	A	A	A	A	A
79	2317	6.4	21.45	A	A	A	A	A	A	A	A
76	2418	6.2	22.39	A	A	A	A	A	A	A	A
65	2835	5.0	26.25	A	A	A	A	A	A	A	A
65	2854	5.5	26.43	A	A	A	A	A	A	A	A
64	2886	4.9	26.72	N/A	N/A	A	A	A	A	A	A
53	3460	4.6	32.04	N/A	N/A	A	A	A	A	A	A
53	3493	3.4	32.34	A	A	A	A	A	A	A	A
47	3931	3.0	36.40	A	A	A	A	A	A	A	A
46	3975	2.9	36.81	A	A	A	A	A	A	A	A
45	4137	4.3	38.31	A	A	A	A	A	A	A	A
42	4400	3.0	40.74	A	A	A	A	A	A	A	A
39	4714	2.9	43.65	A	A	A	A	A	A	A	A
38	4865	2.8	45.05	A	A	A	A	A	A	A	A
33	5638	2.8	52.20	A	A	A	A	A	A	A	A
28	6653	2.3	61.60	A	A	A	A	A	A	A	A
23	8142	1.7	75.39	A	A	A	A	A	A	A	A
19	9776	1.4	90.52	A	A	A	A	A	A	A	A

Nord High Efficiency		100LH/4VR	112MH/4VN
230/460V or 575V	ADD:	\$167	\$287

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,014	\$2,021	\$2,014	\$2,021

5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
						NORD MOTOR		BALDOR MOTOR					
				100LA/4VR	132S/4VN	112MH/4VR	132SH/4VN	VM3615T	VEM3665T	IDNM3665T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,303	N/A	\$ 1,647	N/A	\$ 1,729	\$ 2,124	\$ 3,189	\$ 963	N/A
382	812	2.0	4.51	A	N/A	A	N/A	A	A	A	A	N/A
302	1030	1.8	5.72	A	N/A	A	N/A	A	A	A	A	N/A
268	1157	1.7	6.43	A	N/A	A	N/A	A	A	A	A	N/A
231	1346	1.6	7.48	A	N/A	A	N/A	A	A	A	A	N/A
206	1507	1.5	8.37	A	N/A	A	N/A	A	A	A	A	N/A
191	1625	1.8	9.03	A	N/A	A	N/A	A	A	A	A	N/A
170	1827	1.7	10.15	A	N/A	A	N/A	A	A	A	A	N/A
146	2126	1.6	11.81	A	N/A	A	N/A	A	A	A	A	N/A
130	2381	1.5	13.23	A	N/A	A	N/A	A	A	A	A	N/A
104	2975	1.4	16.53	A	N/A	A	N/A	A	A	A	A	N/A

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 1,572	\$ 2,024	\$ 1,873	\$ 2,188	\$ 1,955	\$ 2,350	\$ 3,415	\$ 1,189	\$ 1,258
385	806	2.3	4.48	A	A	A	A	A	A	A	A	A
304	1022	2.2	5.68	A	A	A	A	A	A	A	A	A
257	1206	2.1	6.70	A	A	A	A	A	A	A	A	A
208	1496	1.9	8.31	A	A	A	A	A	A	A	A	A
176	1764	2.1	9.80	A	A	A	A	A	A	A	A	A
152	2048	2.1	11.38	A	A	A	A	A	A	A	A	A
122	2540	1.9	14.11	A	A	A	A	A	A	A	A	A
103	3001	1.9	16.67	A	A	A	A	A	A	A	A	A
85	3632	1.9	20.18	A	N/A	A	A	A	A	A	A	A
81	3848	1.6	21.38	A	N/A	A	A	A	A	A	A	A
77	4041	1.7	22.45	A	N/A	A	A	A	A	A	A	A
73	4268	1.5	23.71	A	N/A	A	A	A	A	A	A	A
67	4658	1.6	25.88	A	N/A	A	A	A	A	A	A	A
60	5166	1.5	28.70	A	N/A	A	A	A	A	A	A	A

Nord High Efficiency		112MH/4VR	132SH/4VN
230/460V or 575V	ADD:	\$287	\$324

Nord SK205E VFD				
3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206
				\$2,226

5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
						NORD MOTOR		BALDOR MOTOR						
				100LA/4VR	132S/4VN	112MH/4VR	132SH/4VN	VM3615T	VEM3665T	IDNM3665T				
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV				
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V				
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT				

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,364	\$ 2,818	\$ 2,719	\$ 3,037	\$ 2,801	\$ 3,196	\$ 4,261	\$ 2,035	\$ 2,107
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 2,000	\$ 2,454	\$ 2,355	\$ 2,673	\$ 2,437	\$ 2,832	\$ 3,897	\$ 1,671	\$ 1,743
367	846	10.8	4.70	N/A	A	A	A	A	A	A	A	A
345	900	10.2	5.00	N/A	A	A	A	A	A	A	A	A
318	977	9.4	5.43	N/A	A	A	A	A	A	A	A	A
285	1091	2.5	6.06	A	A	A	A	A	A	A	A	A
242	1283	2.4	7.13	A	A	A	A	A	A	A	A	A
207	1499	2.3	8.33	A	A	A	A	A	A	A	A	A
187	1661	2.5	9.23	A	A	A	A	A	A	A	A	A
159	1953	2.4	10.85	A	A	A	A	A	A	A	A	A
136	2282	2.3	12.68	A	A	A	A	A	A	A	A	A
113	2736	2.3	15.20	A	A	A	A	A	A	A	A	A
95	3272	2.3	18.18	A	A	A	A	A	A	A	A	A
80	3861	2.3	21.45	A	A	A	A	A	A	A	A	A
77	4030	2.1	22.39	A	A	A	A	A	A	A	A	A
66	4725	2.3	26.25	A	A	A	A	A	A	A	A	A
65	4757	2.1	26.43	A	A	A	A	A	A	A	A	A
65	4810	2.9	26.72	N/A	A	A	A	A	A	A	A	A
54	5767	2.7	32.04	N/A	A	A	A	A	A	A	A	A
53	5821	2.1	32.34	A	A	A	A	A	A	A	A	A
47	6552	1.8	36.40	A	A	A	A	A	A	A	A	A
47	6626	1.7	36.81	A	A	A	A	A	A	A	A	A
45	6896	1.8	38.31	N/A	A	A	A	A	A	A	A	A
42	7333	1.8	40.74	A	A	A	A	A	A	A	A	A
40	7857	1.8	43.65	A	A	A	A	A	A	A	A	A
38	8109	1.7	45.05	A	A	A	A	A	A	A	A	A
33	9396	1.7	52.20	A	A	A	A	A	A	A	A	A
28	11088	1.4	61.60	A	A	A	A	A	A	A	A	A

Nord High Efficiency		112MH/4VR	132SH/4VN
230/460V or 575V	ADD:	\$287	\$324

Nord SK205E VFD				
3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206

5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
				NORD MOTOR		NORD MOTOR		BALDOR MOTOR					
				100LA/4VR	132S/4VN	112MH/4VR	132SH/4VN	VM3615T	VEM3665T	IDNM3665T			
TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV							
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 2,691	\$ 3,143	\$ 3,040	\$ 3,358	\$ 3,122	\$ 3,517	\$ 4,582	\$ 2,356	\$ 2,428
273	1139	27.4	6.33	A	A	A	A	A	A	A	A	A
241	1291	24.7	7.17	A	A	A	A	A	A	A	A	A
198	1566	22.2	8.70	A	A	A	A	A	A	A	A	A
182	1703	19.9	9.46	A	A	A	A	A	A	A	A	A
161	1928	19.1	10.71	A	A	A	A	A	A	A	A	A
133	2340	16.6	13.00	A	A	A	A	A	A	A	A	A
112	2768	13.9	15.38	A	A	A	A	A	A	A	A	A
98	3166	12.8	17.59	A	A	A	A	A	A	A	A	A
91	3398	2.4	18.88	A	A	A	A	A	A	A	A	A
85	3665	2.1	20.36	A	A	A	A	A	A	A	A	A
69	4500	2.1	25.00	A	A	A	A	A	A	A	A	A
57	5490	2.2	30.50	A	A	A	A	A	A	A	A	A
52	6017	2.4	33.43	A	A	A	A	A	A	A	A	A
49	6383	1.5	35.46	N/A	A	A	A	A	A	A	A	A
42	7344	2.2	40.80	A	A	A	A	A	A	A	A	A
41	7549	1.5	41.94	N/A	A	A	A	A	A	A	A	A
36	8509	2.5	47.27	A	A	A	A	A	A	A	A	A
34	9268	5.1	51.49	N/A	A	A	A	A	A	A	A	A
31	9999	1.9	55.55	A	A	A	A	A	A	A	A	A
31	10062	2.3	55.90	A	A	A	A	A	A	A	A	A
25	12353	2.1	68.63	A	A	A	A	A	A	A	A	A
19	16526	1.5	91.81	A	A	A	A	A	A	A	A	A

Nord High Efficiency		112MH/4VR	132SH/4VN
230/460V or 575V	ADD:	\$287	\$324

Nord SK205E VFD				
3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206

7.5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR					
				132S/4VR	132M/4VN	132SH/4VR	132MH/4VN	VM3710T	VEM3770T	IDNM2237T			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 2,024	\$ 2,125	\$ 2,188	\$ 2,264	\$ 2,279	\$ 2,835	N/A	\$ 1,258	N/A
387	1196	3.3	4.48	A	A	A	A	A	A	N/A	A	N/A
305	1517	3.2	5.68	A	A	A	A	A	A	N/A	A	N/A
259	1789	2.9	6.70	A	A	A	A	A	A	N/A	A	N/A
209	2219	2.6	8.31	A	A	A	A	A	A	N/A	A	N/A
177	2617	2.8	9.80	A	A	A	A	A	A	N/A	A	N/A
152	3038	2.3	11.38	A	A	A	A	A	A	N/A	A	N/A
123	3767	2.0	14.11	A	A	A	A	A	A	N/A	A	N/A
104	4451	1.6	16.67	A	A	A	A	A	A	N/A	A	N/A

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,818	\$ 2,918	\$ 3,037	\$ 3,113	\$ 3,128	\$ 3,684	\$ 5,228	\$ 2,107	\$ 2,141
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 2,454	\$ 2,554	\$ 2,673	\$ 2,749	\$ 2,764	\$ 3,320	\$ 4,864	\$ 1,743	\$ 1,777
369	1255	7.3	4.70	A	A	A	A	A	A	A	A	A
347	1335	6.9	5.00	A	A	A	A	A	A	A	A	A
320	1450	6.3	5.43	A	A	A	A	A	A	A	A	A
286	1618	6.6	6.06	A	A	A	A	A	A	A	A	A
243	1904	5.6	7.13	A	A	A	A	A	A	A	A	A
208	2224	5.1	8.33	A	A	A	A	A	A	A	A	A
188	2464	5.9	9.23	A	A	A	A	A	A	A	A	A
160	2897	5.2	10.85	A	A	A	A	A	A	A	A	A
137	3386	4.6	12.68	A	A	A	A	A	A	A	A	A
114	4058	3.2	15.20	A	A	A	A	A	A	A	A	A
95	4854	3.2	18.18	A	A	A	A	A	A	A	A	A
81	5727	2.6	21.45	A	A	A	A	A	A	A	A	A
77	5978	2.5	22.39	A	A	A	A	A	A	A	A	A
66	7009	2.0	26.25	A	A	A	A	A	A	A	A	A
66	7057	2.2	26.43	A	A	A	A	A	A	A	A	A
65	7134	1.9	26.72	A	A	A	A	A	A	N/A	A	N/A
54	8555	1.8	32.04	A	A	A	A	A	A	N/A	A	N/A
54	8635	1.6	32.34	A	A	A	A	A	A	A	A	A

Nord High Efficiency		132SH/4VR	132MH/4VN
230/460V or 575V	ADD:	\$324	\$324

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,585	\$2,585	\$2,585	\$2,585

7.5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR					
				132S/4VR	132M/4VN	132SH/4VR	132MH/4VN	VM3710T	VEM3770T	IDNM2237T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 3,143	\$ 3,244	\$ 3,358	\$ 3,434	\$ 3,449	\$ 4,005	\$ 5,548	\$ 2,428	\$ 2,461
402	1153	17.6	4.32	N/A	N/A	N/A	N/A	N/A	N/A	A	N/A	A
346	1338	16.7	5.01	N/A	N/A	N/A	N/A	N/A	N/A	A	N/A	A
328	1412	16.3	5.29	N/A	N/A	N/A	N/A	N/A	N/A	A	N/A	A
304	1525	15.5	5.71	N/A	N/A	N/A	N/A	N/A	N/A	A	N/A	A
274	1690	16.4	6.33	A	A	A	A	A	A	A	A	A
242	1914	14.8	7.17	A	A	A	A	A	A	A	A	A
199	2323	13.3	8.70	A	A	A	A	A	A	A	A	A
183	2526	12.0	9.46	A	A	A	A	A	A	A	A	A
162	2860	11.5	10.71	A	A	A	A	A	A	A	A	A
133	3471	9.9	13.00	A	A	A	A	A	A	A	A	A
113	4106	8.3	15.38	A	A	A	A	A	A	A	A	A
99	4697	7.7	17.59	A	A	A	A	A	A	A	A	A
92	5041	6.8	18.88	A	A	A	A	A	A	A	A	A
85	5436	7.5	20.36	A	A	A	A	A	A	A	A	A
69	6675	5.7	25.00	A	A	A	A	A	A	A	A	A
57	8144	3.1	30.50	A	A	A	A	A	A	A	A	A
52	8926	2.2	33.43	A	A	A	A	A	A	A	A	A
49	9468	2.5	35.46	A	A	A	A	A	A	N/A	A	N/A
43	10894	2.0	40.80	A	A	A	A	A	A	A	A	A
41	11198	2.5	41.94	A	A	A	A	A	A	N/A	A	N/A
37	12621	1.7	47.27	A	N/A	A	A	A	A	N/A	A	N/A
34	13748	2.0	51.49	A	A	A	A	A	A	N/A	A	N/A
31	14925	1.5	55.90	A	N/A	A	A	A	A	N/A	A	N/A
25	18324	1.4	68.63	A	N/A	A	A	A	A	N/A	A	N/A

Nord High Efficiency		132SH/4VR	132MH/4VN
230/460V or 575V	ADD:	\$324	\$324

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,585	\$2,585	\$2,585	\$2,585

7.5 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR					
				132S/4VR	132M/4VN	132SH/4VR	132MH/4VN	VM3710T	VEM3770T	IDNM2237T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 5,125	\$ 5,221	\$ 5,474	\$ 5,550	\$ 5,565	\$ 6,121	\$ 8,345	\$ 4,544	\$ 5,258
356	1303	21.7	<b>4.88</b>	N/A	N/A	A	A	A	A	A	A	A
315	1469	20.5	<b>5.50</b>	N/A	N/A	A	A	A	A	A	A	A
300	1543	19.9	<b>5.78</b>	N/A	N/A	A	A	A	A	A	A	A
257	1800	21.8	<b>6.74</b>	A	A	A	A	A	A	A	A	A
222	2088	16.9	<b>7.82</b>	A	A	A	A	A	A	A	A	A
185	2507	14.4	<b>9.39</b>	A	A	A	A	A	A	A	A	A
163	2841	19.9	<b>10.64</b>	A	A	A	A	A	A	A	A	A
140	3297	17.5	<b>12.35</b>	A	A	A	A	A	A	A	A	A
117	3960	14.8	<b>14.83</b>	A	A	A	A	A	A	A	A	A
93	4993	11.6	<b>18.70</b>	A	A	A	A	A	A	A	A	A
76	6128	9.7	<b>22.95</b>	A	A	A	A	A	A	A	A	A
67	6955	8.6	<b>26.05</b>	A	A	A	A	A	A	A	A	A
58	7983	7.5	<b>29.90</b>	A	A	A	A	A	A	A	A	A
44	10541	2.6	<b>39.48</b>	A	A	A	A	A	A	A	A	A
28	16308	2.4	<b>61.08</b>	A	A	A	A	A	A	A	A	A
27	17472	1.7	<b>65.44</b>	A	N/A	A	A	A	A	N/A	A	N/A
22	21448	1.7	<b>80.33</b>	A	N/A	A	A	A	A	N/A	A	N/A

Nord High Efficiency	132SH/4VR	132MH/4VN
230/460V or 575V ADD:	\$324	\$324

Nord SK205E VFD				
3PH, 380-480V ADD:	\$2,585	\$2,585	\$2,585	\$2,585

10 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR					
				132M/4VR	160M/4VN	132MH/4VR 215TC	160MH/4VN 254TC-TW*	VM3714T 215TC	VEM3774T 215TC	IDNM2238T 256TC			
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V CONSTANT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO										

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 2,125	N/A	\$ 2,264	N/A	\$ 2,474	\$ 3,008	N/A	\$ 1,258	N/A
387	1626	2.5	<b>4.48</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
305	2062	2.4	<b>5.68</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
259	2432	2.2	<b>6.70</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
209	3017	2.0	<b>8.31</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
177	3557	2.1	<b>9.80</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
152	4131	1.8	<b>11.38</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
123	5122	1.5	<b>14.11</b>	A	N/A	A	N/A	A	A	N/A	A	N/A

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,918	\$ 3,619	\$ 3,113	\$ 4,118	\$ 3,323	\$ 3,857	\$ 5,371	\$ 2,107	\$ 2,141
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 2,554	\$ 3,255	\$ 2,749	\$ 3,754	\$ 2,959	\$ 3,493	\$ 5,007	\$ 1,743	\$ 1,777
369	1706	5.4	<b>4.70</b>	A	A	A	A	A	A	A	A	A
347	1815	5.0	<b>5.00</b>	A	A	A	A	A	A	A	A	A
320	1971	4.6	<b>5.43</b>	A	A	A	A	A	A	A	A	A
286	2200	4.8	<b>6.06</b>	A	A	A	A	A	A	A	A	A
243	2588	4.1	<b>7.13</b>	A	A	A	A	A	A	A	A	A
208	3024	3.7	<b>8.33</b>	A	A	A	A	A	A	A	A	A
188	3350	4.3	<b>9.23</b>	A	A	A	A	A	A	A	A	A
160	3939	2.6	<b>10.85</b>	A	A	A	A	A	A	A	A	A
137	4603	2.4	<b>12.68</b>	A	A	A	A	A	A	A	A	A
114	5518	2.4	<b>15.20</b>	A	A	A	A	A	A	A	A	A
95	6599	2.4	<b>18.18</b>	A	A	A	A	A	A	A	A	A
81	7786	1.9	<b>21.45</b>	A	A	A	A	A	A	A	A	A
77	8128	1.8	<b>22.39</b>	A	A	A	A	A	A	A	A	A
66	9529	1.5	<b>26.25</b>	A	A	A	A	A	A	A	A	A
66	9594	1.6	<b>26.43</b>	A	A	A	A	A	A	A	A	A
65	9699	1.5	<b>26.72</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
54	11631	1.4	<b>32.04</b>	A	N/A	A	N/A	A	A	N/A	A	N/A

\* Thermostat (TW) Included

Nord High Efficiency 230/460V or 575V	ADD:	132MH/4VR \$324	160MH/4VN \$350
--	------	--------------------	--------------------

Nord SK205E VFD 3PH, 380-480V	ADD:	\$2,845	N/A	\$2,845	N/A
----------------------------------	------	---------	-----	---------	-----



10 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR					
				132M/4VR	160M/4VN	132MH/4VR 215TC	160MH/4VN 254TC-TW*	VM3714T 215TC	VEM3774T 215TC	IDNM2238T 256TC			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 3,244	\$ 3,945	\$ 3,434	\$ 4,438	\$ 3,644	\$ 4,178	\$ 5,691	\$ 2,428	\$ 2,461
402	1568	11.9	4.32	N/A	A	N/A	A	N/A	N/A	A	N/A	A
346	1819	11.2	5.01	N/A	A	N/A	A	N/A	N/A	A	N/A	A
328	1920	11.0	5.29	N/A	A	N/A	A	N/A	N/A	A	N/A	A
304	2073	10.4	5.71	N/A	A	N/A	A	N/A	N/A	A	N/A	A
274	2298	2.2	6.33	A	A	A	A	A	A	A	A	A
242	2603	10.0	7.17	A	A	A	A	A	A	A	A	A
199	3158	9.0	8.70	A	A	A	A	A	A	A	A	A
183	3434	8.1	9.46	A	A	A	A	A	A	A	A	A
162	3888	7.7	10.71	A	A	A	A	A	A	A	A	A
133	4719	6.7	13.00	A	A	A	A	A	A	A	A	A
113	5583	5.6	15.38	A	A	A	A	A	A	A	A	A
99	6385	5.2	17.59	A	A	A	A	A	A	A	A	A
92	6853	2.9	18.88	A	A	A	A	A	A	A	A	A
85	7391	2.6	20.36	A	A	A	A	A	A	A	A	A
69	9075	2.6	25.00	A	A	A	A	A	A	A	A	A
57	11072	2.3	30.50	A	A	A	A	A	A	A	A	A
52	12135	1.7	33.43	A	A	A	A	A	A	A	A	A
49	12872	1.9	35.46	A	N/A	A	N/A	A	A	N/A	A	N/A
43	14810	1.5	40.80	A	A	A	A	A	A	A	A	A
41	15224	1.9	41.94	A	N/A	A	N/A	A	A	N/A	A	N/A
34	18691	1.5	51.49	A	N/A	A	N/A	A	A	N/A	A	N/A

\* Thermostat (TW) Included

Nord High Efficiency	132MH/4VR	160MH/4VN
230/460V or 575V	ADD: \$324	\$350

Nord SK205E VFD				
3PH, 380-480V	ADD: \$2,845	N/A	\$2,845	N/A

10 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR			BALDOR MOTOR				
				132M/4VR	160M/4VN	132MH/4VR 215TC	160MH/4VN 254TC-TW*	VM3714T 215TC	VEM3774T 215TC	IDNM2238T 256TC			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 5,221	\$ 6,084	\$ 5,550	\$ 7,235	\$ 5,760	\$ 6,294	\$ 8,488	\$ 4,544	\$ 5,258
356	1771	14.6	4.88	N/A	A	A	A	A	A	A	A	A
315	1997	13.8	5.50	N/A	A	A	A	A	A	A	A	A
300	2098	13.4	5.78	N/A	A	A	A	A	A	A	A	A
257	2447	14.7	6.74	A	A	A	A	A	A	A	A	A
222	2839	11.4	7.82	A	A	A	A	A	A	A	A	A
185	3409	9.7	9.39	A	A	A	A	A	A	A	A	A
163	3862	13.4	10.64	A	A	A	A	A	A	A	A	A
140	4483	11.8	12.35	A	A	A	A	A	A	A	A	A
117	5383	10.0	14.83	A	A	A	A	A	A	A	A	A
93	6788	7.8	18.70	A	A	A	A	A	A	A	A	A
76	8331	6.5	22.95	A	A	A	A	A	A	A	A	A
67	9456	5.8	26.05	A	A	A	A	A	A	A	A	A
58	10854	5.0	29.90	A	A	A	A	A	A	A	A	A
44	14331	2.0	39.48	A	A	A	A	A	A	A	A	A
35	18059	2.0	49.75	A	A	A	A	A	A	A	A	A
28	22172	1.8	61.08	A	A	A	A	A	A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		132MH/4VR	160MH/4VN
230/460V or 575V	ADD:	\$324	\$350

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,845	N/A	\$2,845	N/A

15 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR			BALDOR MOTOR			
				160M/4VR	160L/4VN	160MH/4VR 254TC-TW*	160LH/4VN 256TC-TW*	VM2333T 254TC	CEM2333T 254TC	IDNM2333T 254TC		
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	4:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT		

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 3,619	\$ 4,037	\$ 4,118	\$ 4,890	\$ 4,507	\$ 5,283	\$ 5,468	\$ 2,141
----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 3,255	\$ 3,673	\$ 3,754	\$ 4,526	\$ 4,143	\$ 4,919	\$ 5,104	\$ 1,777
377	2453	3.3	4.70	A	A	A	A	A	A	A	A
354	2610	3.2	5.00	A	A	A	A	A	A	A	A
326	2834	3.2	5.43	A	A	A	A	A	A	A	A
292	3163	3.0	6.06	A	A	A	A	A	A	A	A
248	3722	2.8	7.13	A	A	A	A	A	A	A	A
212	4348	2.5	8.33	A	A	A	A	A	A	A	A
192	4818	2.9	9.23	A	A	A	A	A	A	A	A
163	5664	2.6	10.85	A	A	A	A	A	A	A	A
140	6619	2.3	12.68	A	A	A	A	A	A	A	A
116	7934	2.0	15.20	A	A	A	A	A	A	A	A
97	9490	1.6	18.18	A	A	A	A	A	A	A	A

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 3,945	\$ 4,364	\$ 4,438	\$ 5,210	\$ 4,827	\$ 5,603	\$ 5,788	\$ 2,461
410	2255	8.7	4.32	A	A	A	A	A	A	A	A
353	2615	8.3	5.01	A	A	A	A	A	A	A	A
335	2761	8.1	5.29	A	A	A	A	A	A	A	A
310	2981	7.7	5.71	A	A	A	A	A	A	A	A
280	3304	8.1	6.33	A	A	A	A	A	A	A	A
247	3743	2.5	7.17	A	A	A	A	A	A	A	A
203	4541	6.6	8.70	A	A	A	A	A	A	A	A
187	4938	5.9	9.46	A	A	A	A	A	A	A	A
165	5591	5.7	10.71	A	A	A	A	A	A	A	A
136	6786	3.1	13.00	A	A	A	A	A	A	A	A
115	8028	2.8	15.38	A	A	A	A	A	A	A	A
101	9182	2.6	17.59	A	A	A	A	A	A	A	A
94	9855	2.3	18.88	A	A	A	A	A	A	A	A
87	10628	2.5	20.36	A	A	A	A	A	A	A	A
71	13050	1.9	25.00	A	A	A	A	A	A	A	A
58	15921	1.6	30.50	A	A	A	A	A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency	160MH/4VR	160LH/4VN
230/460V or 575V	ADD: \$350	\$350

15 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR					
				160M/4VR	160L/4VN	160MH/4VR 254TC-TW*	160LH/4VN 256TC-TW*	VM2333T 254TC	CEM2333T 254TC	IDNM2333T 254TC			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				4:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 6,084	\$ 6,502	\$ 7,235	\$ 8,007	\$ 7,624	\$ 8,400	\$ 8,585	\$ 5,258
363	2547	10.8	<b>4.88</b>	A	A	A	A	A	A	A	A
322	2871	10.2	<b>5.50</b>	A	A	A	A	A	A	A	A
306	3017	9.8	<b>5.78</b>	A	A	A	A	A	A	A	A
263	3518	10.8	<b>6.74</b>	A	A	A	A	A	A	A	A
226	4082	8.4	<b>7.82</b>	A	A	A	A	A	A	A	A
188	4902	7.2	<b>9.39</b>	A	A	A	A	A	A	A	A
166	5554	9.9	<b>10.64</b>	A	A	A	A	A	A	A	A
143	6447	8.7	<b>12.35</b>	A	A	A	A	A	A	A	A
119	7741	7.4	<b>14.83</b>	A	A	A	A	A	A	A	A
95	9761	5.8	<b>18.70</b>	A	A	A	A	A	A	A	A
77	11980	3.3	<b>22.95</b>	A	A	A	A	A	A	A	A
68	13598	2.9	<b>26.05</b>	A	A	A	A	A	A	A	A
59	15608	2.5	<b>29.90</b>	A	A	A	A	A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		160MH/4VR	160LH/4VN
230/460V or 575V	ADD:	\$350	\$350

20 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR				BALDOR MOTOR			
				160L/4VR	160L/4VZF	160LH/4VR 256TC-TW*	160LH/4VZF 256TC-TW*	VM2334T 256TC	CEM2334T 256TC	IDM2334T 256TC			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEBC	TEFC	TEBC	TEFC	TEFC	TEBC			
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				4:1 CT	20:1 CT	5:1 CT	20:1 CT	CONSTANT	10:1 CT	20:1 CT			

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$	4,037	\$	4,547	\$	4,890	\$	5,400	\$	4,911	\$	5,342	\$	6,737	\$	2,141
----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$	3,673	\$	4,183	\$	4,526	\$	5,036	\$	4,547	\$	4,978	\$	6,373	\$	1,777
376	3351	2.5	4.70	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
353	3565	2.4	5.00	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
325	3872	2.4	5.43	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
291	4321	2.2	6.06	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
248	5084	2.1	7.13	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
212	5939	1.9	8.33	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
191	6581	2.2	9.23	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
163	7736	1.9	10.85	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
139	9041	1.7	12.68	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
116	10838	1.5	15.20	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

**Pump 320 U2; Reducer SK5282AZH66**

				\$	4,364	\$	4,874	\$	5,210	\$	5,720	\$	5,231	\$	5,662	\$	7,057	\$	2,461
409	3080	6.1	4.32	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
352	3572	5.8	5.01	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
334	3772	5.6	5.29	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
309	4071	5.3	5.71	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
279	4513	5.7	6.33	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
246	5112	2.5	7.17	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
203	6203	2.3	8.70	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
187	6745	2.6	9.46	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
165	7636	2.5	10.71	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
136	9269	2.3	13.00	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
115	10966	2.1	15.38	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
100	12542	1.9	17.59	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
93	13461	1.7	18.88	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
87	14517	1.9	20.36	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
71	17825	1.4	25.00	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		160LH/4VR	160LH/4VZF
230/460V or 575V	ADD:	\$350	\$350

20 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR				
				160L/4VR	160L/4VZF	160LH/4VR 256TC-TW*	160LH/4VZF 256TC-TW*	VM2334T 256TC	CEM2334T 256TC	IDM2334T 256TC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEBC	TEFC	TEBC	TEFC	TEFC	TEBC		
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				4:1 CT	20:1 CT	5:1 CT	20:1 CT	CONSTANT	10:1 CT	20:1 CT		

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 6,502	\$ 7,012	\$ 8,007	\$ 8,517	\$ 8,028	\$ 8,459	\$ 9,854	\$ 5,258
362	3479	7.5	<b>4.88</b>	A	A	A	A	A	A	A	A
321	3922	7.1	<b>5.50</b>	A	A	A	A	A	A	A	A
305	4121	6.8	<b>5.78</b>	A	A	A	A	A	A	A	A
262	4806	7.5	<b>6.74</b>	A	A	A	A	A	A	A	A
226	5576	5.8	<b>7.82</b>	A	A	A	A	A	A	A	A
188	6695	5.0	<b>9.39</b>	A	A	A	A	A	A	A	A
166	7586	6.9	<b>10.64</b>	A	A	A	A	A	A	A	A
143	8806	6.0	<b>12.35</b>	A	A	A	A	A	A	A	A
119	10574	2.5	<b>14.83</b>	A	A	A	A	A	A	A	A
94	13333	2.5	<b>18.70</b>	A	A	A	A	A	A	A	A
77	16363	2.4	<b>22.95</b>	A	A	A	A	A	A	A	A
68	18574	2.2	<b>26.05</b>	A	A	A	A	A	A	A	A
59	21319	1.9	<b>29.90</b>	A	A	A	A	A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		160LH/4VR	160LH/4VZF
230/460V or 575V	ADD:	\$350	\$350

25 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
						NORD MOTOR		BALDOR MOTOR					
				180MX/4VR	180LX/4VN	180MH/4VR 284TC-TW*	180LH/4VN 286TC-TW*	VM4103T 284TC	CEM4103T 284TC	IDM4103T-M13C 286TC			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V CONSTANT	TEFC 230/460V 10:1 CT	TEBC 230/460V 20:1 CT			

**Pump 320 U2; Reducer SK5282AZH66**

M13C - NEMA C-FACE  
PLEASE ALLOW ADDITIONAL  
WEEK FOR DELIVERY

				\$ 4,689	\$ 4,858	INQUIRE	INQUIRE	\$ 6,882	\$ 7,640	\$ 9,537	\$ 3,407
405	3832	3.5	4.32	A	A			A	A	A	A
349	4444	3.3	5.01	A	A			A	A	A	A
331	4692	3.3	5.29	A	A			A	A	A	A
306	5065	3.1	5.71	A	A			A	A	A	A
276	5615	3.3	6.33	A	A			A	A	A	A
244	6360	3.0	7.17	A	A			A	A	A	A
201	7717	2.7	8.70	A	A			A	A	A	A
185	8391	2.4	9.46	A	A			A	A	A	A
163	9500	2.3	10.71	A	A			A	A	A	A
135	11531	2.0	13.00	A	A			A	A	A	A
114	13642	1.7	15.38	A	A			A	A	A	A
99	15602	1.5	17.59	A	A			A	A	A	A
93	16747	1.4	18.88	A	A			A	A	A	A
86	18059	1.5	20.36	A	A			A	A	A	A

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 6,928	\$ 7,097	INQUIRE	INQUIRE	\$ 8,953	\$ 9,711	\$ 11,608	\$ 5,478
399	3894	5.8	4.39	A	A			A	A	A	A
359	4329	5.5	4.88	A	A			A	A	A	A
318	4879	5.2	5.50	A	A			A	A	A	A
303	5127	5.0	5.78	A	A			A	A	A	A
292	5313	5.0	5.99	A	A			A	A	A	A
260	5978	5.5	6.74	A	A			A	A	A	A
224	6936	4.3	7.82	A	A			A	A	A	A
186	8329	3.6	9.39	A	A			A	A	A	A
164	9438	4.0	10.64	A	A			A	A	A	A
142	10954	3.5	12.35	A	A			A	A	A	A
118	13154	3.0	14.83	A	A			A	A	A	A
94	16587	2.3	18.70	A	A			A	A	A	A
76	20357	1.9	22.95	A	A			A	A	A	A
67	23106	1.7	26.05	A	A			A	A	A	A
59	26521	1.5	29.90	A	A			A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		180MH/4VR	180LH/4VN
230/460V or 575V	ADD:	\$664	\$664

30 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
						NORD MOTOR		BALDOR MOTOR				
				180LX/4VR	180LX/4VZF	180LH/4VR 286TC-TW*	180LH/4VZF 286TC-TW*	VM4104T 286TC	CEM4104T 286TC	IDM4104T-M13C 286TC		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT	TEFC 230/460V 5:1 CT	TEBC 230/460V 20:1 CT	TEFC 230/460V CONSTANT	TEFC 230/460V 10:1 CT	TEBC 230/460V 20:1 CT		
Pump 320 U2; Reducer SK5282AZH66											M13C - NEMA C-FACE PLEASE ALLOW ADDITIONAL WEEK FOR DELIVERY	
				\$ 4,858	\$ 5,544	INQUIRE	INQUIRE	\$ 6,949	\$ 8,285	\$ 10,262	\$ 3,407	
406	4545	2.9	4.32	A	A			A	A	A	A	
350	5271	2.8	5.01	A	A			A	A	A	A	
332	5565	2.7	5.29	A	A			A	A	A	A	
307	6007	2.6	5.71	A	A			A	A	A	A	
277	6659	2.7	6.33	A	A			A	A	A	A	
245	7543	2.5	7.17	A	A			A	A	A	A	
202	9152	2.2	8.70	A	A			A	A	A	A	
186	9952	2.0	9.46	A	A			A	A	A	A	
164	11267	1.9	10.71	A	A			A	A	A	A	
135	13676	1.7	13.00	A	A			A	A	A	A	
114	16180	1.4	15.38	A	A			A	A	A	A	

<b>Pump 320 U2; Reducer SK6282SWAZH66</b>											
				\$ 7,097	\$ 7,783	INQUIRE	INQUIRE	\$ 9,020	\$ 10,356	\$ 12,333	\$ 5,478
400	4618	4.6	4.39	A	A			A	A	A	A
360	5134	4.4	4.88	A	A			A	A	A	A
319	5786	4.2	5.50	A	A			A	A	A	A
304	6081	4.0	5.78	A	A			A	A	A	A
293	6301	4.0	5.99	A	A			A	A	A	A
260	7090	4.4	6.74	A	A			A	A	A	A
224	8227	3.4	7.82	A	A			A	A	A	A
187	9878	2.4	9.39	A	A			A	A	A	A
165	11193	3.3	10.64	A	A			A	A	A	A
142	12992	2.9	12.35	A	A			A	A	A	A
118	15601	2.5	14.83	A	A			A	A	A	A
94	19672	1.9	18.70	A	A			A	A	A	A
76	24143	1.6	22.95	A	A			A	A	A	A
67	27405	1.4	26.05	A	A			A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		180LH/4VR	180LH/4VZF
230/460V or 575V	ADD:	\$664	\$664



40 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC	
						NORD  OR OTHER BRAND  ALTERNATE  INQUIRE	BALDOR MOTOR			
				200L/4VR TW*	200L/4VZF TW*		CM4110T 324TC  TEFC 230/460V  CONSTANT	CEM4110T 324TC  TEFC 230/460V  10:1 CT		IDM4110T-M13C 324TC  TEBC 230/460V  20:1 CT
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V  4:1 CT	TEBC 230/460V  20:1 CT					
Pump 320 U2; Reducer SK6282SWAZH66									M13C - NEMA C-FACE PLEASE ALLOW ADDITIONAL WEEK FOR DELIVERY	
				\$ 9,053	\$ 10,219	INQUIRE	\$ 10,818	\$ 11,990	\$ 14,721	\$ 5,775
408	6207	2.9	4.39	A	A		A	A	A	A
367	6900	2.8	4.88	A	A		A	A	A	A
325	7777	2.6	5.50	A	A		A	A	A	A
310	8173	2.5	5.78	A	A		A	A	A	A
299	8470	2.5	5.99	A	A		A	A	A	A
266	9530	2.8	6.74	A	A		A	A	A	A
229	11057	2.1	7.82	A	A		A	A	A	A
191	13277	1.8	9.39	A	A		A	A	A	A
168	15045	2.5	10.64	A	A		A	A	A	A
145	17463	2.2	12.35	A	A		A	A	A	A
121	20970	1.9	14.83	A	A		A	A	A	A
96	26442	1.5	18.70	A	A		A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		200LH/4VR-TW	200LH/4VZF-TW
230/460V or 575V	ADD:	\$883	\$883

50 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC	
				225S/4VR TW*  TEFC 230/460V  4:1 CT	225S/4VZF** TW*  TEBC 230/460V  20:1 CT	NORD	BALDOR MOTOR			
OR OTHER BRAND  ALTERNATE	CM4115T 326TC  TEFC 230/460V  CONSTANT	CEM4115T 326TC  TEFC 230/460V  10:1 CT	IDM4115T-M13C 326TC  TEBC 230/460V  20:1 CT							
	INQUIRE									
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	Pump 320 U2; Reducer SK6282SWAZH66						M13C - NEMA C-FACE PLEASE ALLOW ADDITIONAL WEEK FOR DELIVERY
				\$ 10,098	\$ 11,264	INQUIRE	\$ 10,965	\$ 12,488	\$ 93,177	\$ 5,775
402	7722	2.3	4.39	A	A		A	A	A	A
362	8584	2.2	4.88	A	A		A	A	A	A
321	9675	2.1	5.50	A	A		A	A	A	A
305	10167	2.0	5.78	A	A		A	A	A	A
295	10536	2.0	5.99	A	A		A	A	A	A
262	11856	2.2	6.74	A	A		A	A	A	A
226	13755	1.7	7.82	A	A		A	A	A	A
188	16517	1.5	9.39	A	A		A	A	A	A
166	18716	2.0	10.64	A	A		A	A	A	A
143	21724	1.8	12.35	A	A		A	A	A	A
119	26086	1.5	14.83	A	A		A	A	A	A

\* Thermostat (TW) Included

\*Allow 6 week delivery for Nord 50 & 60 HP motor with CONSTANT velocity fan (225S/4VZF & 225M/4VZF)

Nord High Efficiency	225SH/4VR-TW	225SH/4VZF-TW
230/460V or 575V      ADD:	\$1,217	\$1,217

60 HP GENERAL PURPOSE TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 360TC
				225M/4VR TW*	225M/4VZF** TW*	NORD	BALDOR MOTOR			
OR OTHER BRAND	CM4314T	CEM4314T	INQUIRE							
	364TC	364TC								
	TEFC	TEFC								
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V		
				4:1 CT	20:1 CT	INQUIRE	CONSTANT	10:1 CT	20:1 CT	

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 11,175	\$ 12,341	INQUIRE	\$ 14,521	\$ 16,296	INQUIRE	\$ 6,937
403	9364	1.9	<b>4.39</b>	A	A		A	A		A
363	10409	1.8	<b>4.88</b>	A	A		A	A		A
322	11732	1.7	<b>5.50</b>	A	A		A	A		A
306	12329	1.7	<b>5.78</b>	A	A		A	A		A
295	12777	1.7	<b>5.99</b>	A	A		A	A		A
263	14376	1.8	<b>6.74</b>	A	A		A	A		A
226	16680	1.4	<b>7.82</b>	A	A		A	A		A
166	22695	1.7	<b>10.64</b>	A	A		A	A		A
143	26343	1.5	<b>12.35</b>	A	A		A	A		A

\* Thermostat (TW) Included

\*Allow 6 week delivery for Nord 50 & 60 HP motor with CONSTANT velocity fan (225S/4VZF & 225M/4VZF)

Nord High Efficiency	225MH/4VR-TW	225MH/4VZF-TW
230/460V or 575V ADD:	\$1,217	\$1,217