

VOTATOR 4 x 120

3 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		WEG / BALDOR MOTOR				
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	182TC	184TC	182TC	182TC	184TC		
						TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V See Below	TEFC 230/460V 10:1 CT	TEFC 230/460V 20:1 CT		
RPM	INCH LBS	SERVICE FACTOR	RATIO									

Vertical Motor with Reducer SK92672AZHOA

Vertical Motor (Horizontal 4 x 120)	100L/4VR RDD-KBO Finned	100LA/4VN RDD-KBO Finned	100LH/4VR RDD Finned	112MH/4VN RDD Finned	300600307 WEG 4:1 CT Smooth	CSSEWDM3611T Smooth	IDWNM3611T Smooth	C-FACE 180TC
	\$ 1,716	\$ 1,741	\$ 2,105	\$ 2,327	\$ 2,502	\$ 3,671	\$ 3,625	\$ 1,565

Horizontal Motor with Reducer SK92672AZH

Horizontal Motor	100L/4VR Finned	100LA/4VN Finned	100LH/4VR Finned	112MH/4VN Finned	300600307 WEG 4:1 CT Smooth	VEWDM3611T Smooth	IDWNM3611T Smooth	C-FACE 180TC
	\$ 1,462	\$ 1,487	\$ 1,883	\$ 2,105	\$ 2,358	\$ 2,842	\$ 3,481	\$ 1,421

356	534	4.4	4.85	A	A	A	A	A	A	A	A
316	601	3.9	5.46	A	A	A	A	A	A	A	A
291	651	3.8	5.92	A	A	A	A	A	A	A	A
254	746	3.5	6.78	A	A	A	A	A	A	A	A
223	850	3.2	7.73	A	A	A	A	A	A	A	A
198	958	2.9	8.71	A	A	A	A	A	A	A	A
176	1,076	2.6	9.78	A	A	A	A	A	A	A	A
157	1,212	2.4	11.02	A	A	A	A	A	A	A	A
136	1,390	2.1	12.64	A	A	A	A	A	A	A	A
123	1,549	1.9	14.08	A	A	A	A	A	A	A	A
107	1,769	1.8	16.08	A	A	A	A	A	A	A	A
95	1,989	1.4	18.08	A	A	A	A	A	A	A	A

Thermostat xxx_/4-...TW		147	147	147	147
Thermistor xxx_/4-...TF		147	147	147	147
Vertical	Enclosure Protection xxx_/4...IP66	45	45	45	45
	Encapsulated Windings xxx_/4...EP	131	131	131	131
Horizontal	Extra Motor Protection xxx_/4...IP66	45	45	45	45
	Encapsulated Windings xxx_/4...EP	131	131	131	131

Vertical	High Efficiency 230/460V or 575V	100LH/4VR RDD-KBO	112MH/4VN RDD-KBO
		\$167	\$335
Horizontal	High Efficiency 230/460V or 575V	100LH/4VR	112MH/4VN
		\$167	\$287

VOTATOR 4 x 120

5 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
						NORD	WEG / BALDOR MOTOR				
				TEFC	TEFC	184TC	184TC	184TC	213TC		
				TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
RPM	INCH LBS	SERVICE FACTOR	RATIO	230/460V 5:1 CT	230/460V 10:1 CT	230/460V 5:1 CT	230/460V See Below	230/460V 10:1 CT	230/460V 20:1 CT		

Vertical Motor with Reducer SK92672AZHOA

Vertical Motor (Horizontal 4 x 120)	100LA/4VR RDD-KBO Finned	112M/4VN RDD-KBO Finned	112MH/4VR RDD Finned	300600509 WEG 4:1 CT Smooth	CSSEWDM3615T Smooth	IDWNM3707T Smooth	C-FACE 180TC	C-FACE 210TC
	\$ 1,741	\$ 1,909	\$ 2,327	\$ 2,705	\$ 3,869	\$ 3,896	\$ 1,565	\$ 1,565

Horizontal Motor with Reducer SK92672AZH

Horizontal Motor	100LA/4VR Finned	112M/4VN Finned	112MH/4VR Finned	300600509 WEG 4:1 CT Smooth	VEWDM3615T Smooth	IDWNM3707T Smooth	C-FACE 180TC	C-FACE 210TC
	\$1,487	\$1,643	\$ 2,105	\$ 2,561	\$ 3,031	\$ 3,752	\$ 1,421	\$ 1,421

361	873	2.7	4.85	A	A	A	A	A	A	A
321	983	2.4	5.46	A	A	A	A	A	A	A
296	1,066	2.1	5.92	A	A	A	A	A	A	A
258	1,220	2.0	6.78	A	A	A	A	A	A	A
226	1,391	1.9	7.73	A	A	A	A	A	A	A
201	1,568	1.8	8.71	A	A	A	A	A	A	A
179	1,760	1.6	9.78	A	A	A	A	A	A	A
159	1,984	1.5	11.02	A	A	A	A	A	A	A

Thermostat xxx_/4-...TW		147	147	147
Thermistor xxx_/4-...TF		147	147	147
Vertical	Enclosure Protection xxx_/4...IP66	45	66	45
	Encapsulated Windings xxx_/4...EP	131	146	131
Horizontal	Extra Motor Protection xxx_/4...IP66	45	66	45
	Encapsulated Windings xxx_/4...EP	131	146	131

Vertical	High Efficiency 230/460V or 575V	112MH/4VR RDD-KBO	112MH/4VN RDD-KBO
		\$299	\$131
Horizontal	High Efficiency 230/460V or 575V	112MH/4	112MH/4
		\$287	\$131

VOTATOR 4 x 120

7.5 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR	C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
					NORD MOTOR	WEG / BALDOR MOTOR		
				TEFC 230/460V 5:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V See Below	TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	RATIO					

Vertical Motor with Reducer SK92672AZHOA

Vertical Motor (Horizontal 4 x 120)	132S/4VR RDD-KBO Finned	132SH/4VR RDD Finned	300679506 WEG 4:1 CT Smooth	CSSEWDM3710T Smooth	C-FACE 210TC
	\$ 2,083	\$ 2,595	\$ 3,120	\$ 4,502	\$ 1,565

Horizontal Motor with Reducer SK92672AZH

Horizontal Motor	132S/4VR Finned	132SH/4VR Finned	300679506 WEG 4:1 CT Smooth	VEWDM3710T Smooth	C-FACE 210TC
	\$ 1,807	\$ 2,351	\$ 2,976	\$ 3,574	\$ 1,421

363	1,305	1.8	4.85	A	A	A	A	A
322	1,469	1.6	5.46	A	A	A	A	A
297	1,592	1.5	5.92	A	A	A	A	A
260	1,824	1.4	6.78	A	A	A	A	A

Thermostat		xxx_/4-...TW	168	168
Thermistor		xxx_/4-...TF	168	168
Vertical	Enclosure Protection xxx_/4...IP66		69	69
	Encapsulated Windings xxx_/4...EP		146	146
Horizontal	Extra Motor Protection xxx_/4...IP66		69	69
	Encapsulated Windings xxx_/4...EP		146	146

Vertical	High Efficiency 230/460V or 575V	132SH/4VR RDD-KBO
		\$324
Horizontal	High Efficiency 230/460V or 575V	132SH/4VR
		\$324

VOTATOR

7.5 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		WEG / BALDOR MOTOR					
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	213TC	215TC	213TC	213TC	254TC			
						TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V See Below	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT			
RPM	INCH LBS	SERVICE FACTOR	RATIO										

Vertical Motor with Reducer SK4282EAZH660A

Vertical Motor (Horizontal 4 x 120)	132S/4VR RDD-KBO	132M/4VN RDD-KBO	132SH/4VR RDD	132MH/4VN RDD	300679506 WEG 4:1 CT	CSSEWDM3710T	IDWNM22937T	C-FACE 210TC	C-FACE 250TC
	Finned	Finned	Finned	Finned	Smooth	Smooth	Smooth		
	\$ 3,645	\$ 3,745	\$ 3,832	\$ 3,908	\$ 4,357	\$ 5,739	\$ 6,448	\$ 2,802	\$ 2,836

Horizontal Motor with Reducer SK4282EAZH66

Horizontal Motor	132S/4VR	132M/4VN	132SH/4VR	132MH/4VN	300679506 WEG 4:1 CT	VEWDM3710T	IDWNM22937T	C-FACE 210TC	C-FACE 250TC
	Finned	Finned	Finned	Finned	Smooth	Smooth	Smooth		
	\$ 3,381	\$ 3,481	\$ 3,600	\$ 3,676	\$ 4,225	\$ 4,823	\$ 6,316	\$ 2,670	\$ 2,704

374	1,264	7.3	4.70	A	A	A	A	A	A	A	A
352	1,345	6.8	5.00	A	A	A	A	A	A	A	A
324	1,461	6.3	5.43	A	A	A	A	A	A	A	A
290	1,630	6.5	6.06	A	A	A	A	A	A	A	A
247	1,918	5.6	7.13	A	A	A	A	A	A	A	A
211	2,241	5.0	8.33	A	A	A	A	A	A	A	A
191	2,483	5.8	9.23	A	A	A	A	A	A	A	A
162	2,919	5.2	10.85	A	A	A	A	A	A	A	A
139	3,411	4.5	12.68	A	A	A	A	A	A	A	A
116	4,089	3.2	15.20	A	A	A	A	A	A	A	A
97	4,890	3.2	18.18	A	A	A	A	A	A	A	A
82	5,770	2.6	21.45	A	A	A	A	A	A	A	A
79	6,023	2.5	22.39	A	A	A	A	A	A	A	A
67	7,061	2.0	26.25	A	A	A	A	A	A	A	A
67	7,110	2.2	26.43	A	A	A	A	A	A	A	A
55	8,619	1.8	32.04	A	A	A	A	A	A	A	A
54	8,699	1.6	32.34	A	A	A	A	A	A	A	A

Thermostat		xxx_/4-...TW	168	168	168	168
Thermistor		xxx_/4-...TF	168	168	168	168
Vertical	Enclosure Protection xxx_/4...IP66		69	69	69	69
	Encapsulated Windings xxx_/4...EP		146	146	146	146
Horizontal	Extra Motor Protection xxx_/4...IP66		69	69	69	69
	Encapsulated Windings xxx_/4...EP		146	146	146	146

Vertical	High Efficiency 230/460V or 575V	132SH/4VR RDD-KBO	132MH/4VN RDD-KBO
		\$324	\$324
Horizontal	High Efficiency 230/460V or 575V	132SH/4VR	132MH/4VN
		\$324	\$324

VOTATOR

10 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		WEG / BALDOR MOTOR				
				TEFC	TEFC	215TC	254TC	215TC	215TC	254TC		
RPM	INCH LBS	SERVICE FACTOR	RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	See Below	10:1 CT	20:1 CT		

Vertical Motor with Reducer SK4282EAZH60A

Vertical	132M/4VR KBO-RDD Finned	160M/4VN KBO-RDD Finned	132MH/4VR RDD Finned	160MH/4VN RDD-TW Finned	300601009 WEG 4:1 CT Smooth	CSSEWDM3714T Smooth	IDWNM22938T Smooth	C-FACE 210TC	C-FACE 250TC
	\$ 3,745	\$ 4,652	\$ 3,908	\$ 5,091	\$ 4,456	\$ 6,266	\$ 7,065	\$ 2,802	\$ 2,836

Horizontal Motor with Reducer SK4282EAZH66

Horizontal	132M/4VR Finned	160M/4VN KBO Finned	132MH/4VR RDD Finned	160MH/4VN TW Finned	300601009 WEG 4:1 CT Smooth	VEWDM3714T Smooth	IDWNM22938T Smooth	C-FACE 210TC	C-FACE 250TC
	\$3,603	\$4,364	\$ 3,676	\$ 4,681	\$ 4,324	\$ 4,984	\$ 6,933	\$ 2,670	\$ 2,704

374	1,683	5.4	4.70	A	A	A	A	A	A	A	A
352	1,790	5.1	5.00	A	A	A	A	A	A	A	A
324	1,944	4.7	5.43	A	A	A	A	A	A	A	A
290	2,169	4.9	6.06	A	A	A	A	A	A	A	A
247	2,553	4.2	7.13	A	A	A	A	A	A	A	A
211	2,982	3.8	8.33	A	A	A	A	A	A	A	A
191	3,304	4.4	9.23	A	A	A	A	A	A	A	A
162	3,884	2.6	10.85	A	A	A	A	A	A	A	A
139	4,539	2.4	12.68	A	A	A	A	A	A	A	A
116	5,442	2.4	15.20	A	A	A	A	A	A	A	A
97	6,508	2.4	18.18	A	A	A	A	A	A	A	A
82	7,679	1.9	21.45	A	A	A	A	A	A	A	A
79	8,016	1.8	22.39	A	A	A	A	A	A	A	A
67	9,398	1.5	26.25	A	A	A	A	A	A	A	A
67	9,462	1.6	26.43	A	A	A	A	A	A	A	A
55	11,470	1.4	32.04	A	A	A	A	A	A	A	A

Thermostat xxx_/4-...TW		168	168	168	Included
Thermistor xxx_/4-...TF		168	168	168	168
Vertical	Enclosure Protection xxx_/4...IP66	69	82	69	168
	Encapsulated Windings xxx_/4...EP	146	240	146	240
Horizontal	Extra Motor Protection xxx_/4...IP66	69	82	69	82
	Encapsulated Windings xxx_/4...EP	146	240	146	240

Vertical	High Efficiency 230/460V or 575V	132MH/4VR RDD-KBO	160MH/4VN RDD-KBO
		\$324	\$350
Horizontal	High Efficiency 230/460V or 575V	132MH/4VR	160MH/4VN KBO
		\$324	\$350

VOTATOR

15 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR		
				TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	254TC TEFC 230/460V 5:1 CT	256TC TEFC 230/460V 10:1 CT	254TC TEFC 230/460V CONSTANT	254TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	RATIO							

Vertical Motor with Reducer SK4282EAZH660A

Vertical	160M/4VR RDD-KBO Finned	160L/4VN RDD-KBO Finned	160MH/4VR RDD-TW Finned	160LH/4VN RDD-TW Finned	Use 10:1 Selection	CECP82333T-4 Finned CI	C-FACE 250TC
	\$ 4,755	\$ 5,173	\$ 5,194	\$ 5,966		\$ 3,254	\$ 2,939

Horizontal Motor with Reducer SK4282EAZH66

Horizontal	160M/4VR KBO Finned	160L/4VN KBO Finned	160MH/4VR TW Finned	160LH/4VN TW Finned	CWDM23933T Smooth	CEWDM23933T Smooth	C-FACE 250TC
	\$ 4,242	\$ 4,660	\$ 4,681	\$ 5,453	\$ 6,310	\$ 7,560	\$ 2,704

374	2,524	3.3	4.70	A	A	A	A	A	A	A
352	2,685	3.2	5.00	A	A	A	A	A	A	A
324	2,916	3.2	5.43	A	A	A	A	A	A	A
290	3,254	3.0	6.06	A	A	A	A	A	A	A
247	3,829	2.8	7.13	A	A	A	A	A	A	A
211	4,473	2.5	8.33	A	A	A	A	A	A	A
191	4,957	2.9	9.23	A	A	A	A	A	A	A
162	5,826	2.6	10.85	A	A	A	A	A	A	A
139	6,809	2.3	12.68	A	A	A	A	A	A	A
116	8,162	2.0	15.20	A	A	A	A	A	A	A
97	9,763	1.6	18.18	A	A	A	A	A	A	A

Thermostat xxx_/4-...TW		168	168	Included	Included
Thermistor xxx_/4-...TF		168	168	168	168
Vertical	Enclosure Protection xxx_/4-...IP66	82	82	82	82
	Encapsulated Windings xxx_/4-...EP	240	240	240	240
Horizontal	Extra Motor Protection xxx_/4-...IP66	82	82	82	82
	Encapsulated Windings xxx_/4-...EP	240	240	240	240

Vertical	High Efficiency 230/460V or 575V	160MH/4VR RDD-KBO	160LH/4VN RDD-KBO
		\$350	\$350
Horizontal	High Efficiency 230/460V or 575V	160MH/4VR KBO	160LH/4VN KBO
		\$350	\$350

VOTATOR

15 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR		
				TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	254TC TEFC 230/460V 5:1 CT	256TC TEFC 230/460V 10:1 CT	254TC TEFC 230/460V CONSTANT	254TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	RATIO							

Vertical Motor with Reducer SK5282EAZH660A

Vertical	160M/4VR RDD-KBO Finned	160L/4VN RDD-KBO Finned	160MH/4VR RDD-TW Finned	160LH/4VN RDD-TW Finned	Use 10:1 Selection	CECP82333T-4 Finned CI	C-FACE 250TC
	\$ 6,610	\$ 7,029	\$ 7,043	\$ 7,815		\$ 8,042	\$ 4,788

Horizontal Motor with Reducer SK5282EAZH66

Horizontal	160M/4VR KBO Finned	160L/4VN KBO Finned	160MH/4VR TW Finned	160LH/4VN TW Finned	CWDM23933T Smooth	CEWDM23933T Smooth	C-FACE 250TC
	\$ 6,026	\$ 6,445	\$ 6,459	\$ 7,231	\$ 8,088	\$ 9,338	\$ 4,482

407	2,320	5.9	4.32	A	A	A	A	A	A	A
351	2,690	5.6	5.01	A	A	A	A	A	A	A
333	2,841	5.5	5.29	A	A	A	A	A	A	A
308	3,066	5.2	5.71	A	A	A	A	A	A	A
278	3,399	5.5	6.33	A	A	A	A	A	A	A
245	3,850	5.0	7.17	A	A	A	A	A	A	A
202	4,672	4.5	8.70	A	A	A	A	A	A	A
186	5,080	4.0	9.46	A	A	A	A	A	A	A
164	5,751	3.8	10.71	A	A	A	A	A	A	A
135	6,981	3.1	13.00	A	A	A	A	A	A	A
114	8,259	2.8	15.38	A	A	A	A	A	A	A
100	9,446	2.6	17.59	A	A	A	A	A	A	A
93	10,139	2.3	18.88	A	A	A	A	A	A	A
86	10,933	2.5	20.36	A	A	A	A	A	A	A
70	13,425	1.9	25.00	A	A	A	A	A	A	A
58	16,379	1.6	30.50	A	A	A	A	A	A	A

Thermostat xxx_/4-...TW		168	168	Included	Included
Thermistor xxx_/4-...TF		168	168	168	168
Vertical	Enclosure Protection xxx_/4-...IP66	82	82	82	82
	Encapsulated Windings xxx_/4-...EP	240	240	240	240
Horizontal	Extra Motor Protection xxx_/4-...IP66	82	82	82	82
	Encapsulated Windings xxx_/4-...EP	240	240	240	240

Vertical	High Efficiency 230/460V or 575V	160MH/4VR RDD-KBO	160LH/4VN RDD-KBO
		\$350	\$350
Horizontal	High Efficiency 230/460V or 575V	160MH/4VR KBO	160LH/4VN KBO
		\$350	\$350

VOTATOR

20 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR		
				TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	256TC TEFC 230/460V 5:1 CT	256TC TEFC 230/460V 10:1 CT	256TC TEFC 230/460V CONSTANT	256TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	RATIO							

Vertical Motor with Reducer SK4282EAZH660A

Vertical	160L/4VR RDD-KBO Finned	180MX/4VN RDD-KBO Finned	160LH/4VR RDD-TW Finned	180MH/4VN RDD-TW Finned	Use 10:1 Selection	CECP82334T-4 Finned CI	C-FACE 250TC
	\$ 5,173	N/A	\$ 5,966	INQUIRE		\$ 6,381	\$ 2,939

Horizontal Motor with Reducer SK4282EAZH66

Horizontal	160L/4VR KBO Finned	180MX/4VN KBO Finned	160LH/4VR TW Finned	180MH/4VN TW Finned	CWDM23934T Smooth	CEWDM23934T Smooth	C-FACE 250TC
	\$ 4,660	N/A	\$ 5,453	INQUIRE	\$ 6,888	\$ 8,337	\$ 2,704

374	3,365	2.5	4.70	A		A		A	A	A
352	3,580	2.4	5.00	A		A		A	A	A
324	3,888	2.4	5.43	A		A		A	A	A
290	4,339	2.2	6.06	A		A		A	A	A
247	5,105	2.1	7.13	A		A		A	A	A
211	5,964	1.9	8.33	A		A		A	A	A
191	6,609	2.2	9.23	A		A		A	A	A
162	7,769	1.9	10.85	A		A		A	A	A
139	9,079	1.7	12.68	A		A		A	A	A
116	10,883	1.5	15.20	A		A		A	A	A

Thermostat xxx_/4-...TW		168		Included	
Thermistor xxx_/4-...TF		168		168	
Vertical	Enclosure Protection xxx_/4...IP66	82		82	
	Encapsulated Windings xxx_/4...EP	240		240	
Horizontal	Extra Motor Protection xxx_/4...IP66	82		82	
	Encapsulated Windings xxx_/4...EP	240		240	

Vertical	High Efficiency 230/460V or 575V	160LH/4VR RDD-KBO			
		\$350			
Horizontal	High Efficiency 230/460V or 575V	160LH/4VR KBO			
		\$350			

VOTATOR

20 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR		
				TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	256TC TEFC 230/460V 5:1 CT	256TC TEFC 230/460V 10:1 CT	256TC TEFC 230/460V CONSTANT	256TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	RATIO							

Vertical Motor with Reducer SK5282EAZH660A

Vertical	160L/4VR RDD-KBO Finned	180MX/4VN RDD-KBO Finned	160LH/4VR RDD-TW Finned	180MX/4VN RDD-TW Finned	Use 10:1 Selection	CECP82334T-4 Finned CI	C-FACE 250TC
	\$ 7,029	\$ 7,298	\$ 7,815	INQUIRE		\$ 8,230	\$ 4,788

Horizontal Motor with Reducer SK5282EAZH66

Horizontal	160L/4VR KBO Finned	180MX/4VN KBO Finned	160LH/4VR TW Finned	180MX/4VN TW Finned	CWDM23934T Smooth	CEWDM23934T Smooth	C-FACE 250TC
	\$6,445	\$6,691	\$ 7,231	INQUIRE	\$ 8,666	\$ 10,115	\$ 4,482

407	3,093	4.4	4.32	A	A	A		A	A	A
351	3,587	4.2	5.01	A	A	A		A	A	A
333	3,788	4.1	5.29	A	A	A		A	A	A
308	4,088	3.9	5.71	A	A	A		A	A	A
278	4,532	4.1	6.33	A	A	A		A	A	A
245	5,134	2.5	7.17	A	A	A		A	A	A
202	6,229	2.3	8.70	A	A	A		A	A	A
186	6,773	2.6	9.46	A	A	A		A	A	A
164	7,668	2.5	10.71	A	A	A		A	A	A
135	9,308	2.3	13.00	A	A	A		A	A	A
114	11,012	2.1	15.38	A	A	A		A	A	A
100	12,594	1.9	17.59	A	A	A		A	A	A
93	13,518	1.7	18.88	A	A	A		A	A	A
86	14,578	1.9	20.36	A	A	A		A	A	A
70	17,900	1.4	25.00	A	A	A		A	A	A

Thermostat		xxx_/4-...TW	168	168	Included	
Thermistor		xxx_/4-...TF	168	168	168	
Vertical	Enclosure Protection xxx_/4...IP66	82	89	82		
	Encapsulated Windings xxx_/4...EP	240	350	240		
Horizontal	Extra Motor Protection xxx_/4...IP66	82	89	82		
	Encapsulated Windings xxx_/4...EP	240	350	240		

Vertical	High Efficiency 230/460V or 575V	160LH/4VR RDD-KBO	180MH/4VN RDD-KBO
		\$350	\$664
Horizontal	High Efficiency 230/460V or 575V	160LH/4VR KBO	180MH/4VN KBO
		\$350	\$664

VOTATOR

25 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC	
						NORD MOTOR		BALDOR MOTOR			
				TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	284TC TEFC 230/460V 5:1 CT	286TC TEFC 230/460V 10:1 CT	284TC TEFC 230/460V CONSTANT	284TC TEFC 230/460V 10:1 CT		
RPM	INCH LBS	SF	RATIO								

Vertical Motor with Reducer SK5282EAZH660A

Vertical	180MX/4VR RDD-KBO Finned	180LX/4VN RDD-KBO Finned	180MH/4VN KBO-RDD-TW Finned	180LH/4VN KBO-RDD-TW Finned	Use 10:1 Selection	CECP84103T-4 Finned CI	C-FACE 280TC
	\$ 7,298	\$ 7,467	INQUIRE	INQUIRE		INQUIRE	INQUIRE

Horizontal Motor with Reducer SK5282EAZH66

Horizontal	180MX/4VR KBO Finned	180LX/4VN KBO Finned	180MH/4VN KBO-TW Finned	180LH/4VN KBO-TW Finned	VCP4103T Finned CI	VECP4103T Finned CI	C-FACE 280TC
	\$ 6,834	\$ 7,003	INQUIRE	INQUIRE	\$ 5,492	\$ 9,814	\$ 5,492

407	3,866	3.5	4.32	A	A	A	A	A	A	A
351	4,484	3.3	5.01	A	A	A	A	A	A	A
333	4,735	3.3	5.29	A	A	A	A	A	A	A
308	5,110	3.1	5.71	A	A	A	A	A	A	A
278	5,665	3.3	6.33	A	A	A	A	A	A	A
245	6,417	3.0	7.17	A	A	A	A	A	A	A
202	7,787	2.7	8.70	A	A	A	A	A	A	A
186	8,467	2.4	9.46	A	A	A	A	A	A	A
164	9,585	2.3	10.71	A	A	A	A	A	A	A
135	11,635	2.0	13.00	A	A	A	A	A	A	A
114	13,765	1.7	15.38	A	A	A	A	A	A	A
100	15,743	1.5	17.59	A	A	A	A	A	A	A
93	16,898	1.4	18.88	A	A	A	A	A	A	A
86	18,222	1.5	20.36	A	A	A	A	A	A	A

Thermostat		xxx_/4-...TW	168	168	Included	Included
Thermistor		xxx_/4-...TF	168	168	168	168
Vertical	Enclosure Protection xxx_/4...IP66	89	89	89	89	
	Encapsulated Windings xxx_/4...EP	350	350	360	360	
Horizontal	Extra Motor Protection xxx_/4...IP66	89	89	89	89	
	Encapsulated Windings xxx_/4...EP	350	350	360	360	

Vertical	High Efficiency 230/460V or 575V	180MH/4VR RDD-KBO	180LH/4VN RDD-KBO
		\$664	\$664
Horizontal	High Efficiency 230/460V or 575V	180MH/4VN KBO	180LH/4VN KBO
		\$664	\$664

VOTATOR

25 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
						NORD MOTOR		BALDOR MOTOR		
				TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	284TC TEFC 230/460V 5:1 CT	286TC TEFC 230/460V 10:1 CT	284TC TEFC 230/460V CONSTANT	284TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SF	RATIO							

Vertical	180MX/4VR RDD-KBO Finned	180LX/4VN RDD-KBO Finned	180MH/4VN KBO-RDD-TW Finned	180LH/4VN KBO-RDD-TW Finned	Use 10:1 Selection	CECP84103T-4 Finned CI	C-FACE 280TC
	\$ 9,178	\$ 9,347	INQUIRE	INQUIRE		INQUIRE	INQUIRE

Horizontal Motor with Reducer SK6282EAZH66

Horizontal	180MX/4VR KBO Finned	180LX/4VN KBO Finned	180MH/4VN TW Finned	180LH/4VN TW Finned	VCP4103T Finned CI	VECP4103T Finned CI	C-FACE 280TC
	\$ 8,722	\$ 8,891	INQUIRE	INQUIRE	\$ 7,212	\$ 11,534	\$ 7,212

401	3,929	4.6	4.39	A	A			A	A	A
361	4,368	4.4	4.88	A	A			A	A	A
320	4,923	4.1	5.50	A	A			A	A	A
304	5,173	4.0	5.78	A	A			A	A	A
294	5,361	3.9	5.99	A	A			A	A	A
261	6,032	4.4	6.74	A	A			A	A	A
225	6,999	3.4	7.82	A	A			A	A	A
187	8,404	2.9	9.39	A	A			A	A	A
165	9,523	4.0	10.64	A	A			A	A	A
165	9,541	3.7	10.66	A	A			A	A	A
143	11,053	3.5	12.35	A	A			A	A	A
119	13,273	3.0	14.83	A	A			A	A	A
94	16,737	2.3	18.70	A	A			A	A	A
77	20,540	1.9	22.95	A	A			A	A	A
68	23,315	1.7	26.05	A	A			A	A	A
59	26,761	1.5	29.90	A	A			A	A	A

Thermostat xxx_/4-...TW		168	168		
Thermistor xxx_/4-...TF		168	168		
Vertical	Enclosure Protection xxx_/4...IP66	89	89		
	Encapsulated Windings xxx_/4...EP	350	350		
Horizontal	Extra Motor Protection xxx_/4...IP66	89	89		
	Encapsulated Windings xxx_/4...EP	350	350		

Vertical	High Efficiency 230/460V or 575V	180MH/4VR RDD-KBO	180LH/4VN RDD-KBO
		\$664	\$664
Horizontal	High Efficiency 230/460V or 575V	180MH/4VR KBO	180LH/4VN KBO
		\$664	\$664

VOTATOR

30 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
						NORD MOTOR		BALDOR	
				TEFC 230/460V 4:1 CT	TEBC 230/460V 10:1 CT	286TC TEFC 230/460V 5:1 CT	286TC TEBC 230/460V 10:1 CT	286TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	RATIO						

Vertical Motor with Reducer SK5282EAZH660A

Vertical	180LX/4VR RDD-KBO Finned	180LX/4VZF KBO Finned	180LX/4VN KBO-RDD-TW Finned	180LX/4VZF TW Finned	CECP84104T-4 Finned CI	C-FACE 280TC
	\$ 7,467	\$ 7,852	INQUIRE	INQUIRE	INQUIRE	INQUIRE

Horizontal Motor with Reducer SK5282EAZH66

Horizontal	180LX/4VR KBO Finned	180LX/4VZF KBO Finned	180LX/4VN KBO-TW Finned	180LX/4VZF KBO-TW Finned	CECP4104T Finned CI	C-FACE 280TC
	\$ 7,003	\$ 7,689	INQUIRE	INQUIRE	\$ 10,569	\$ 5,492

407	4,640	2.9	4.32	A	A			A	A
351	5,381	2.8	5.01	A	A			A	A
333	5,681	2.7	5.29	A	A			A	A
308	6,133	2.6	5.71	A	A			A	A
278	6,798	2.7	6.33	A	A			A	A
245	7,701	2.5	7.17	A	A			A	A
202	9,344	2.2	8.70	A	A			A	A
186	10,160	2.0	9.46	A	A			A	A
164	11,503	1.9	10.71	A	A			A	A
135	13,962	1.7	13.00	A	A			A	A
114	16,518	1.4	15.38	A	A			A	A

Thermostat		xxx_/4-...TW	168	168		
Thermistor		xxx_/4-...TF	168	168		
Vertical	Enclosure Protection	xxx_/4...IP66	89	89		
	Encapsulated Wings	xxx_/4...EP	350	350		
Horizontal	Extra Motor Protection	xxx_/4...IP66	89	89		
	Encapsulated Wings	xxx_/4...EP	350	350		

Vertical	High Efficiency 230/460V or 575V	180LH/4VR RDD-KBO	180LH/4VZF KBO
		\$664	\$707
Horizontal	High Efficiency 230/460V or 575V	180LH/4VR KBO	180LH/4VZF KBO
		\$664	\$707

VOTATOR

30 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
						NORD MOTOR		BALDOR	
				TEFC 230/460V 4:1 CT	TEBC 230/460V 10:1 CT	286TC TEFC 230/460V 5:1 CT	286TC TEBC 230/460V 10:1 CT	286TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	RATIO						

Vertical Motor with Reducer SK6282EAZH660A

Vertical	180LX/4VR RDD-KBO Finned	180LX/4VZF KBO Finned	180LH/4VN KBO-RDD-TW Finned	180LH/4VZF TW Finned	CECP84104T-4 Finned CI	C-FACE 280TC
	\$ 9,347	\$ 9,732	INQUIRE	INQUIRE	INQUIRE	INQUIRE

Horizontal Motor with Reducer SK6282EAZH66

Horizontal	180LX/4VR RDD-KBO Finned	180LX/4VZF KBO Finned	180LH/4VN TW Finned	180LH/4VZF TW Finned	CECP4104T Finned CI	C-FACE 280TC
	\$ 9,192	\$ 9,577	INQUIRE	INQUIRE	\$ 12,289	\$ 7,212

401	4,715	3.8	4.39	A	A			A	A
361	5,241	3.6	4.88	A	A			A	A
320	5,907	3.4	5.50	A	A			A	A
304	6,208	3.3	5.78	A	A			A	A
294	6,433	3.3	5.99	A	A			A	A
261	7,239	3.7	6.74	A	A			A	A
225	8,399	2.8	7.82	A	A			A	A
187	10,085	2.4	9.39	A	A			A	A
165	11,427	3.3	10.64	A	A			A	A
165	11,449	1.6	10.66	A	A			A	A
143	13,264	2.9	12.35	A	A			A	A
119	15,927	2.5	14.83	A	A			A	A
94	20,084	1.9	18.70	A	A			A	A
77	24,648	1.6	22.95	A	A			A	A
68	27,978	1.4	26.05	A	A			A	A

Thermostat		xxx_/4-...TW	168	168		
Thermistor		xxx_/4-...TF	168	168		
Vertical	Enclosure Protection xxx_/4...IP66		168	89		
	Encapsulated Windings xxx_/4...EP		350	350		
Horizontal	Extra Motor Protection xxx_/4...IP66		89	89		
	Encapsulated Windings xxx_/4...EP		350	350		

Vertical	High Efficiency 230/460V or 575V	180LH/4VR RDD-KBO	180LH/4VZF KBO
		\$664	\$707
Horizontal	High Efficiency 230/460V or 575V	180LH/4VR KBO	180LH/4VZF KBO
		\$664	\$707

VOTATOR

40 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
RPM	INCH LBS	SERVICE FACTOR	RATIO	TEFC 230/460V 4:1 CT	TEBC 230/460V 10:1 CT	OTHER MFG	BALDOR	
						TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	

Vertical Motor with Reducer SK6282EAZH660A

Vertical		200L/4VR RDD-KBO-TW-TF Finned	200L/4VZF KBO-TW-TF Finned	INQUIRE	CECP84110T-4 Finned Cl	C-FACE 320TC
		\$ 11,325	\$ 12,168	TBD	INQUIRE	INQUIRE

Horizontal Motor with Reducer SK6282EAZH66

Horizontal		200L/4VR KBO-TW-TF Finned	200L/4VZF KBO-TW-TF Finned	INQUIRE	CECP4110T Finned Cl	C-FACE 320TC
		\$ 10,847	\$ 12,013	TBD	\$ 13,990	\$ 7,509

404	6,234	2.9	4.39	A	A		A	A
364	6,930	2.8	4.88	A	A		A	A
323	7,810	2.6	5.50	A	A		A	A
307	8,208	2.5	5.78	A	A		A	A
296	8,506	2.5	5.99	A	A		A	A
263	9,571	2.8	6.74	A	A		A	A
227	11,104	2.1	7.82	A	A		A	A
189	13,334	1.8	9.39	A	A		A	A
167	15,109	2.5	10.64	A	A		A	A
167	15,137	1.2	10.66	A	A		A	A
144	17,537	2.2	12.35	A	A		A	A
120	21,059	1.9	14.83	A	A		A	A
95	26,554	1.5	18.70	A	A		A	A

Thermostat		xxx_/4-...TW	Included	Included
Thermistor		xxx_/4-...TF	Included	Included
Vertical	Enclosure Protection xxx_/4...IP66	151	151	
	Encapsulated Windings xxx_/4...EP	418	418	
Horizontal	Extra Motor Protection xxx_/4...IP66	151	151	
	Encapsulated Windings xxx_/4...EP	418	418	

Vertical	High Efficiency 230/460V or 575V	200LH/4VR RDD-KBO-TW	200LH/4VZF KBO-TW
		\$883	\$883
Horizontal	High Efficiency 230/460V or 575V	200LH/4VR KBO-TW	200LH/4VZF KBO-TW
		\$883	\$883

VOTATOR

50 HP HEAT EXCHANGER WASHDOWN				INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
RPM	INCH LBS	SERVICE FACTOR	RATIO	TEFC 230/460V 4:1 CT	TEBC 230/460V 10:1 CT	OTHER MFG	BALDOR	
						TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	

Vertical Motor with Reducer SK6282EAZH660A

Vertical	225S/4VR RDD-KBO-TW-TF Finned	225M/4VZF KBO-TW-TF Finned	INQUIRE	CECP84115T-4 Finned CI	C-FACE 320TC
	\$ 12,393	\$ 14,290	TBD	INQUIRE	INQUIRE

Horizontal Motor with Reducer SK6282EAZH66

Horizontal	225S/4VR KBO-TW-TF Finned	225M/4VZF KBO-TW-TF Finned	INQUIRE	CECP4115T Finned CI	C-FACE 320TC
	\$ 11,892	\$ 14,135	TBD	\$ 14,966	\$ 7,509

404	7,792	2.3	4.39	A	A		A	A
364	8,662	2.2	4.88	A	A		A	A
323	9,763	2.1	5.50	A	A		A	A
307	10,260	2.0	5.78	A	A		A	A
296	10,632	2.1	5.99	A	A		A	A
263	11,964	2.2	6.74	A	A		A	A
227	13,881	1.7	7.82	A	A		A	A
189	16,667	1.5	9.39	A	A		A	A
167	18,886	2.0	10.64	A	A		A	A
144	21,921	1.8	12.35	A	A		A	A
120	26,323	1.5	14.83	A	A		A	A

Thermostat		xxx_/4-...TW	Included	Included
Thermistor		xxx_/4-...TF	Included	Included
Vertical	Enclosure Protection xxx_/4...IP66	151	151	
	Encapsulated Windings xxx_/4...EP	418	418	
Horizontal	Extra Motor Protection xxx_/4...IP66	151	151	
	Encapsulated Windings xxx_/4...EP	418	418	

Vertical	High Efficiency 230/460V or 575V	225SH/4VR RDD-KBO-TW-TF	225MH/4VZF KBO-TW-TF
		\$1,217	\$1,217
Horizontal	High Efficiency 230/460V or 575V	225SH/4VR KBO-TW-TF	225MH/4VZF KBO-TW-TF
		\$1,217	\$1,217

VOTATOR

60 HP HEAT EXCHANGER WASHDOWN				NORD INTEGRAL	C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 360TC
RPM	INCH LBS	SERVICE FACTOR	RATIO	TEBC 230/460V 10:1 CT	OTHER MFG	BALDOR	
					TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	

Vertical Motor with Reducer SK6282EAZH660A

Vertical	225M/4VZF KBO-TW-TF Finned	INQUIRE	CECP84314T-4 Finned CI	C-FACE 360TC
	\$ 14,280	TBD	INQUIRE	INQUIRE

Horizontal Motor with Reducer SK6282EAZH66

Horizontal	225M/4VZF KBO-TW-TF Finned	INQUIRE	CECP84314T-4 Finned CI	C-FACE 360TC
	\$ 14,125	TBD	\$ 19,408	\$ 8,671

404	9,351	1.9	4.39	A		A	A
364	10,394	1.8	4.88	A		A	A
323	11,715	1.7	5.50	A		A	A
307	12,311	1.7	5.78	A		A	A
296	12,759	1.7	5.99	A		A	A
263	14,356	1.8	6.74	A		A	A
227	16,657	1.4	7.82	A		A	A
189	20,001	1.2	9.39	A		A	A
167	22,663	1.7	10.64	A		A	A
144	26,306	1.5	12.35	A		A	A

Thermostat		xxx_/4-...TW	Included
Thermistor		xxx_/4-...TF	Included
Vertical	Enclosure Protection xxx_/4...IP66	151	
	Encapsulated Windings xxx_/4...EP	89	
Horizontal	Extra Motor Protection xxx_/4...IP66	151	
	Encapsulated Windings xxx_/4...EP	418	
Vertical	High Efficiency 230/460V or 575V	225MH/4VZF KBO-TW-TF	
		\$1,217	
Horizontal	High Efficiency 230/460V or 575V	225MH/4VZF KBO-TW-TF	
		\$1,217	